

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW062124\
 Data File : VW036202.D
 Acq On : 21 Jun 2024 13:22
 Operator : SY/MD
 Sample : VIBLK298
 Misc : 5.00g/10.0mL/MSVOA_V/SOIL
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VIBLK298

Quant Time: Jun 22 00:12:08 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM053024SMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jun 20 05:02:48 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	283675	25.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117	289938	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	131626	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.272	65	93163	17.863	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	71.440%
7) Chloroethane-d5	1.526	69	82979	19.954	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	79.800%
11) 1,1-Dichloroethene-d2	2.050	65	44728	19.265	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	77.040%
21) 2-Butanone-d5	3.831	46	51186	42.776	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	85.560%
24) Chloroform-d	4.246	84	191492	21.233	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	84.920%
26) 1,2-Dichloroethane-d4	4.940	65	110711	23.413	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	93.640%
32) Benzene-d6	4.953	84	364376	21.142	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	84.560%
36) 1,2-Dichloropropane-d6	5.989	67	120465	22.196	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	88.800%
41) Toluene-d8	7.243	98	309442	20.349	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	81.400%
43) trans-1,3-Dichloroprop...	7.554	79	48349	21.727	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	86.920%
47) 2-Hexanone-d5	8.030	63	40447	55.005	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	110.020%
56) 1,1,2,2-Tetrachloroeth...	10.152	84	109350	26.962	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	107.840%
66) 1,2-Dichlorobenzene-d4	11.558	152	118287	24.506	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	98.040%
Target Compounds						
16) Methylene chloride	2.442	84	37546	5.849	ug/L	96
64) 1,3-Dichlorobenzene	11.127	146	7778	0.877	ug/L	94
65) 1,4-Dichlorobenzene	11.207	146	6831	0.746	ug/L	96
67) 1,2-Dichlorobenzene	11.577	146	3663	0.439	ug/L	97
70) 1,2,4-trichlorobenzene	13.204	180	3549	0.679	ug/L	88

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV062124\
Data File : VV036202.D
Acq On : 21 Jun 2024 13:22
Operator : SY/MD
Sample : VIBLK298
Misc : 5.00g/10.0mL/MSVOA_V/SOIL
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VIBLK298

Quant Time: Jun 22 00:12:08 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM053024SMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jun 20 05:02:48 2024
Response via : Initial Calibration

