




Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV062124\
Data File : VV036215.D
Acq On : 21 Jun 2024 18:22
Operator : SY/MD
Sample : P2987-01
Misc : 4.98g/10.0mL/MSVOA_V/SOIL/A
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0T85

Manual IntegrationsAPPROVED

Reviewed By :Mahesh Dadoda 06/26/2024
Supervised By :Semsettin Yesilyurt 06/26/2024

Quant Time: Jun 22 00:16:11 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM053024SMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jun 20 05:02:48 2024
Response via : Initial Calibration



TIC: VV036215.D\data.ms

(13) Acetone (T)

2.156min (+ 0.010) 4.08 ug/L

response 16724

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	12.10	17.07
0.00	0.00	0.00
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV062124\
Data File : VV036215.D
Acq On : 21 Jun 2024 18:22
Operator : SY/MD
Sample : P2987-01
Misc : 4.98g/10.0mL/MSVOA_V/SOIL/A
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0T85

Manual IntegrationsAPPROVED

Reviewed By :Mahesh Dadoda 06/26/2024
Supervised By :Semsettin Yesilyurt 06/26/2024

Quant Time: Jun 22 00:16:11 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM053024SMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jun 20 05:02:48 2024
Response via : Initial Calibration



TIC: VV036215.D\data.ms

(13) Acetone (T)

2.156min (+ 0.010) 5.30 ug/L m

response 21716

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	12.10	13.15
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV062124\
 Data File : VV036215.D
 Acq On : 21 Jun 2024 18:22
 Operator : SY/MD
 Sample : P2987-01
 Misc : 4.98g/10.0mL/MSVOA_V/SOIL/A
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0T85

Manual IntegrationsAPPROVED

Quant Time: Jun 22 00:16:11 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM053024SMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jun 20 05:02:48 2024
 Response via : Initial Calibration

Reviewed By :Mahesh Dadoda 06/26/2024
 Supervised By :Semsettin Yesilyurt 06/26/2024

Compound	R.T.	Q	Ion	Response	Conc	Units	Dev(Min)

Internal Standards							
1) 1,4-Difluorobenzene	5.529	114		623071	25.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117		623950	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152		275013	25.000	ug/L	0.00
System Monitoring Compounds							
4) Vinyl Chloride-d3	1.272	65		195785	17.091	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150		Recovery =	68.360%		
7) Chloroethane-d5	1.526	69		162704	17.813	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150		Recovery =	71.240%		
11) 1,1-Dichloroethene-d2	2.050	65		91303	17.904	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110		Recovery =	71.600%		
21) 2-Butanone-d5	3.838	46		59653	22.697	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135		Recovery =	45.400%		
24) Chloroform-d	4.243	84		349971	17.667	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150		Recovery =	70.680%		
26) 1,2-Dichloroethane-d4	4.937	65		192777	18.561	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130		Recovery =	74.240%		
32) Benzene-d6	4.953	84		696290	18.773	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135		Recovery =	75.080%		
36) 1,2-Dichloropropane-d6	5.985	67		220470	18.876	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120		Recovery =	75.520%		
41) Toluene-d8	7.239	98		598510	18.289	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130		Recovery =	73.160%		
43) trans-1,3-Dichloroprop...	7.551	79		82449	17.216	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135		Recovery =	68.880%		
47) 2-Hexanone-d5	8.030	63		48036	30.356	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135		Recovery =	60.720%		
56) 1,1,2,2-Tetrachloroeth...	10.152	84		156440	17.924	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120		Recovery =	71.680%		
66) 1,2-Dichlorobenzene-d4	11.557	152		216589	21.476	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120		Recovery =	85.920%		
Target Compounds							
13) Acetone	2.156	43		21716m	5.304	ug/L	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV062124\
Data File : VV036215.D
Acq On : 21 Jun 2024 18:22
Operator : SY/MD
Sample : P2987-01
Misc : 4.98g/10.0mL/MSVOA_V/SOIL/A
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0T85

Manual IntegrationsAPPROVED

Quant Time: Jun 22 00:16:11 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM053024SMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jun 20 05:02:48 2024
Response via : Initial Calibration

Reviewed By :Mahesh Dadoda 06/26/2024
Supervised By :Semsettin Yesilyurt 06/26/2024

