

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV062124\
 Data File : VV036205.D
 Acq On : 21 Jun 2024 14:32
 Operator : SY/MD
 Sample : P2856-13
 Misc : 5.01g/10.0mL/MSVOA_V/SOIL/A
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0SH5

Quant Time: Jun 22 00:13:20 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM053024SMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jun 20 05:02:48 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	223250	25.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117	236256	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	105607	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.272	65	62425	15.209	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	60.840%
7) Chloroethane-d5	1.526	69	62156	18.992	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	75.960%
11) 1,1-Dichloroethene-d2	2.050	65	30778	16.844	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	67.360%
21) 2-Butanone-d5	3.822	46	39866	42.334	ug/L	-0.02
Spiked Amount	50.000	Range	20 - 135	Recovery	=	84.660%
24) Chloroform-d	4.246	84	150808	21.248	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	85.000%
26) 1,2-Dichloroethane-d4	4.941	65	88130	23.682	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	94.720%
32) Benzene-d6	4.957	84	280812	19.996	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	80.000%
36) 1,2-Dichloropropane-d6	5.986	67	95671	21.633	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	86.520%
41) Toluene-d8	7.243	98	225887	18.230	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	72.920%
43) trans-1,3-Dichloroprop...	7.558	79	35904	19.800	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	79.200%
47) 2-Hexanone-d5	8.034	63	26828	44.774	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	89.540%
56) 1,1,2,2-Tetrachloroeth...	10.153	84	83156	25.162	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	100.640%
66) 1,2-Dichlorobenzene-d4	11.558	152	91344	23.586	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	94.360%
Target Compounds						
16) Methylene chloride	2.442	84	32041	6.343	ug/L	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV062124\
Data File : VV036205.D
Acq On : 21 Jun 2024 14:32
Operator : SY/MD
Sample : P2856-13
Misc : 5.01g/10.0mL/MSVOA_V/SOIL/A
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0SH5

Quant Time: Jun 22 00:13:20 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM053024SMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jun 20 05:02:48 2024
Response via : Initial Calibration





#16
Methylene chloride
Concen: 6.343 ug/L
RT: 2.442 min Scan# 41
Delta R.T. 0.003 min
Lab File: VV036205.D
Acq: 21 Jun 2024 14:32

Instrument :
MSVOA_V
ClientSampleId :
C0SH5

Tgt Ion:	84	Resp:	32041
Ion	Ratio	Lower	Upper
84	100		
86	66.4	44.6	82.8
49	115.0	81.1	150.5

