

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV062524\
 Data File : VV036270.D
 Acq On : 25 Jun 2024 11:45
 Operator : SY/MD
 Sample : VV0625SBL01
 Misc : 5.00g/10.0mL/MSVOA_V/SOIL
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK333

Manual Integrations
 APPROVED

Reviewed By :Mahesh Dadoda 06/26/2024
 Supervised By :Semsettin Yesilyurt 06/26/2024

Quant Time: Jun 26 04:22:17 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM053024SMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jun 26 04:03:41 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.529	114	291485	25.000	ug/L	0.00
28) Chlorobenzene-d5	8.780	117	299403	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	123415	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.272	65	137830	25.720	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery = 102.880%			
7) Chloroethane-d5	1.526	69	110948	25.965	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery = 103.840%			
11) 1,1-Dichloroethene-d2	2.050	65	64085	26.862	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery = 107.440%			
21) 2-Butanone-d5	3.857	46	41144m	33.463	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery = 66.920%			
24) Chloroform-d	4.240	84	218033	23.528	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery = 94.120%			
26) 1,2-Dichloroethane-d4	4.937	65	115718	23.817	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery = 95.280%			
32) Benzene-d6	4.953	84	414154	23.271	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery = 93.080%			
36) 1,2-Dichloropropane-d6	5.982	67	130308	23.250	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery = 93.000%			
41) Toluene-d8	7.240	98	350747	22.336	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery = 89.360%			
43) trans-1,3-Dichloroprop...	7.551	79	47250	20.561	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery = 82.240%			
47) 2-Hexanone-d5	8.034	63	24023	31.637	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery = 63.280%			
56) 1,1,2,2-Tetrachloroeth...	10.149	84	95659	22.841	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery = 91.360%			
66) 1,2-Dichlorobenzene-d4	11.558	152	115505	25.522	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery = 102.080%			
Target Compounds						Qvalue
16) Methylene chloride	2.442	84	16446	2.493	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV062524\
Data File : VV036270.D
Acq On : 25 Jun 2024 11:45
Operator : SY/MD
Sample : VV0625SBL01
Misc : 5.00g/10.0mL/MSVOA_V/SOIL
ALS Vial : 4 Sample Multiplier: 1


Instrument :
MSVOA_V
ClientSampleId :
VBLK333

Manual Integrations
APPROVED

Reviewed By :Mahesh Dadoda 06/26/2024
Supervised By :Semsettin Yesilyurt 06/26/2024


Quant Time: Jun 26 04:22:17 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM053024SMA.M
Quant Title : VOC Analysis
QLast Update : Wed Jun 26 04:03:41 2024
Response via : Initial Calibration





#16
Methylene chloride
Concen: 2.493 ug/L
RT: 2.442 min Scan# 41
Delta R.T. 0.003 min
Lab File: VV036270.D
Acq: 25 Jun 2024 11:45

Instrument :
MSVOA_V
ClientSampleId :
VBLK333



Tgt Ion: 84 Resp: 16440
Ion Ratio Lower Upper
84 100
86 65.7 44.6 82.8
49 113.4 81.1 150.5

Manual Integrations
APPROVED

Reviewed By :Mahesh Dadoda 06/26/2024
Supervised By :Semsettin Yesilyurt 06/26/2024

