

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW062524\
 Data File : VW036277.D
 Acq On : 25 Jun 2024 17:56
 Operator : SY/MD
 Sample : P3010-15
 Misc : 5.87g/10.0mL/MSVOA_V/SOIL/A
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A4B68

Manual Integrations
 APPROVED

Reviewed By :Mahesh Dadoda 06/26/2024
 Supervised By :Semsettin Yesilyurt 06/26/2024

Quant Time: Jun 26 04:23:52 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM053024SMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jun 26 04:03:41 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	422143	25.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117	387544	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	115212	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.272	65	159004	20.487	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	81.960%		
7) Chloroethane-d5	1.529	69	140572	22.715	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	90.880%		
11) 1,1-Dichloroethene-d2	2.053	65	78340	22.674	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	90.680%		
21) 2-Butanone-d5	3.857	46	38829m	21.806	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	43.620%		
24) Chloroform-d	4.243	84	296992	22.129	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	88.520%		
26) 1,2-Dichloroethane-d4	4.940	65	167183	23.759	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	95.040%		
32) Benzene-d6	4.957	84	553361	24.021	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	96.080%		
36) 1,2-Dichloropropane-d6	5.985	67	181395	25.005	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	100.000%		
41) Toluene-d8	7.243	98	435721	21.437	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	85.760%		
43) trans-1,3-Dichloroprop...	7.554	79	51162	17.200	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	68.800%		
47) 2-Hexanone-d5	8.034	63	23007	23.408	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	46.820%		
56) 1,1,2,2-Tetrachloroeth...	10.152	84	120350	22.201	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	88.800%		
66) 1,2-Dichlorobenzene-d4	11.558	152	96567	22.856	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	91.440%		
Target Compounds						Qvalue
16) Methylene chloride	2.442	84	24350	2.549	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV062524\
Data File : VV036277.D
Acq On : 25 Jun 2024 17:56
Operator : SY/MD
Sample : P3010-15
Misc : 5.87g/10.0mL/MSVOA_V/SOIL/A
ALS Vial : 11 Sample Multiplier: 1


Instrument :
MSVOA_V
ClientSampleId :
A4B68

Manual Integrations
APPROVED

Reviewed By :Mahesh Dadoda 06/26/2024
Supervised By :Semsettin Yesilyurt 06/26/2024


Quant Time: Jun 26 04:23:52 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM053024SMA.M
Quant Title : VOC Analysis
QLast Update : Wed Jun 26 04:03:41 2024
Response via : Initial Calibration





#16
Methylene chloride
Concen: 2.549 ug/L
RT: 2.442 min Scan# 41
Delta R.T. 0.003 min
Lab File: VV036277.D
Acq: 25 Jun 2024 17:56

Instrument :
MSVOA_V
ClientSampleId :
A4B68



Tgt Ion: 84 Resp: 24350
Ion Ratio Lower Upper
84 100
86 63.8 44.6 82.8
49 110.5 81.1 150.5

Manual Integrations
APPROVED

Reviewed By :Mahesh Dadoda 06/26/2024
Supervised By :Semsettin Yesilyurt 06/26/2024

