

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV062724\
 Data File : VV036313.D
 Acq On : 27 Jun 2024 16:56
 Operator : SY/MD
 Sample : P3035-09
 Misc : 5.33g/10.0mL/MSVOA_V/SOIL/B
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A4CX7

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM062724SMA.M
 Title : VOC Analysis

Signal : TIC: VV036313.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.272	65	72	89	rVB	299255	332618	14.95%	2.256%
2	1.526	144	151	167	rVB	263441	316725	14.24%	2.149%
3	2.050	304	314	335	rVB	590243	878055	39.47%	5.957%
4	2.359	406	410	411	rBV	877	483	0.02%	0.003%
5	2.439	425	435	459	rVB	54071	96862	4.35%	0.657%
6	2.523	459	461	463	rVB2	777	340	0.02%	0.002%
7	2.545	463	468	469	rBV2	759	562	0.03%	0.004%
8	2.661	500	504	509	rBV2	566	514	0.02%	0.003%
9	2.703	514	517	521	rVV3	681	547	0.02%	0.004%
10	2.960	585	597	612	rBV4	9135	19128	0.86%	0.130%
11	3.211	671	675	680	rBV4	531	518	0.02%	0.004%
12	3.433	737	744	746	rBV2	353	442	0.02%	0.003%
13	3.687	817	823	826	rBV	537	324	0.01%	0.002%
14	3.834	854	869	914	rBV	27790	139271	6.26%	0.945%
15	4.243	979	996	1026	rBV	361742	964384	43.35%	6.542%
16	4.796	1165	1168	1171	rBV3	461	311	0.01%	0.002%
17	4.950	1199	1216	1259	rBV2	866993	2224801	100.00%	15.093%
18	5.317	1323	1330	1332	rBV3	646	571	0.03%	0.004%
19	5.413	1357	1360	1362	rBV2	475	315	0.01%	0.002%
20	5.449	1369	1371	1376	rVB3	484	391	0.02%	0.003%
21	5.529	1383	1396	1432	rBV	679168	1420456	63.85%	9.636%
22	5.825	1476	1488	1523	rVB2	37167	88226	3.97%	0.599%
23	5.985	1523	1538	1573	rBV	485234	1018579	45.78%	6.910%
24	6.333	1644	1646	1650	rBV2	502	334	0.02%	0.002%
25	6.423	1671	1674	1679	rBV4	688	599	0.03%	0.004%
26	6.448	1679	1682	1685	rVB3	714	472	0.02%	0.003%
27	6.911	1812	1826	1863	rBV	212702	420086	18.88%	2.850%
28	7.239	1916	1928	1961	rBV	1011112	1778805	79.95%	12.067%
29	7.551	2016	2025	2055	rBV	140256	268675	12.08%	1.823%
30	7.873	2114	2125	2143	rBV2	9316	18919	0.85%	0.128%
31	7.973	2153	2156	2165	rVB4	443	622	0.03%	0.004%
32	8.030	2165	2174	2201	rBV2	125599	300018	13.49%	2.035%
33	8.342	2269	2271	2273	rVB3	863	412	0.02%	0.003%
34	8.358	2273	2276	2277	rBV2	860	455	0.02%	0.003%
35	8.503	2317	2321	2325	rBV3	527	505	0.02%	0.003%
36	8.580	2342	2345	2350	rVB4	492	460	0.02%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW062724\
 Data File : VW036313.D
 Acq On : 27 Jun 2024 16:56
 Operator : SY/MD
 Sample : P3035-09
 Misc : 5.33g/10.0mL/MSVOA_V/SOIL/B
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A4CX7

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM062724SMA.M
 Title : VOC Analysis

37	8.609	2350	2354	2358	rVB4	419	313	0.01%	0.002%
38	8.783	2396	2408	2434	rBV	946413	1569922	70.56%	10.650%
39	9.011	2474	2479	2486	rBV6	1069	1279	0.06%	0.009%
40	9.156	2518	2524	2531	rBV6	1451	2139	0.10%	0.015%
41	9.214	2538	2542	2546	rVB2	563	418	0.02%	0.003%
42	9.246	2546	2552	2554	rBV3	526	491	0.02%	0.003%
43	9.349	2581	2584	2592	rVB3	547	454	0.02%	0.003%
44	9.387	2592	2596	2599	rBV2	543	365	0.02%	0.002%
45	9.413	2599	2604	2608	rBV4	730	902	0.04%	0.006%
46	9.448	2612	2615	2619	rBV3	494	393	0.02%	0.003%
47	9.484	2620	2626	2627	rBV	671	469	0.02%	0.003%
48	9.548	2644	2646	2654	rVB3	422	415	0.02%	0.003%
49	9.590	2654	2659	2661	rBV3	389	352	0.02%	0.002%
50	9.770	2712	2715	2720	rBV2	426	417	0.02%	0.003%
51	9.805	2724	2726	2731	rBV4	391	356	0.02%	0.002%
52	9.837	2731	2736	2741	rVV3	1274	1599	0.07%	0.011%
53	9.873	2744	2747	2753	rVB2	805	796	0.04%	0.005%
54	10.066	2798	2807	2812	rBV4	2770	4288	0.19%	0.029%
55	10.149	2822	2833	2854	rVV	330466	529508	23.80%	3.592%
56	10.323	2875	2887	2899	rVB2	33763	56053	2.52%	0.380%
57	10.468	2927	2932	2934	rBV3	815	581	0.03%	0.004%
58	10.513	2940	2946	2953	rBV8	1657	2721	0.12%	0.018%
59	10.677	2992	2997	2999	rBV2	688	479	0.02%	0.003%
60	10.728	3008	3013	3014	rBV2	559	340	0.02%	0.002%
61	10.773	3018	3027	3034	rVV6	1574	2466	0.11%	0.017%
62	10.812	3034	3039	3040	rVV3	764	620	0.03%	0.004%
63	10.853	3043	3052	3065	rVB2	9047	15411	0.69%	0.105%
64	10.905	3065	3068	3073	rVB4	660	620	0.03%	0.004%
65	10.969	3079	3088	3097	rBV3	4113	6160	0.28%	0.042%
66	11.082	3112	3123	3133	rBV3	17664	29402	1.32%	0.199%
67	11.130	3133	3138	3144	rVB10	3010	3670	0.16%	0.025%
68	11.181	3144	3154	3172	rBV	643147	1017477	45.73%	6.902%
69	11.326	3191	3199	3205	rBV2	14633	23353	1.05%	0.158%
70	11.365	3206	3211	3223	rVB2	19126	27724	1.25%	0.188%
71	11.490	3241	3250	3260	rBV5	16334	37847	1.70%	0.257%
72	11.558	3261	3271	3297	rVB	625541	1002249	45.05%	6.799%
73	12.107	3440	3442	3445	rBV3	601	460	0.02%	0.003%
74	12.191	3460	3468	3482	rVB2	15680	25113	1.13%	0.170%
75	12.300	3496	3502	3511	rBV10	2933	5352	0.24%	0.036%
76	12.615	3593	3600	3623	rVB3	10934	19764	0.89%	0.134%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV062724\
 Data File : VV036313.D
 Acq On : 27 Jun 2024 16:56
 Operator : SY/MD
 Sample : P3035-09
 Misc : 5.33g/10.0mL/MSVOA_V/SOIL/B
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A4CX7

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM062724SMA.M
 Title : VOC Analysis

77	12.786	3649	3653	3659	rVB8	1858	2165	0.10%	0.015%
78	12.882	3680	3683	3687	rBV4	633	550	0.02%	0.004%
79	12.911	3687	3692	3694	rBV3	763	733	0.03%	0.005%
80	12.937	3698	3700	3705	rVB4	631	492	0.02%	0.003%
81	12.959	3705	3707	3709	rBV3	929	556	0.02%	0.004%
82	13.069	3735	3741	3744	rBV7	1192	1319	0.06%	0.009%
83	13.207	3781	3784	3787	rVB3	922	645	0.03%	0.004%
84	13.358	3824	3831	3832	rBV5	1013	1204	0.05%	0.008%
85	13.461	3857	3863	3865	rBV5	3726	3799	0.17%	0.026%
86	13.529	3877	3884	3892	rBV9	3868	6094	0.27%	0.041%
87	13.795	3964	3967	3970	rBV	772	611	0.03%	0.004%
88	13.834	3977	3979	3981	rVB2	1139	436	0.02%	0.003%
89	13.911	4000	4003	4007	rBV4	1208	942	0.04%	0.006%
90	13.963	4015	4019	4020	rBV4	1035	668	0.03%	0.005%
91	14.172	4080	4084	4086	rBV2	685	571	0.03%	0.004%
92	14.365	4142	4144	4147	rBV3	956	529	0.02%	0.004%
93	14.403	4154	4156	4160	rBV4	1023	813	0.04%	0.006%
94	14.522	4190	4193	4196	rBV5	977	802	0.04%	0.005%
95	14.593	4209	4215	4222	rBV10	2818	3673	0.17%	0.025%
96	14.715	4248	4253	4254	rBV4	1128	1031	0.05%	0.007%
97	14.763	4260	4268	4272	rBV6	3192	5780	0.26%	0.039%
98	14.882	4301	4305	4309	rBV4	1584	1849	0.08%	0.013%
99	15.355	4447	4452	4464	rVB8	5613	7593	0.34%	0.052%
100	15.750	4569	4575	4582	rBV7	6452	10451	0.47%	0.071%

Sum of corrected areas: 14740829

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV062724\
Data File : VV036313.D
Acq On : 27 Jun 2024 16:56
Operator : SY/MD
Sample : P3035-09
Misc : 5.33g/10.0mL/MSVOA_V/SOIL/B
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A4CX7

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM062724SMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV062724\
Data File : VV036313.D
Acq On : 27 Jun 2024 16:56
Operator : SY/MD
Sample : P3035-09
Misc : 5.33g/10.0mL/MSVOA_V/SOIL/B
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A4CX7

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM062724SMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc