

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW062824\
 Data File : VW036351.D
 Acq On : 28 Jun 2024 15:46
 Operator : SY/MD
 Sample : P3035-24
 Misc : 5.17g/10.0mL/MSVOA_V/SOIL/B
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A4CC9

Manual Integrations
 APPROVED

Reviewed By :Mahesh Dadoda 07/03/2024
 Supervised By :Semsettin Yesilyurt 07/03/2024

Quant Time: Jun 28 23:36:45 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM062724SMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Jun 28 23:33:02 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	214688	25.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117	232712	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.184	152	101969	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.275	65	81338	22.308	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery = 89.240%			
7) Chloroethane-d5	1.529	69	76248	26.182	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery = 104.720%			
11) 1,1-Dichloroethene-d2	2.053	65	39610	23.109	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery = 92.440%			
21) 2-Butanone-d5	3.838	46	23883m	28.223	ug/L	-0.01
Spiked Amount 50.000	Range 20 - 135		Recovery = 56.440%			
24) Chloroform-d	4.246	84	158404	24.996	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery = 100.000%			
26) 1,2-Dichloroethane-d4	4.940	65	79404	23.496	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery = 94.000%			
32) Benzene-d6	4.956	84	293127	22.314	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery = 89.240%			
36) 1,2-Dichloropropane-d6	5.985	67	91749	23.219	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery = 92.880%			
41) Toluene-d8	7.243	98	241170	20.362	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery = 81.440%			
43) trans-1,3-Dichloroprop...	7.554	79	30165	17.095	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery = 68.400%			
47) 2-Hexanone-d5	8.033	63	11990	19.010	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery = 38.020%			
56) 1,1,2,2-Tetrachloroeth...	10.152	84	63634	19.646	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery = 78.600%			
66) 1,2-Dichlorobenzene-d4	11.557	152	89426	24.066	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery = 96.280%			
Target Compounds						Qvalue
16) Methylene chloride	2.442	84	25022	5.920	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV062824\
Data File : VV036351.D
Acq On : 28 Jun 2024 15:46
Operator : SY/MD
Sample : P3035-24
Misc : 5.17g/10.0mL/MSVOA_V/SOIL/B
ALS Vial : 18 Sample Multiplier: 1


Instrument :
MSVOA_V
ClientSampleId :
A4CC9

Manual Integrations
APPROVED

Reviewed By :Mahesh Dadoda 07/03/2024
Supervised By :Semsettin Yesilyurt 07/03/2024


Quant Time: Jun 28 23:36:45 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM062724SMA.M
Quant Title : VOC Analysis
QLast Update : Fri Jun 28 23:33:02 2024
Response via : Initial Calibration





#16
Methylene chloride
Concen: 5.920 ug/L
RT: 2.442 min Scan# 41
Delta R.T. 0.003 min
Lab File: VV036351.D
Acq: 28 Jun 2024 15:46

Instrument :
MSVOA_V
ClientSampleId :
A4CC9



Tgt Ion: 84 Resp: 2502
Ion Ratio Lower Upper
84 100
86 66.8 45.6 84.8
49 106.8 75.7 140.5

Manual Integrations
APPROVED

Reviewed By :Mahesh Dadoda 07/03/2024
Supervised By :Semsettin Yesilyurt 07/03/2024

