

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV070124\
 Data File : VV036364.D
 Acq On : 01 Jul 2024 10:50
 Operator : SY/MD
 Sample : P3035-15
 Misc : 4.61g/10.0mL/MSVOA_V/SOIL/B
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A4CX0

Manual Integrations
 APPROVED

Reviewed By :Mahesh Dadoda 07/05/2024
 Supervised By :Semsettin Yesilyurt 07/05/2024

Quant Time: Jul 02 02:35:20 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM062724SMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jul 02 02:29:42 2024
 Response via : Initial Calibration

07/05/2024
 Supervised By :Semsettin
 Yesilyurt

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	310054	25.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117	324433	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.181	152	136169	25.000	ug/L	0.00

07/05/2024

System Monitoring Compounds

4) Vinyl Chloride-d3	1.275	65	107477	20.411	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	81.640%
7) Chloroethane-d5	1.529	69	95343	22.669	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	90.680%
11) 1,1-Dichloroethene-d2	2.053	65	52355	21.150	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	84.600%
21) 2-Butanone-d5	3.863	46	36139m	29.571	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	59.140%
24) Chloroform-d	4.246	84	202943	22.175	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	88.680%
26) 1,2-Dichloroethane-d4	4.940	65	107765	22.080	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	88.320%
32) Benzene-d6	4.953	84	371137	20.265	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	81.040%
36) 1,2-Dichloropropane-d6	5.985	67	119540	21.700	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	86.800%
41) Toluene-d8	7.239	98	302386	18.312	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	73.240%
43) trans-1,3-Dichloroprop...	7.554	79	42971	17.468	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	69.880%
47) 2-Hexanone-d5	8.034	63	18651	21.210	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	42.420%
56) 1,1,2,2-Tetrachloroeth...	10.149	84	89306	19.777	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	79.120%
66) 1,2-Dichlorobenzene-d4	11.558	152	113513	22.876	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	91.520%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV070124\
Data File : VV036364.D
Acq On : 01 Jul 2024 10:50
Operator : SY/MD
Sample : P3035-15
Misc : 4.61g/10.0mL/MSVOA_V/SOIL/B
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A4CX0

Manual Integrations
APPROVED

Reviewed By :Mahesh Dadoda 07/05/2024
Supervised By :Semsettin Yesilyurt 07/05/2024

Quant Time: Jul 02 02:35:20 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM062724SMA.M
Quant Title : VOC Analysis
QLast Update : Tue Jul 02 02:29:42 2024
Response via : Initial Calibration

07/05/2024
Supervised By :Semsettin
Yesilyurt

07/05/2024

