




Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV070224\
Data File : VV036421.D
Acq On : 02 Jul 2024 15:00
Operator : SY/MD
Sample : P3087-19
Misc : 5.34g/10.0mL/MSVOA_V/SOIL/B
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A4BR4

Manual IntegrationsAPPROVED

Quant Time: Jul 03 05:12:37 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM062724SMA.M
Quant Title : VOC Analysis
QLast Update : Wed Jul 03 05:08:41 2024
Response via : Initial Calibration

Reviewed By :Mahesh Dadoda 07/05/2024
Supervised By :Semsettin Yesilyurt 07/05/2024



TIC: VV036421.D\data.ms

(13) Acetone (T)

2.143min (-0.010) 7.57 ug/L m

response 24090

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	0.30	10.82#
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV070224\
 Data File : VV036421.D
 Acq On : 02 Jul 2024 15:00
 Operator : SY/MD
 Sample : P3087-19
 Misc : 5.34g/10.0mL/MSVOA_V/SOIL/B
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A4BR4

Manual IntegrationsAPPROVED

Quant Time: Jul 03 05:12:37 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM062724SMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jul 03 05:08:41 2024
 Response via : Initial Calibration

Reviewed By :Mahesh Dadoda 07/05/2024
 Supervised By :Semsettin Yesilyurt 07/05/2024

Compound	R.T.	Q	Ion	Response	Conc	Units	Dev(Min)

Internal Standards							
1) 1,4-Difluorobenzene	5.532	114		597441	25.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117		525471	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152		172424	25.000	ug/L	0.00
System Monitoring Compounds							
4) Vinyl Chloride-d3	1.275	65		170829	16.836	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150		Recovery =	67.360%		
7) Chloroethane-d5	1.529	69		139677	17.235	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150		Recovery =	68.960%		
11) 1,1-Dichloroethene-d2	2.053	65		78408	16.438	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110		Recovery =	65.760%		
21) 2-Butanone-d5	3.841	46		42265	17.948	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135		Recovery =	35.900%		
24) Chloroform-d	4.243	84		290715	16.485	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150		Recovery =	65.960%		
26) 1,2-Dichloroethane-d4	4.941	65		152835	16.251	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130		Recovery =	65.000%#		
32) Benzene-d6	4.953	84		579495	19.536	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135		Recovery =	78.160%		
36) 1,2-Dichloropropane-d6	5.985	67		174803	19.592	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120		Recovery =	78.360%		
41) Toluene-d8	7.239	98		481926	18.019	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130		Recovery =	72.080%		
43) trans-1,3-Dichloroprop...	7.555	79		59926	15.040	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135		Recovery =	60.160%		
47) 2-Hexanone-d5	8.034	63		30670	21.535	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135		Recovery =	43.060%		
56) 1,1,2,2-Tetrachloroeth...	10.149	84		110137	15.059	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120		Recovery =	60.240%		
66) 1,2-Dichlorobenzene-d4	11.558	152		113522	18.067	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120		Recovery =	72.280%#		
Target Compounds							
13) Acetone	2.143	43		24090m	7.572	ug/L	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV070224\
Data File : VV036421.D
Acq On : 02 Jul 2024 15:00
Operator : SY/MD
Sample : P3087-19
Misc : 5.34g/10.0mL/MSVOA_V/SOIL/B
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A4BR4

Manual IntegrationsAPPROVED

Quant Time: Jul 03 05:12:37 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM062724SMA.M
Quant Title : VOC Analysis
QLast Update : Wed Jul 03 05:08:41 2024
Response via : Initial Calibration

Reviewed By :Mahesh Dadoda 07/05/2024
Supervised By :Semsettin Yesilyurt 07/05/2024

