

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV080524\
 Data File : VV036788.D
 Acq On : 05 Aug 2024 15:41
 Operator : SY/MD
 Sample : P3437-13
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E05Y2

Quant Time: Aug 06 03:11:17 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Aug 06 02:51:35 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	581333	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.780	117	545592	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.181	152	258384	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	194271	41.840	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	83.680%
7) Chloroethane-d5	1.532	69	154680	42.244	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	84.480%
11) 1,1-Dichloroethene-d2	2.060	65	83308	41.945	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	83.880%
21) 2-Butanone-d5	3.799	46	201432	81.879	ug/L	0.01
Spiked Amount	100.000	Range	40 - 130	Recovery	=	81.880%
24) Chloroform-d	4.246	84	349012	41.886	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	83.780%
26) 1,2-Dichloroethane-d4	4.937	65	230280	42.984	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	85.960%
32) Benzene-d6	4.953	84	719139	43.640	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.280%
36) 1,2-Dichloropropane-d6	5.985	67	231347	43.516	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	87.040%
41) Toluene-d8	7.239	98	649705	42.981	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	85.960%
43) trans-1,3-Dichloroprop...	7.551	79	112377	40.617	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	81.240%
47) 2-Hexanone-d5	8.024	63	116601	76.280	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	76.280%
56) 1,1,2,2-Tetrachloroeth...	10.149	84	255791	41.904	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	83.800%
66) 1,2-Dichlorobenzene-d4	11.554	152	231559	43.979	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	87.960%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV080524\
Data File : VV036788.D
Acq On : 05 Aug 2024 15:41
Operator : SY/MD
Sample : P3437-13
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E05Y2

Quant Time: Aug 06 03:11:17 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Aug 06 02:51:35 2024
Response via : Initial Calibration

