

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV080524\
 Data File : VV036784.D
 Acq On : 05 Aug 2024 14:14
 Operator : SY/MD
 Sample : P3437-09
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E05X2

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
 Title : VOC Analysis

Signal : TIC: VV036784.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.278	68	74	91	rVB	289808	315969	15.40%	2.030%
2	1.532	146	153	171	rVB	239041	279257	13.61%	1.794%
3	2.060	308	317	331	rBV	475580	681125	33.19%	4.375%
4	3.590	790	793	794	rBV3	928	511	0.02%	0.003%
5	3.719	830	833	837	rBV3	1187	940	0.05%	0.006%
6	3.796	848	857	884	rBV	107084	293617	14.31%	1.886%
7	4.246	980	997	1026	rBV	314073	809394	39.44%	5.199%
8	4.462	1060	1064	1066	rBV4	1049	851	0.04%	0.005%
9	4.500	1073	1076	1079	rVB3	1029	609	0.03%	0.004%
10	4.523	1079	1083	1088	rBV6	1007	1077	0.05%	0.007%
11	4.626	1111	1115	1119	rBV4	684	611	0.03%	0.004%
12	4.950	1200	1216	1253	rBV2	816378	2052362	100.00%	13.183%
13	5.310	1323	1328	1331	rBV5	1466	1354	0.07%	0.009%
14	5.326	1331	1333	1337	rVV4	1327	967	0.05%	0.006%
15	5.375	1346	1348	1352	rBV3	747	558	0.03%	0.004%
16	5.423	1359	1363	1365	rBV4	969	698	0.03%	0.004%
17	5.471	1376	1378	1381	rBV4	656	485	0.02%	0.003%
18	5.529	1384	1396	1425	rBV	681918	1379267	67.20%	8.859%
19	5.825	1475	1488	1508	rBV2	29731	69313	3.38%	0.445%
20	5.921	1516	1518	1522	rVB4	1499	972	0.05%	0.006%
21	5.986	1522	1538	1572	rBV	448408	935916	45.60%	6.011%
22	6.381	1659	1661	1665	rVB5	957	592	0.03%	0.004%
23	6.670	1748	1751	1753	rBV4	1002	523	0.03%	0.003%
24	6.741	1771	1773	1776	rVB4	970	555	0.03%	0.004%
25	6.760	1776	1779	1783	rBV4	1065	798	0.04%	0.005%
26	6.789	1785	1788	1794	rVB8	697	553	0.03%	0.004%
27	6.912	1815	1826	1850	rBV	264263	505564	24.63%	3.247%
28	7.111	1884	1888	1892	rBV5	995	746	0.04%	0.005%
29	7.240	1914	1928	1960	rBV	950267	1679874	81.85%	10.790%
30	7.551	2013	2025	2049	rBV	176035	328503	16.01%	2.110%
31	7.905	2131	2135	2139	rBV5	1662	1774	0.09%	0.011%
32	7.940	2143	2146	2149	rVV5	1123	714	0.03%	0.005%
33	8.027	2164	2173	2214	rBV2	294426	655465	31.94%	4.210%
34	8.429	2296	2298	2303	rBV5	811	658	0.03%	0.004%
35	8.577	2342	2344	2347	rVB3	1054	516	0.03%	0.003%
36	8.600	2348	2351	2357	rVB6	1238	1270	0.06%	0.008%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV080524\
 Data File : VV036784.D
 Acq On : 05 Aug 2024 14:14
 Operator : SY/MD
 Sample : P3437-09
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E05X2

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
 Title : VOC Analysis

37	8.629	2357	2360	2362	rBV3	1331	846	0.04%	0.005%
38	8.693	2378	2380	2384	rVB6	923	566	0.03%	0.004%
39	8.780	2396	2407	2443	rBV	1016949	1676991	81.71%	10.771%
40	9.217	2541	2543	2547	rBV5	1004	603	0.03%	0.004%
41	9.416	2599	2605	2606	rBV4	900	892	0.04%	0.006%
42	9.474	2620	2623	2625	rBV3	789	466	0.02%	0.003%
43	9.487	2625	2627	2633	rVB6	717	631	0.03%	0.004%
44	9.635	2669	2673	2676	rBV3	666	556	0.03%	0.004%
45	9.712	2693	2697	2698	rVV4	713	516	0.03%	0.003%
46	9.725	2698	2701	2705	rVB5	803	522	0.03%	0.003%
47	9.815	2724	2729	2732	rBV5	576	526	0.03%	0.003%
48	9.844	2735	2738	2743	rBV6	1306	1123	0.05%	0.007%
49	9.976	2776	2779	2781	rBV4	811	526	0.03%	0.003%
50	10.069	2801	2808	2812	rVV8	1074	1308	0.06%	0.008%
51	10.149	2821	2833	2855	rBV	468998	744597	36.28%	4.783%
52	10.426	2917	2919	2922	rVB3	974	560	0.03%	0.004%
53	10.445	2922	2925	2928	rBV4	920	535	0.03%	0.003%
54	10.481	2931	2936	2939	rBV5	1382	1418	0.07%	0.009%
55	10.548	2955	2957	2960	rVB3	999	551	0.03%	0.004%
56	10.789	3029	3032	3035	rVB3	962	611	0.03%	0.004%
57	10.805	3035	3037	3040	rVB3	711	474	0.02%	0.003%
58	10.834	3043	3046	3048	rBV3	888	623	0.03%	0.004%
59	10.866	3054	3056	3060	rBV4	597	467	0.02%	0.003%
60	10.950	3081	3082	3086	rVB4	942	472	0.02%	0.003%
61	11.001	3094	3098	3100	rBV6	741	500	0.02%	0.003%
62	11.130	3133	3138	3142	rVV5	1639	1889	0.09%	0.012%
63	11.182	3142	3154	3187	rVV	1027894	1637871	79.80%	10.520%
64	11.490	3248	3250	3256	rVB6	1167	957	0.05%	0.006%
65	11.554	3258	3270	3296	rBV	894042	1452155	70.76%	9.327%
66	11.780	3335	3340	3343	rBV5	1179	1139	0.06%	0.007%
67	11.905	3376	3379	3385	rVB5	1280	1025	0.05%	0.007%
68	11.947	3390	3392	3397	rVB5	812	519	0.03%	0.003%
69	12.140	3448	3452	3454	rBV5	1116	1013	0.05%	0.007%
70	12.162	3457	3459	3462	rVV2	1080	716	0.03%	0.005%
71	12.185	3462	3466	3471	rVV6	883	1019	0.05%	0.007%
72	12.223	3473	3478	3481	rBV5	664	798	0.04%	0.005%
73	12.249	3481	3486	3488	rVB4	1156	1136	0.06%	0.007%
74	12.272	3488	3493	3496	rBV5	783	776	0.04%	0.005%
75	12.291	3496	3499	3503	rVV4	565	481	0.02%	0.003%
76	12.400	3530	3533	3534	rBV2	788	530	0.03%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV080524\
 Data File : VV036784.D
 Acq On : 05 Aug 2024 14:14
 Operator : SY/MD
 Sample : P3437-09
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E05X2

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
 Title : VOC Analysis

77	12.477	3554	3557	3560	rVV4	1033	670	0.03%	0.004%
78	12.497	3560	3563	3569	rVB6	900	988	0.05%	0.006%
79	12.548	3577	3579	3583	rVV4	889	541	0.03%	0.003%
80	12.593	3587	3593	3604	rVB8	1788	3316	0.16%	0.021%
81	12.696	3622	3625	3628	rVB2	774	494	0.02%	0.003%
82	12.738	3633	3638	3643	rBV6	1032	1085	0.05%	0.007%
83	12.825	3661	3665	3670	rVB6	992	1113	0.05%	0.007%
84	12.870	3677	3679	3683	rVB3	884	508	0.02%	0.003%
85	12.911	3688	3692	3693	rBV3	744	563	0.03%	0.004%
86	12.947	3700	3703	3707	rBV5	684	525	0.03%	0.003%
87	12.969	3707	3710	3713	rVV4	700	521	0.03%	0.003%
88	13.088	3744	3747	3750	rBV6	695	539	0.03%	0.003%
89	13.165	3768	3771	3775	rVB4	1209	837	0.04%	0.005%
90	13.207	3775	3784	3785	rBV7	2263	2538	0.12%	0.016%
91	13.313	3813	3817	3821	rVB6	1072	1067	0.05%	0.007%
92	13.339	3821	3825	3827	rBV3	858	727	0.04%	0.005%
93	13.390	3838	3841	3844	rBV3	765	504	0.02%	0.003%
94	13.439	3852	3856	3857	rBV5	711	482	0.02%	0.003%
95	13.458	3857	3862	3867	rVV4	2596	2967	0.14%	0.019%
96	13.683	3926	3932	3933	rBV5	1813	1835	0.09%	0.012%
97	13.770	3954	3959	3967	rBV7	1202	1596	0.08%	0.010%
98	13.927	4002	4008	4010	rBV4	1116	936	0.05%	0.006%
99	13.988	4025	4027	4034	rBV6	930	1046	0.05%	0.007%
100	15.172	4393	4395	4397	rBV3	914	523	0.03%	0.003%

Sum of corrected areas: 15568783

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV080524\
Data File : VV036784.D
Acq On : 05 Aug 2024 14:14
Operator : SY/MD
Sample : P3437-09
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E05X2

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV080524\
Data File : VV036784.D
Acq On : 05 Aug 2024 14:14
Operator : SY/MD
Sample : P3437-09
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E05X2

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc