

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV080524\
 Data File : VV036787.D
 Acq On : 05 Aug 2024 15:19
 Operator : SY/MD
 Sample : P3437-12
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E05X9

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
 Title : VOC Analysis

Signal : TIC: VV036787.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.278	68	74	89	rVB	289576	309628	14.81%	1.973%
2	1.532	146	153	169	rVB	243513	284905	13.62%	1.816%
3	2.060	307	317	329	rBV	486196	697068	33.33%	4.443%
4	3.391	727	731	733	rBV5	1206	1141	0.05%	0.007%
5	3.587	789	792	796	rBV4	1037	990	0.05%	0.006%
6	3.626	801	804	807	rBV4	1138	738	0.04%	0.005%
7	3.696	823	826	832	rBV6	1226	1152	0.06%	0.007%
8	3.796	849	857	895	rBV	117568	328697	15.72%	2.095%
9	4.246	980	997	1023	rBV	317268	814728	38.96%	5.193%
10	4.368	1033	1035	1038	rBV3	1276	797	0.04%	0.005%
11	4.503	1074	1077	1082	rBV5	1221	787	0.04%	0.005%
12	4.539	1086	1088	1093	rBV4	840	687	0.03%	0.004%
13	4.744	1150	1152	1158	rVB6	1586	1374	0.07%	0.009%
14	4.790	1158	1166	1169	rBV8	1547	1857	0.09%	0.012%
15	4.886	1194	1196	1199	rBV2	1045	622	0.03%	0.004%
16	4.950	1199	1216	1250	rBV2	839141	2091268	100.00%	13.329%
17	5.214	1295	1298	1302	rBV4	747	687	0.03%	0.004%
18	5.233	1302	1304	1307	rVB4	1138	503	0.02%	0.003%
19	5.320	1329	1331	1336	rVV5	1195	911	0.04%	0.006%
20	5.346	1336	1339	1341	rVB4	1113	609	0.03%	0.004%
21	5.442	1367	1369	1372	rBV2	1229	673	0.03%	0.004%
22	5.532	1384	1397	1429	rBV	650355	1328827	63.54%	8.470%
23	5.761	1465	1468	1470	rBV3	1015	760	0.04%	0.005%
24	5.825	1474	1488	1509	rBV2	26863	62278	2.98%	0.397%
25	5.986	1523	1538	1570	rBV	454324	944086	45.14%	6.017%
26	6.240	1614	1617	1621	rBV4	1368	1181	0.06%	0.008%
27	6.281	1625	1630	1631	rBV3	674	566	0.03%	0.004%
28	6.416	1668	1672	1675	rVV4	1107	930	0.04%	0.006%
29	6.468	1685	1688	1693	rVB7	637	536	0.03%	0.003%
30	6.564	1714	1718	1722	rBV5	661	557	0.03%	0.004%
31	6.696	1757	1759	1763	rVB4	1114	728	0.03%	0.005%
32	6.912	1816	1826	1853	rBV	275266	515241	24.64%	3.284%
33	7.159	1899	1903	1907	rVV5	1258	794	0.04%	0.005%
34	7.240	1917	1928	1955	rBV	967904	1703616	81.46%	10.858%
35	7.551	2016	2025	2053	rVV	178660	330721	15.81%	2.108%
36	7.780	2094	2096	2099	rBV4	665	491	0.02%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV080524\
 Data File : VV036787.D
 Acq On : 05 Aug 2024 15:19
 Operator : SY/MD
 Sample : P3437-12
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E05X9

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
 Title : VOC Analysis

37	7.912	2134	2137	2140	rBV5	996	871	0.04%	0.006%
38	8.027	2164	2173	2212	rBV2	322972	701167	33.53%	4.469%
39	8.500	2315	2320	2324	rBV7	788	869	0.04%	0.006%
40	8.548	2329	2335	2340	rBV8	2071	2565	0.12%	0.016%
41	8.780	2395	2407	2434	rBV	978900	1596186	76.33%	10.174%
42	9.172	2527	2529	2533	rVB4	1603	878	0.04%	0.006%
43	9.201	2534	2538	2541	rBV5	820	713	0.03%	0.005%
44	9.223	2541	2545	2549	rVB6	878	789	0.04%	0.005%
45	9.368	2587	2590	2594	rBV5	938	711	0.03%	0.005%
46	9.529	2637	2640	2642	rBV3	1010	646	0.03%	0.004%
47	9.542	2642	2644	2646	rVV2	1078	734	0.04%	0.005%
48	9.686	2686	2689	2693	rVB4	804	757	0.04%	0.005%
49	9.876	2746	2748	2753	rVB4	1327	958	0.05%	0.006%
50	9.985	2779	2782	2786	rVB4	831	639	0.03%	0.004%
51	10.059	2799	2805	2807	rBV3	1001	1002	0.05%	0.006%
52	10.149	2819	2833	2854	rBV	496901	795540	38.04%	5.071%
53	10.452	2924	2927	2931	rVB5	1262	1112	0.05%	0.007%
54	10.490	2931	2939	2943	rBV8	1882	2907	0.14%	0.019%
55	10.529	2948	2951	2956	rVB5	706	582	0.03%	0.004%
56	10.616	2976	2978	2982	rVB4	956	578	0.03%	0.004%
57	10.751	3015	3020	3024	rBV8	770	594	0.03%	0.004%
58	10.792	3030	3033	3036	rVB5	770	509	0.02%	0.003%
59	10.870	3050	3057	3060	rBV5	875	977	0.05%	0.006%
60	10.908	3067	3069	3072	rVB	1039	509	0.02%	0.003%
61	10.940	3072	3079	3086	rBV7	1048	1671	0.08%	0.011%
62	10.973	3086	3089	3093	rBV5	631	664	0.03%	0.004%
63	11.127	3130	3137	3141	rBV6	1839	2705	0.13%	0.017%
64	11.182	3143	3154	3183	rVV	991545	1578289	75.47%	10.060%
65	11.387	3215	3218	3222	rVB5	895	622	0.03%	0.004%
66	11.407	3222	3224	3232	rVB7	1018	857	0.04%	0.005%
67	11.461	3238	3241	3249	rVB7	1633	2033	0.10%	0.013%
68	11.493	3249	3251	3256	rVB7	1011	693	0.03%	0.004%
69	11.555	3256	3270	3295	rBV	916712	1482397	70.89%	9.448%
70	11.809	3346	3349	3352	rBV3	1250	672	0.03%	0.004%
71	11.947	3389	3392	3394	rBV2	893	506	0.02%	0.003%
72	11.973	3396	3400	3403	rVV5	789	735	0.04%	0.005%
73	12.140	3448	3452	3456	rBV6	654	652	0.03%	0.004%
74	12.162	3456	3459	3463	rVB6	807	627	0.03%	0.004%
75	12.323	3505	3509	3512	rVB5	857	633	0.03%	0.004%
76	12.593	3588	3593	3597	rBV5	1856	1908	0.09%	0.012%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV080524\
 Data File : VV036787.D
 Acq On : 05 Aug 2024 15:19
 Operator : SY/MD
 Sample : P3437-12
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E05X9

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
 Title : VOC Analysis

77	12.641	3606	3608	3612	rVB3	1133	840	0.04%	0.005%
78	12.667	3612	3616	3618	rBV5	1051	705	0.03%	0.004%
79	12.786	3649	3653	3655	rBV4	1066	813	0.04%	0.005%
80	12.825	3661	3665	3670	rVB8	1065	1194	0.06%	0.008%
81	13.111	3752	3754	3761	rVB5	697	610	0.03%	0.004%
82	13.156	3762	3768	3771	rBV4	617	667	0.03%	0.004%
83	13.210	3775	3785	3790	rVV9	2349	3635	0.17%	0.023%
84	13.275	3803	3805	3809	rVB3	1005	686	0.03%	0.004%
85	13.300	3809	3813	3816	rVB4	703	529	0.03%	0.003%
86	13.339	3816	3825	3826	rBV6	1283	1449	0.07%	0.009%
87	13.445	3849	3858	3874	rBV2	21749	40920	1.96%	0.261%
88	13.625	3911	3914	3917	rBV4	1042	635	0.03%	0.004%
89	13.689	3929	3934	3943	rBV6	1738	2541	0.12%	0.016%
90	13.725	3943	3945	3949	rVB4	1088	758	0.04%	0.005%
91	13.747	3949	3952	3954	rBV3	911	550	0.03%	0.004%
92	13.841	3979	3981	3987	rBV4	795	610	0.03%	0.004%
93	14.172	4081	4084	4086	rBV2	935	664	0.03%	0.004%
94	14.252	4107	4109	4113	rBV3	770	640	0.03%	0.004%
95	14.477	4176	4179	4182	rBV4	1182	854	0.04%	0.005%
96	14.587	4206	4213	4221	rBV7	3996	5926	0.28%	0.038%
97	14.677	4238	4241	4245	rBV5	884	760	0.04%	0.005%
98	14.754	4261	4265	4266	rBV3	3049	1974	0.09%	0.013%
99	15.001	4340	4342	4345	rBV4	840	518	0.02%	0.003%
100	15.451	4479	4482	4487	rBV6	1262	1322	0.06%	0.008%




Sum of corrected areas: 15689391

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV080524\
Data File : VV036787.D
Acq On : 05 Aug 2024 15:19
Operator : SY/MD
Sample : P3437-12
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E05X9

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV080524\
Data File : VV036787.D
Acq On : 05 Aug 2024 15:19
Operator : SY/MD
Sample : P3437-12
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E05X9

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV080524\
Data File : VV036787.D
Acq On : 05 Aug 2024 15:19
Operator : SY/MD
Sample : P3437-12
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E05X9

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
