

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV080524\
 Data File : VV036793.D
 Acq On : 05 Aug 2024 17:31
 Operator : SY/MD
 Sample : P3437-18
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E0602

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
 Title : VOC Analysis

Signal : TIC: VV036793.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.278	67	74	91	rVB	278282	304520	14.90%	1.921%
2	1.532	146	153	171	rVB	232634	274712	13.44%	1.733%
3	2.056	307	316	327	rBV	470408	677935	33.18%	4.277%
4	2.114	328	334	353	rVB	74832	120188	5.88%	0.758%
5	3.359	719	721	723	rBV2	937	615	0.03%	0.004%
6	3.426	733	742	744	rBV9	2657	3999	0.20%	0.025%
7	3.529	771	774	776	rBV4	1008	624	0.03%	0.004%
8	3.654	806	813	817	rBV8	1315	1663	0.08%	0.010%
9	3.796	848	857	885	rBV	119552	326444	15.98%	2.059%
10	4.095	948	950	953	rBV3	921	517	0.03%	0.003%
11	4.246	980	997	1022	rBV	311356	803940	39.35%	5.072%
12	4.526	1082	1084	1087	rBV3	1209	655	0.03%	0.004%
13	4.545	1087	1090	1093	rVV4	1008	644	0.03%	0.004%
14	4.619	1109	1113	1115	rBV3	1014	873	0.04%	0.006%
15	4.950	1200	1216	1252	rBV2	819849	2043295	100.00%	12.891%
16	5.265	1308	1314	1315	rBV4	1522	1373	0.07%	0.009%
17	5.304	1324	1326	1330	rBV5	726	495	0.02%	0.003%
18	5.346	1336	1339	1342	rBV4	852	566	0.03%	0.004%
19	5.413	1357	1360	1362	rBV3	766	508	0.02%	0.003%
20	5.429	1363	1365	1370	rVB5	1364	1231	0.06%	0.008%
21	5.455	1370	1373	1376	rBV3	1142	1027	0.05%	0.006%
22	5.529	1385	1396	1430	rVV	655278	1332143	65.20%	8.404%
23	5.773	1470	1472	1475	rBV5	855	620	0.03%	0.004%
24	5.821	1477	1487	1509	rVV2	42649	100341	4.91%	0.633%
25	5.985	1524	1538	1563	rBV	447024	923614	45.20%	5.827%
26	6.175	1591	1597	1603	rBV10	4656	7546	0.37%	0.048%
27	6.394	1662	1665	1667	rVB3	931	553	0.03%	0.003%
28	6.432	1675	1677	1681	rBV3	598	476	0.02%	0.003%
29	6.651	1741	1745	1746	rBV3	698	505	0.02%	0.003%
30	6.690	1754	1757	1762	rVB6	1258	1006	0.05%	0.006%
31	6.715	1762	1765	1768	rBV3	1150	881	0.04%	0.006%
32	6.770	1778	1782	1784	rBV5	1140	870	0.04%	0.005%
33	6.911	1814	1826	1863	rBV	262525	504063	24.67%	3.180%
34	7.104	1884	1886	1889	rBV2	1007	570	0.03%	0.004%
35	7.136	1892	1896	1900	rBV5	900	882	0.04%	0.006%
36	7.159	1900	1903	1904	rBV4	1091	600	0.03%	0.004%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV080524\
 Data File : VV036793.D
 Acq On : 05 Aug 2024 17:31
 Operator : SY/MD
 Sample : P3437-18
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E0602

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
 Title : VOC Analysis

37	7.239	1917	1928	1950	rBV	955327	1651337	80.82%	10.418%
38	7.551	2016	2025	2050	rBV	173133	318332	15.58%	2.008%
39	7.899	2130	2133	2135	rBV4	1384	778	0.04%	0.005%
40	8.027	2164	2173	2215	rBV2	331623	726574	35.56%	4.584%
41	8.188	2215	2223	2246	rVB2	22763	50304	2.46%	0.317%
42	8.352	2272	2274	2279	rVB5	1314	987	0.05%	0.006%
43	8.471	2309	2311	2317	rBV6	912	703	0.03%	0.004%
44	8.606	2351	2353	2356	rVB4	1165	578	0.03%	0.004%
45	8.661	2367	2370	2374	rBV6	800	744	0.04%	0.005%
46	8.780	2396	2407	2436	rBV	970116	1608344	78.71%	10.147%
47	9.079	2492	2500	2514	rVB2	7568	15663	0.77%	0.099%
48	9.265	2556	2558	2560	rVB3	1162	528	0.03%	0.003%
49	9.291	2560	2566	2570	rBV6	1157	1526	0.07%	0.010%
50	9.352	2581	2585	2588	rVB5	794	633	0.03%	0.004%
51	9.371	2588	2591	2595	rBV6	982	795	0.04%	0.005%
52	9.490	2618	2628	2641	rBV3	6177	12072	0.59%	0.076%
53	9.551	2645	2647	2651	rVB5	984	598	0.03%	0.004%
54	9.686	2687	2689	2693	rVB3	1128	695	0.03%	0.004%
55	9.712	2693	2697	2699	rBV4	687	564	0.03%	0.004%
56	9.841	2735	2737	2741	rBV3	900	668	0.03%	0.004%
57	9.915	2758	2760	2763	rBV4	814	462	0.02%	0.003%
58	9.960	2769	2774	2777	rVB5	896	702	0.03%	0.004%
59	9.982	2777	2781	2783	rBV4	826	669	0.03%	0.004%
60	10.072	2806	2809	2812	rBV3	1077	700	0.03%	0.004%
61	10.149	2819	2833	2852	rBV	464882	741644	36.30%	4.679%
62	10.390	2900	2908	2911	rBV6	2481	3548	0.17%	0.022%
63	10.458	2925	2929	2930	rBV4	1116	606	0.03%	0.004%
64	10.660	2984	2992	3010	rBV	17324	30846	1.51%	0.195%
65	10.763	3021	3024	3028	rVB7	1269	823	0.04%	0.005%
66	10.863	3042	3055	3060	rBV3	6987	12362	0.61%	0.078%
67	11.111	3129	3132	3133	rBV2	981	570	0.03%	0.004%
68	11.181	3143	3154	3179	rBV	1033604	1601759	78.39%	10.105%
69	11.413	3222	3226	3228	rVB3	878	557	0.03%	0.004%
70	11.487	3234	3249	3258	rBV7	11135	26312	1.29%	0.166%
71	11.554	3260	3270	3300	rVB	923404	1466131	71.75%	9.249%
72	11.889	3372	3374	3377	rBV4	832	512	0.03%	0.003%
73	11.953	3388	3394	3395	rBV5	1130	1030	0.05%	0.006%
74	12.136	3446	3451	3453	rVV5	726	593	0.03%	0.004%
75	12.258	3486	3489	3493	rVB4	945	805	0.04%	0.005%
76	12.400	3528	3533	3541	rVB8	1872	2862	0.14%	0.018%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV080524\
 Data File : VV036793.D
 Acq On : 05 Aug 2024 17:31
 Operator : SY/MD
 Sample : P3437-18
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E0602

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
 Title : VOC Analysis

77	12.538	3569	3576	3579	rBV6	932	980	0.05%	0.006%
78	12.821	3658	3664	3670	rBV8	2595	4262	0.21%	0.027%
79	12.885	3678	3684	3694	rVB7	5417	8644	0.42%	0.055%
80	13.040	3729	3732	3734	rBV4	989	753	0.04%	0.005%
81	13.156	3763	3768	3770	rBV5	1361	1227	0.06%	0.008%
82	13.204	3779	3783	3784	rBV4	2137	1338	0.07%	0.008%
83	13.329	3819	3822	3826	rBV6	1220	993	0.05%	0.006%
84	13.368	3830	3834	3837	rBV4	1193	688	0.03%	0.004%
85	13.413	3843	3848	3849	rBV4	1057	829	0.04%	0.005%
86	13.442	3849	3857	3870	rBV	22495	37464	1.83%	0.236%
87	13.583	3899	3901	3907	rVB4	1334	1236	0.06%	0.008%
88	13.641	3915	3919	3921	rBV3	1057	829	0.04%	0.005%
89	13.657	3921	3924	3925	rVV3	1062	493	0.02%	0.003%
90	13.683	3928	3932	3935	rVV4	1338	1120	0.05%	0.007%
91	14.033	4035	4041	4046	rBV9	1316	1645	0.08%	0.010%
92	14.085	4051	4057	4063	rBV8	2289	3256	0.16%	0.021%
93	14.226	4098	4101	4104	rBV6	1122	931	0.05%	0.006%
94	14.410	4155	4158	4160	rBV3	840	534	0.03%	0.003%
95	14.503	4184	4187	4190	rBV5	836	800	0.04%	0.005%
96	14.577	4201	4210	4219	rBV5	11426	21171	1.04%	0.134%
97	14.757	4259	4266	4279	rVB7	5777	10078	0.49%	0.064%
98	14.991	4336	4339	4341	rBV3	1275	888	0.04%	0.006%
99	15.741	4570	4572	4573	rBV2	1486	680	0.03%	0.004%
100	16.725	4873	4878	4891	rVB2	13394	23784	1.16%	0.150%


Sum of corrected areas: 15851033

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV080524\
Data File : VV036793.D
Acq On : 05 Aug 2024 17:31
Operator : SY/MD
Sample : P3437-18
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E0602

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV080524\
Data File : VV036793.D
Acq On : 05 Aug 2024 17:31
Operator : SY/MD
Sample : P3437-18
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E0602

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV080524\
Data File : VV036793.D
Acq On : 05 Aug 2024 17:31
Operator : SY/MD
Sample : P3437-18
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E0602

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc