

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV080624\
 Data File : VV036800.D
 Acq On : 06 Aug 2024 09:33
 Operator : SY/MD
 Sample : VV0806MBL01
 Misc : 5.00G/5 mL/100uL/5.00mL/MSVOA_V/MEOH
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK359

Quant Time: Aug 07 04:59:47 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Aug 07 04:57:18 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.529	114	482920	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.780	117	450405	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.182	152	220502	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	181151	46.965	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	93.940%		
7) Chloroethane-d5	1.532	69	148688	48.882	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	97.760%		
11) 1,1-Dichloroethene-d2	2.060	65	78754	47.733	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	95.460%		
21) 2-Butanone-d5	3.796	46	189316	92.637	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	92.640%		
24) Chloroform-d	4.246	84	335255	48.435	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	96.860%		
26) 1,2-Dichloroethane-d4	4.937	65	222800	50.063	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	100.120%		
32) Benzene-d6	4.954	84	696585	51.205	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	102.400%		
36) 1,2-Dichloropropane-d6	5.986	67	226462	51.600	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	103.200%		
41) Toluene-d8	7.240	98	622225	49.862	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	99.720%		
43) trans-1,3-Dichloroprop...	7.551	79	109696	48.027	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	96.060%		
47) 2-Hexanone-d5	8.024	63	112931	89.492	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	89.490%		
56) 1,1,2,2-Tetrachloroeth...	10.149	84	246141	48.845	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	97.680%		
66) 1,2-Dichlorobenzene-d4	11.555	152	231391	51.498	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	103.000%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV080624\
Data File : VV036800.D
Acq On : 06 Aug 2024 09:33
Operator : SY/MD
Sample : VV0806MBL01
Misc : 5.00G/5 mL/100uL/5.00mL/MSVOA_V/MEOH
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK359

Quant Time: Aug 07 04:59:47 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Aug 07 04:57:18 2024
Response via : Initial Calibration

