

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV080624\
 Data File : VV036822.D
 Acq On : 06 Aug 2024 18:40
 Operator : SY/MD
 Sample : P3480-04
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E0AC1

Quant Time: Aug 07 05:05:57 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Aug 07 04:57:18 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.529	114	438922	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.780	117	407986	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.182	152	199391	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	129528	36.948	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	73.900%
7) Chloroethane-d5	1.529	69	114751	41.507	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	83.020%
11) 1,1-Dichloroethene-d2	2.057	65	58251	38.845	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	77.680%
21) 2-Butanone-d5	3.799	46	172031	92.617	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	92.620%
24) Chloroform-d	4.243	84	276764	43.993	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.980%
26) 1,2-Dichloroethane-d4	4.937	65	186625	46.138	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.280%
32) Benzene-d6	4.954	84	553764	44.939	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.880%
36) 1,2-Dichloropropane-d6	5.986	67	186963	47.029	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	94.060%
41) Toluene-d8	7.240	98	490728	43.413	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	86.820%
43) trans-1,3-Dichloroprop...	7.551	79	87667	42.373	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	84.740%
47) 2-Hexanone-d5	8.027	63	96081	84.056	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	84.060%
56) 1,1,2,2-Tetrachloroeth...	10.149	84	196460	43.039	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	86.080%
66) 1,2-Dichlorobenzene-d4	11.555	152	191658	47.171	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.340%
Target Compounds						
					Qvalue	
13) Acetone	2.114	43	36429	23.441	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV080624\
Data File : VV036822.D
Acq On : 06 Aug 2024 18:40
Operator : SY/MD
Sample : P3480-04
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 26 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E0AC1

Quant Time: Aug 07 05:05:57 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Aug 07 04:57:18 2024
Response via : Initial Calibration

