

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV080724\
 Data File : VV036838.D
 Acq On : 07 Aug 2024 15:32
 Operator : SY/MD
 Sample : P3437-19
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :

Quant Time: Aug 08 15:38:43 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Aug 08 02:35:03 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.526	114	494408	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.780	117	464085	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.178	152	227830	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	153126	38.777	ug/L	0.00
Spiked Amount	50.000	Range 60 - 135	Recovery	=	77.560%	
7) Chloroethane-d5	1.532	69	131055	42.084	ug/L	0.00
Spiked Amount	50.000	Range 70 - 130	Recovery	=	84.160%	
11) 1,1-Dichloroethene-d2	2.056	65	67112	39.731	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	79.460%	
21) 2-Butanone-d5	3.793	46	158831	75.914	ug/L	0.00
Spiked Amount	100.000	Range 40 - 130	Recovery	=	75.910%	
24) Chloroform-d	4.240	84	298343	42.100	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	84.200%	
26) 1,2-Dichloroethane-d4	4.934	65	198097	43.478	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	86.960%	
32) Benzene-d6	4.950	84	596344	42.544	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	85.080%	
36) 1,2-Dichloropropane-d6	5.982	67	199482	44.112	ug/L	0.00
Spiked Amount	50.000	Range 70 - 120	Recovery	=	88.220%	
41) Toluene-d8	7.236	98	519969	40.439	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	80.880%	
43) trans-1,3-Dichloroprop...	7.548	79	91538	38.895	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	77.800%	
47) 2-Hexanone-d5	8.024	63	90749	69.794	ug/L	0.00
Spiked Amount	100.000	Range 45 - 130	Recovery	=	69.790%	
56) 1,1,2,2-Tetrachloroeth...	10.146	84	213154	41.052	ug/L	0.00
Spiked Amount	50.000	Range 65 - 120	Recovery	=	82.100%	
66) 1,2-Dichlorobenzene-d4	11.554	152	200929	43.280	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	86.560%	
Target Compounds						Qvalue
39) cis-1,3-Dichloropropene	6.908	75	5932	0.942	ug/L	# 58


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV080724\
Data File : VV036838.D
Acq On : 07 Aug 2024 15:32
Operator : SY/MD
Sample : P3437-19
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :

Quant Time: Aug 08 15:38:43 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 08 02:35:03 2024
Response via : Initial Calibration





#39
 cis-1,3-Dichloropropene
 Concen: 0.942 ug/L
 RT: 6.908 min Scan# 11
 Delta R.T. -0.039 min
 Lab File: VV036838.D
 Acq: 07 Aug 2024 15:32

Instrument :
 MSVOA_V
 ClientSampleId :

Tgt Ion: 75 Resp: 5932

Ion	Ratio	Lower	Upper
75	100		
77	54.8	22.2	41.2#

