

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV080924\
 Data File : VV036881.D
 Acq On : 09 Aug 2024 17:07
 Operator : SY/MD
 Sample : VIBLK328
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VIBLK328

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
 Title : VOC Analysis

Signal : TIC: VV036881.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.278	67	74	93	rVB	312135	336353	13.05%	1.747%
2	1.529	146	152	168	rVB	267498	323615	12.55%	1.680%
3	2.056	307	316	329	rBV	531285	761142	29.52%	3.952%
4	3.378	724	727	730	rVB5	2293	1480	0.06%	0.008%
5	3.394	730	732	735	rBV3	1576	768	0.03%	0.004%
6	3.436	743	745	748	rBV4	1412	1115	0.04%	0.006%
7	3.484	756	760	763	rBV4	1429	1166	0.05%	0.006%
8	3.613	798	800	803	rVB4	1658	865	0.03%	0.004%
9	3.645	807	810	813	rBV5	1100	763	0.03%	0.004%
10	3.712	827	831	834	rBV6	1151	1100	0.04%	0.006%
11	3.799	849	858	891	rBV	179536	496520	19.26%	2.578%
12	4.047	932	935	938	rBV4	1711	1485	0.06%	0.008%
13	4.127	958	960	964	rVB4	1432	769	0.03%	0.004%
14	4.243	979	996	1020	rBV	416773	1065879	41.34%	5.535%
15	4.641	1116	1120	1124	rBV7	946	941	0.04%	0.005%
16	4.670	1126	1129	1134	rVB5	1174	956	0.04%	0.005%
17	4.777	1156	1162	1163	rBV6	1437	1131	0.04%	0.006%
18	4.876	1189	1193	1196	rVB6	1430	1202	0.05%	0.006%
19	4.899	1196	1200	1201	rBV3	1405	1038	0.04%	0.005%
20	4.950	1201	1216	1244	rBV2	1028381	2578202	100.00%	13.388%
21	5.320	1328	1331	1335	rBV6	1391	1083	0.04%	0.006%
22	5.355	1340	1342	1345	rBV4	1086	797	0.03%	0.004%
23	5.532	1385	1397	1425	rBV	723750	1502105	58.26%	7.800%
24	5.825	1478	1488	1505	rBV2	36858	78640	3.05%	0.408%
25	5.902	1511	1512	1520	rVB6	2312	2388	0.09%	0.012%
26	5.985	1524	1538	1571	rBV	588047	1216094	47.17%	6.315%
27	6.301	1632	1636	1639	rBV6	1764	1652	0.06%	0.009%
28	6.333	1644	1646	1649	rVV3	1343	832	0.03%	0.004%
29	6.397	1661	1666	1667	rBV5	1489	1167	0.05%	0.006%
30	6.465	1684	1687	1691	rVB6	1320	986	0.04%	0.005%
31	6.503	1696	1699	1701	rVV4	1326	767	0.03%	0.004%
32	6.648	1741	1744	1746	rVV3	1914	1299	0.05%	0.007%
33	6.677	1750	1753	1758	rBV5	2275	1698	0.07%	0.009%
34	6.760	1775	1779	1782	rBV6	1222	1048	0.04%	0.005%
35	6.821	1795	1798	1804	rVB8	1124	950	0.04%	0.005%
36	6.854	1804	1808	1811	rBV6	1617	1314	0.05%	0.007%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV080924\
 Data File : VV036881.D
 Acq On : 09 Aug 2024 17:07
 Operator : SY/MD
 Sample : VIBLK328
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VIBLK328

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
 Title : VOC Analysis

37	6.911	1816	1826	1856	rBV	312443	594655	23.06%	3.088%
38	7.175	1904	1908	1913	rVB5	1676	1290	0.05%	0.007%
39	7.239	1916	1928	1952	rBV	1120441	1971988	76.49%	10.240%
40	7.551	2016	2025	2047	rBV	204228	375033	14.55%	1.947%
41	7.940	2144	2146	2150	rVB5	1404	928	0.04%	0.005%
42	7.989	2158	2161	2164	rBV4	1369	926	0.04%	0.005%
43	8.027	2164	2173	2222	rBV2	502623	1076980	41.77%	5.592%
44	8.368	2276	2279	2280	rBV3	1745	1077	0.04%	0.006%
45	8.442	2299	2302	2304	rBV5	1546	826	0.03%	0.004%
46	8.567	2339	2341	2346	rVB4	1562	1230	0.05%	0.006%
47	8.632	2356	2361	2366	rBV9	1884	2319	0.09%	0.012%
48	8.780	2396	2407	2436	rBV	1098884	1824789	70.78%	9.476%
49	9.230	2543	2547	2549	rBV5	2045	1188	0.05%	0.006%
50	9.374	2590	2592	2597	rVB6	1454	1128	0.04%	0.006%
51	9.403	2597	2601	2602	rBV5	1259	875	0.03%	0.005%
52	9.490	2623	2628	2632	rVV6	1404	1837	0.07%	0.010%
53	9.574	2651	2654	2660	rBV8	1333	1516	0.06%	0.008%
54	9.606	2660	2664	2666	rVB6	960	784	0.03%	0.004%
55	9.619	2666	2668	2673	rVB6	1476	875	0.03%	0.005%
56	9.735	2700	2704	2706	rVB3	1561	974	0.04%	0.005%
57	9.847	2737	2739	2743	rVB5	1339	936	0.04%	0.005%
58	9.966	2774	2776	2780	rVB5	1566	767	0.03%	0.004%
59	10.050	2798	2802	2804	rBV4	1461	1062	0.04%	0.006%
60	10.149	2821	2833	2849	rBV	732374	1161699	45.06%	6.032%
61	10.480	2930	2936	2941	rBV7	2247	3397	0.13%	0.018%
62	10.522	2946	2949	2952	rBV3	1260	868	0.03%	0.005%
63	10.670	2993	2995	3001	rVB7	1076	783	0.03%	0.004%
64	10.722	3007	3011	3015	rBV7	1041	858	0.03%	0.004%
65	10.786	3028	3031	3035	rVV5	2081	1480	0.06%	0.008%
66	10.844	3045	3049	3053	rBV7	1904	1513	0.06%	0.008%
67	10.927	3071	3075	3078	rVB6	1728	1550	0.06%	0.008%
68	11.037	3105	3109	3115	rVB8	1714	1855	0.07%	0.010%
69	11.181	3142	3154	3180	rBV	1191196	1853939	71.91%	9.627%
70	11.458	3237	3240	3242	rBV4	1663	1342	0.05%	0.007%
71	11.554	3259	3270	3293	rBV	1209684	1943933	75.40%	10.094%
72	12.053	3423	3425	3429	rVB5	1377	866	0.03%	0.004%
73	12.095	3434	3438	3440	rBV4	976	898	0.03%	0.005%
74	12.230	3478	3480	3484	rVB4	1418	817	0.03%	0.004%
75	12.252	3485	3487	3491	rVB4	1526	874	0.03%	0.005%
76	12.291	3495	3499	3503	rVB7	1867	1466	0.06%	0.008%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV080924\
 Data File : VV036881.D
 Acq On : 09 Aug 2024 17:07
 Operator : SY/MD
 Sample : VIBLK328
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VIBLK328

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
 Title : VOC Analysis

77	12.400	3529	3533	3534	rBV3	1215	813	0.03%	0.004%
78	12.615	3598	3600	3604	rVB4	1493	841	0.03%	0.004%
79	12.638	3604	3607	3610	rBV5	1219	759	0.03%	0.004%
80	12.712	3627	3630	3633	rBV5	1263	988	0.04%	0.005%
81	12.789	3650	3654	3656	rBV4	1408	1187	0.05%	0.006%
82	12.847	3670	3672	3675	rVB4	1583	843	0.03%	0.004%
83	12.869	3675	3679	3682	rBV5	1123	899	0.03%	0.005%
84	12.886	3682	3684	3686	rBV4	1818	1057	0.04%	0.005%
85	12.914	3691	3693	3695	rBV3	1483	783	0.03%	0.004%
86	12.959	3703	3707	3708	rBV3	1072	805	0.03%	0.004%
87	12.982	3712	3714	3717	rVV4	1231	793	0.03%	0.004%
88	13.056	3735	3737	3740	rBV3	1631	929	0.04%	0.005%
89	13.162	3766	3770	3772	rBV5	1587	1230	0.05%	0.006%
90	13.204	3781	3783	3785	rBV3	1788	1084	0.04%	0.006%
91	13.271	3800	3804	3808	rBV6	1875	1662	0.06%	0.009%
92	13.345	3824	3827	3831	rVB4	2460	1782	0.07%	0.009%
93	13.384	3836	3839	3844	rVB6	1543	1157	0.04%	0.006%
94	13.889	3993	3996	3998	rBV3	1692	1133	0.04%	0.006%
95	14.374	4145	4147	4152	rVB6	1823	1273	0.05%	0.007%
96	14.400	4152	4155	4157	rBV4	1162	941	0.04%	0.005%
97	14.577	4208	4210	4213	rBV4	1793	1338	0.05%	0.007%
98	14.712	4248	4252	4255	rBV6	2014	1709	0.07%	0.009%
99	14.866	4297	4300	4302	rBV4	1624	987	0.04%	0.005%
100	15.114	4375	4377	4382	rVB5	2302	1529	0.06%	0.008%

Sum of corrected areas: 19257953

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV080924\
Data File : VV036881.D
Acq On : 09 Aug 2024 17:07
Operator : SY/MD
Sample : VIBLK328
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VIBLK328

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV080924\
Data File : VV036881.D
Acq On : 09 Aug 2024 17:07
Operator : SY/MD
Sample : VIBLK328
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VIBLK328

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------