

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV081324\
 Data File : VV036917.D
 Acq On : 13 Aug 2024 13:55
 Operator : SY/MD
 Sample : P3552-05
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK001

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
 Title : VOC Analysis

Signal : TIC: VV036917.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.278	68	74	91	rVB	382809	406677	14.82%	2.038%
2	1.532	146	153	166	rVB	308380	362924	13.22%	1.818%
3	2.060	308	317	332	rVB	639041	914902	33.34%	4.584%
4	3.796	848	857	895	rBV2	148717	444253	16.19%	2.226%
5	4.243	982	996	1027	rBV	420075	1065952	38.84%	5.341%
6	4.735	1147	1149	1151	rVB2	965	325	0.01%	0.002%
7	4.818	1173	1175	1180	rBV5	1055	732	0.03%	0.004%
8	4.950	1200	1216	1260	rBV2	1081315	2744450	100.00%	13.750%
9	5.529	1385	1396	1431	rBV	794490	1627614	59.31%	8.155%
10	5.825	1481	1488	1509	rVB2	34434	73396	2.67%	0.368%
11	5.986	1526	1538	1563	rBV	603362	1227944	44.74%	6.152%
12	6.522	1701	1705	1708	rBV5	1830	1589	0.06%	0.008%
13	6.612	1731	1733	1736	rVB3	1143	730	0.03%	0.004%
14	6.629	1736	1738	1739	rBV2	1133	486	0.02%	0.002%
15	6.677	1750	1753	1754	rBV2	700	364	0.01%	0.002%
16	6.912	1816	1826	1858	rBV	319995	622951	22.70%	3.121%
17	7.239	1917	1928	1957	rBV	1220974	2163039	78.82%	10.837%
18	7.551	2016	2025	2065	rBV	207548	397813	14.50%	1.993%
19	8.027	2164	2173	2211	rBV2	394415	878572	32.01%	4.402%
20	8.628	2358	2360	2364	rBV4	958	530	0.02%	0.003%
21	8.661	2368	2370	2372	rBV3	1469	814	0.03%	0.004%
22	8.780	2396	2407	2432	rBV	1207001	1998278	72.81%	10.012%
23	9.227	2545	2546	2547	rBV	962	342	0.01%	0.002%
24	9.300	2568	2569	2571	rBV2	927	282	0.01%	0.001%
25	9.352	2580	2585	2586	rBV5	1054	917	0.03%	0.005%
26	9.423	2604	2607	2609	rBV4	911	574	0.02%	0.003%
27	9.493	2625	2629	2631	rBV4	982	727	0.03%	0.004%
28	9.526	2636	2639	2641	rBV3	1158	636	0.02%	0.003%
29	9.571	2651	2653	2655	rBV3	909	417	0.02%	0.002%
30	9.622	2665	2669	2674	rVB8	1890	1765	0.06%	0.009%
31	9.648	2674	2677	2679	rBV3	1161	744	0.03%	0.004%
32	9.680	2684	2687	2690	rBV3	1866	1297	0.05%	0.006%
33	9.712	2694	2697	2699	rBV4	663	433	0.02%	0.002%
34	9.725	2699	2701	2704	rBV3	577	473	0.02%	0.002%
35	9.738	2704	2705	2708	rVV3	749	454	0.02%	0.002%
36	9.757	2708	2711	2716	rVB5	1842	1242	0.05%	0.006%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV081324\
 Data File : VV036917.D
 Acq On : 13 Aug 2024 13:55
 Operator : SY/MD
 Sample : P3552-05
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK001

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
 Title : VOC Analysis

37	9.780	2716	2718	2720	rBV3	714	311	0.01%	0.002%
38	9.812	2725	2728	2730	rBV3	1064	790	0.03%	0.004%
39	9.828	2730	2733	2736	rVV4	1251	828	0.03%	0.004%
40	9.931	2763	2765	2768	rBV3	1238	733	0.03%	0.004%
41	9.947	2768	2770	2772	rVB2	1137	383	0.01%	0.002%
42	9.960	2772	2774	2777	rVB3	589	341	0.01%	0.002%
43	9.979	2777	2780	2783	rBV4	1168	892	0.03%	0.004%
44	10.001	2783	2787	2793	rVB8	1015	1066	0.04%	0.005%
45	10.027	2793	2795	2798	rBV4	738	439	0.02%	0.002%
46	10.082	2810	2812	2814	rBV3	458	156	0.01%	0.001%
47	10.149	2820	2833	2858	rBV	656638	1057017	38.51%	5.296%
48	10.378	2902	2904	2906	rBV2	809	367	0.01%	0.002%
49	10.410	2912	2914	2916	rBV3	905	407	0.01%	0.002%
50	10.455	2926	2928	2932	rBV4	1079	786	0.03%	0.004%
51	10.474	2932	2934	2935	rVV2	508	143	0.01%	0.001%
52	10.513	2943	2946	2950	rBV6	1309	907	0.03%	0.005%
53	10.532	2950	2952	2956	rBV5	1074	929	0.03%	0.005%
54	10.603	2972	2974	2979	rVB5	1302	905	0.03%	0.005%
55	10.644	2982	2987	2990	rBV6	1101	1093	0.04%	0.005%
56	10.725	3010	3012	3014	rBV2	1312	612	0.02%	0.003%
57	10.786	3026	3031	3033	rBV5	1375	1175	0.04%	0.006%
58	10.834	3044	3046	3047	rBV2	493	254	0.01%	0.001%
59	10.915	3070	3071	3073	rVB2	664	182	0.01%	0.001%
60	10.927	3073	3075	3076	rBV2	326	148	0.01%	0.001%
61	10.940	3077	3079	3080	rBV2	567	174	0.01%	0.001%
62	10.972	3087	3089	3090	rBV2	615	277	0.01%	0.001%
63	11.021	3102	3104	3106	rBV3	1208	640	0.02%	0.003%
64	11.107	3128	3131	3133	rBV3	1044	503	0.02%	0.003%
65	11.127	3133	3137	3139	rBV5	2433	1792	0.07%	0.009%
66	11.181	3143	3154	3184	rVV	1258237	1986349	72.38%	9.952%
67	11.554	3259	3270	3305	rBV	1205131	1936104	70.55%	9.700%
68	11.879	3368	3371	3372	rBV3	1379	613	0.02%	0.003%
69	12.033	3416	3419	3422	rBV3	1964	1005	0.04%	0.005%
70	12.082	3432	3434	3438	rBV5	704	573	0.02%	0.003%
71	12.101	3438	3440	3443	rVV4	1067	579	0.02%	0.003%
72	12.233	3476	3481	3483	rBV5	1034	1001	0.04%	0.005%
73	12.300	3500	3502	3505	rVB4	1401	653	0.02%	0.003%
74	12.320	3505	3508	3510	rVB5	948	377	0.01%	0.002%
75	12.349	3513	3517	3520	rBV4	1678	1572	0.06%	0.008%
76	12.587	3587	3591	3592	rBV3	1272	834	0.03%	0.004%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV081324\
Data File : VV036917.D
Acq On : 13 Aug 2024 13:55
Operator : SY/MD
Sample : P3552-05
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK001

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M

Title : VOC Analysis

77	12.683	3619	3621	3623	rBV2	1358	592	0.02%	0.003%
78	12.815	3659	3662	3663	rBV2	1280	578	0.02%	0.003%
79	12.927	3694	3697	3698	rBV3	1191	571	0.02%	0.003%
80	13.075	3741	3743	3746	rVB3	1388	703	0.03%	0.004%
81	13.101	3747	3751	3753	rBV5	1714	1289	0.05%	0.006%
82	13.162	3767	3770	3771	rBV3	1113	469	0.02%	0.002%
83	13.191	3775	3779	3780	rBV4	1150	809	0.03%	0.004%
84	13.246	3794	3796	3797	rBV2	984	369	0.01%	0.002%
85	13.631	3914	3916	3919	rBV4	1133	856	0.03%	0.004%
86	13.857	3980	3986	3988	rBV6	1636	1850	0.07%	0.009%
87	13.940	4009	4012	4014	rBV3	939	658	0.02%	0.003%
88	14.152	4074	4078	4080	rBV4	1401	1038	0.04%	0.005%
89	14.275	4114	4116	4117	rBV2	1608	749	0.03%	0.004%



Sum of corrected areas: 19959079

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV081324\
Data File : VV036917.D
Acq On : 13 Aug 2024 13:55
Operator : SY/MD
Sample : P3552-05
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK001

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV081324\
Data File : VV036917.D
Acq On : 13 Aug 2024 13:55
Operator : SY/MD
Sample : P3552-05
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK001

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV081324\
Data File : VV036917.D
Acq On : 13 Aug 2024 13:55
Operator : SY/MD
Sample : P3552-05
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK001

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc