

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW081624\
 Data File : VW036955.D
 Acq On : 16 Aug 2024 15:13
 Operator : SY/MD
 Sample : P3648-10
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 JAAS6

Quant Time: Aug 16 23:08:40 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Aug 16 23:06:03 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	600058	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.780	117	579252	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.181	152	279743	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	221047	46.121	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	92.240%
7) Chloroethane-d5	1.532	69	182519	48.291	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	96.580%
11) 1,1-Dichloroethene-d2	2.056	65	100195	48.873	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	97.740%
21) 2-Butanone-d5	3.799	46	235826	92.869	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	92.870%
24) Chloroform-d	4.246	84	415766	48.341	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.680%
26) 1,2-Dichloroethane-d4	4.937	65	269898	48.807	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.620%
32) Benzene-d6	4.953	84	853627	48.791	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.580%
36) 1,2-Dichloropropane-d6	5.985	67	275666	48.839	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.680%
41) Toluene-d8	7.239	98	761741	47.464	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.920%
43) trans-1,3-Dichloroprop...	7.551	79	115919	39.462	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	78.920%
47) 2-Hexanone-d5	8.027	63	132666	81.746	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	81.750%
56) 1,1,2,2-Tetrachloroeth...	10.149	84	313338	48.348	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	96.700%
66) 1,2-Dichlorobenzene-d4	11.554	152	278620	48.877	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.760%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV081624\
Data File : VV036955.D
Acq On : 16 Aug 2024 15:13
Operator : SY/MD
Sample : P3648-10
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
JAAS6

Quant Time: Aug 16 23:08:40 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM080224WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Aug 16 23:06:03 2024
Response via : Initial Calibration

