




Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082224\
Data File : VV037004.D
Acq On : 22 Aug 2024 12:35
Operator : SY/MD
Sample : VV0822SBL01
Misc : 5.00mL/10mL/MSVOA_V/SOIL
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK381

Manual IntegrationsAPPROVED

Quant Time: Aug 23 05:19:38 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082224SMA.M
Quant Title : VOC Analysis
QLast Update : Fri Aug 23 05:07:38 2024
Response via : Initial Calibration

Reviewed By :Mahesh Dadoda 08/23/2024
Supervised By :Semsettin Yesilyurt 08/23/2024



TIC: VV037004.D\data.ms

(21) 2-Butanone-d5 (S)

3.835min (-0.012) 42.08 ug/L m

response 72810

Ion	Exp%	Act%
46.00	100.00	100.00
77.00	11.60	24.84#
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082224\
 Data File : VV037004.D
 Acq On : 22 Aug 2024 12:35
 Operator : SY/MD
 Sample : VV0822SBL01
 Misc : 5.00mL/10mL/MSVOA_V/SOIL
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK381

Manual IntegrationsAPPROVED

Reviewed By :Mahesh Dadoda 08/23/2024
 Supervised By :Semsettin Yesilyurt 08/23/2024

Quant Time: Aug 23 05:19:38 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082224SMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Aug 23 05:07:38 2024
 Response via : Initial Calibration

Compound	R.T.	Q	Ion	Response	Conc	Units	Dev(Min)

Internal Standards							
1) 1,4-Difluorobenzene	5.529	114		665830	25.000	ug/L	0.00
28) Chlorobenzene-d5	8.780	117		605155	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.178	152		267360	25.000	ug/L	0.00
System Monitoring Compounds							
4) Vinyl Chloride-d3	1.278	65		170771	18.304	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150		Recovery =	73.200%		
7) Chloroethane-d5	1.532	69		158952	19.918	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150		Recovery =	79.680%		
11) 1,1-Dichloroethene-d2	2.060	65		88996	19.801	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110		Recovery =	79.200%		
21) 2-Butanone-d5	3.835	46		72810m	42.082	ug/L	-0.01
Spiked Amount 50.000	Range 20	- 135		Recovery =	84.160%		
24) Chloroform-d	4.243	84		397055	21.161	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150		Recovery =	84.640%		
26) 1,2-Dichloroethane-d4	4.941	65		188015	21.783	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130		Recovery =	87.120%		
32) Benzene-d6	4.953	84		816982	22.529	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135		Recovery =	90.120%		
36) 1,2-Dichloropropane-d6	5.986	67		241442	21.992	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120		Recovery =	87.960%		
41) Toluene-d8	7.236	98		735560	22.254	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130		Recovery =	89.000%		
43) trans-1,3-Dichloroprop...	7.555	79		78553	20.508	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135		Recovery =	82.040%		
47) 2-Hexanone-d5	8.037	63		35683	36.745	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135		Recovery =	73.500%		
56) 1,1,2,2-Tetrachloroeth...	10.149	84		125155	20.591	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120		Recovery =	82.360%		
66) 1,2-Dichlorobenzene-d4	11.554	152		225625	23.575	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120		Recovery =	94.320%		
Target Compounds							
16) Methylene chloride	2.446	84		45539	3.438	ug/L	Qvalue 98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082224\
Data File : VV037004.D
Acq On : 22 Aug 2024 12:35
Operator : SY/MD
Sample : VV0822SBL01
Misc : 5.00mL/10mL/MSVOA_V/SOIL
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK381

Manual IntegrationsAPPROVED

Quant Time: Aug 23 05:19:38 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082224SMA.M
Quant Title : VOC Analysis
QLast Update : Fri Aug 23 05:07:38 2024
Response via : Initial Calibration

Reviewed By :Mahesh Dadoda 08/23/2024
Supervised By :Semsettin Yesilyurt 08/23/2024

