

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW082224\
 Data File : VW037006.D
 Acq On : 22 Aug 2024 14:23
 Operator : SY/MD
 Sample : P3696-01
 Misc : 6.04g/10mL/MSVOA_V/SOIL/A
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 GCN87

Manual Integrations
 APPROVED

Reviewed By :Mahesh Dadoda 08/23/2024
 Supervised By :Semsettin Yesilyurt 08/23/2024

Quant Time: Aug 23 05:20:26 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082224SMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Aug 23 05:07:38 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.529	114	693111	25.000	ug/L	0.00
28) Chlorobenzene-d5	8.780	117	476251	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.181	152	128370	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	174786	17.997	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	72.000%
7) Chloroethane-d5	1.532	69	174210	20.970	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	83.880%
11) 1,1-Dichloroethene-d2	2.056	65	85123	18.194	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	72.760%
21) 2-Butanone-d5	3.841	46	60160m	33.402	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	66.800%
24) Chloroform-d	4.243	84	401622	20.562	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	82.240%
26) 1,2-Dichloroethane-d4	4.937	65	204613	22.773	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	91.080%
32) Benzene-d6	4.953	84	780629	27.353	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	109.400%
36) 1,2-Dichloropropane-d6	5.985	67	244110	28.253	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	113.000%
41) Toluene-d8	7.239	98	585623	22.513	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	90.040%
43) trans-1,3-Dichloroprop...	7.551	79	74716	24.786	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	99.160%
47) 2-Hexanone-d5	8.037	63	41399	54.170	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	108.340%
56) 1,1,2,2-Tetrachloroeth...	10.149	84	114534	23.943	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	95.760%
66) 1,2-Dichlorobenzene-d4	11.558	152	91527	19.918	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	79.680%
Target Compounds						
					Qvalue	
13) Acetone	2.143	43	51287m	24.264	ug/L	
15) Methyl Acetate	2.381	43	8550	2.482	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082224\
Data File : VV037006.D
Acq On : 22 Aug 2024 14:23
Operator : SY/MD
Sample : P3696-01
Misc : 6.04g/10mL/MSVOA_V/SOIL/A
ALS Vial : 15 Sample Multiplier: 1


Instrument :
MSVOA_V
ClientSampleId :
GCN87

Quant Time: Aug 23 05:20:26 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082224SMA.M
Quant Title : VOC Analysis
QLast Update : Fri Aug 23 05:07:38 2024
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 08/23/2024
Supervised By :Semsettin Yesilyurt 08/23/2024





#13
Acetone
Concen: 24.264 ug/L m
RT: 2.143 min Scan# 34
Delta R.T. -0.016 min
Lab File: VV037006.D
Acq: 22 Aug 2024 14:23




Instrument :
MSVOA_V
ClientSampleId :
GCN87



Tgt Ion: 43 Resp: 5128
Ion Ratio Lower Upper
43 100
58 0.1 0.0 21.2

Manual Integrations
APPROVED

Reviewed By :Mahesh Dadoda 08/23/2024
Supervised By :Semsettin Yesilyurt 08/23/2024



#15
Methyl Acetate
Concen: 2.482 ug/L
RT: 2.381 min Scan# 417
Delta R.T. -0.003 min
Lab File: VV037006.D
Acq: 22 Aug 2024 14:23

Tgt Ion: 43 Resp: 8550
Ion Ratio Lower Upper
43 100
74 24.9 19.6 29.4

