

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082724\
 Data File : VV037071.D
 Acq On : 27 Aug 2024 09:37
 Operator : SY/MD
 Sample : P3691-17
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E1K68

Quant Time: Aug 28 04:17:50 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Aug 28 04:16:12 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.526	114	563372	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.780	117	542879	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.178	152	259812	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	180632	35.050	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	70.100%
7) Chloroethane-d5	1.529	69	158788	39.867	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	79.740%
11) 1,1-Dichloroethene-d2	2.056	65	84576	39.047	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	78.100%
21) 2-Butanone-d5	3.793	46	166389	83.374	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	83.370%
24) Chloroform-d	4.240	84	354498	43.951	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.900%
26) 1,2-Dichloroethane-d4	4.934	65	228956	45.076	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.160%
32) Benzene-d6	4.950	84	697615	42.545	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	85.100%
36) 1,2-Dichloropropane-d6	5.982	67	228978	44.585	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	89.160%
41) Toluene-d8	7.236	98	619725	41.878	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	83.760%
43) trans-1,3-Dichloroprop...	7.548	79	93063	39.167	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	78.340%
47) 2-Hexanone-d5	8.024	63	105800	75.483	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	75.480%
56) 1,1,2,2-Tetrachloroeth...	10.146	84	269659	43.293	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	86.580%
66) 1,2-Dichlorobenzene-d4	11.554	152	232406	44.663	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	89.320%
Target Compounds						
20) cis-1,2-Dichloroethene	3.805	96	6638	1.574	ug/L	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082724\
Data File : VV037071.D
Acq On : 27 Aug 2024 09:37
Operator : SY/MD
Sample : P3691-17
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E1K68

Quant Time: Aug 28 04:17:50 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Aug 28 04:16:12 2024
Response via : Initial Calibration

