

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW082724\
 Data File : VW037090.D
 Acq On : 27 Aug 2024 16:43
 Operator : SY/MD
 Sample : P3692-06
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E1K38

Quant Time: Aug 28 04:22:23 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Aug 28 04:16:12 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.529	114	666652	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.780	117	630951	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.181	152	308548	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	228781	37.516	ug/L	0.00
Spiked Amount	50.000	Range 60 - 135	Recovery	=	75.040%	
7) Chloroethane-d5	1.529	69	174572	37.040	ug/L	0.00
Spiked Amount	50.000	Range 70 - 130	Recovery	=	74.080%	
11) 1,1-Dichloroethene-d2	2.056	65	97679	38.109	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	76.220%	
21) 2-Butanone-d5	3.796	46	257284	108.947	ug/L	0.00
Spiked Amount	100.000	Range 40 - 130	Recovery	=	108.950%	
24) Chloroform-d	4.243	84	414048	43.382	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	86.760%	
26) 1,2-Dichloroethane-d4	4.937	65	280354	46.644	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	93.280%	
32) Benzene-d6	4.953	84	803498	42.162	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	84.320%	
36) 1,2-Dichloropropane-d6	5.985	67	259864	43.536	ug/L	0.00
Spiked Amount	50.000	Range 70 - 120	Recovery	=	87.080%	
41) Toluene-d8	7.239	98	728563	42.360	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	84.720%	
43) trans-1,3-Dichloroprop...	7.551	79	113679	41.166	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	82.340%	
47) 2-Hexanone-d5	8.024	63	177051	108.684	ug/L	0.00
Spiked Amount	100.000	Range 45 - 130	Recovery	=	108.680%	
56) 1,1,2,2-Tetrachloroeth...	10.149	84	342941	47.373	ug/L	0.00
Spiked Amount	50.000	Range 65 - 120	Recovery	=	94.740%	
66) 1,2-Dichlorobenzene-d4	11.554	152	278766	45.111	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	90.220%	
Target Compounds						Qvalue
5) Vinyl chloride	1.281	62	4375988	735.755	ug/L	99
20) cis-1,2-Dichloroethene	3.805	96	1005239	201.483	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082724\
Data File : VV037090.D
Acq On : 27 Aug 2024 16:43
Operator : SY/MD
Sample : P3692-06
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E1K38

Quant Time: Aug 28 04:22:23 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Aug 28 04:16:12 2024
Response via : Initial Calibration

