

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW082724\
 Data File : VW037115.D
 Acq On : 28 Aug 2024 02:20
 Operator : SY/MD
 Sample : P3693-11
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E1K73

Quant Time: Aug 28 06:17:07 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Aug 28 05:52:22 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.529	114	623564	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.780	117	595912	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.181	152	278435	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	254353	44.591	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	89.180%		
7) Chloroethane-d5	1.532	69	190506	43.213	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	86.420%		
11) 1,1-Dichloroethene-d2	2.056	65	103269	43.074	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	86.140%		
21) 2-Butanone-d5	3.796	46	226366	102.478	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	102.480%		
24) Chloroform-d	4.246	84	411768	46.124	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	92.240%		
26) 1,2-Dichloroethane-d4	4.937	65	262115	46.623	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	93.240%		
32) Benzene-d6	4.953	84	822122	45.676	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	91.360%		
36) 1,2-Dichloropropane-d6	5.985	67	265294	47.059	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	94.120%		
41) Toluene-d8	7.239	98	717282	44.156	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	88.320%		
43) trans-1,3-Dichloroprop...	7.551	79	100595	38.570	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	77.140%		
47) 2-Hexanone-d5	8.024	63	151884	98.717	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	98.720%		
56) 1,1,2,2-Tetrachloroeth...	10.149	84	323839	47.364	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	94.720%		
66) 1,2-Dichlorobenzene-d4	11.554	152	265365	47.586	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	95.180%		
Target Compounds						Qvalue
5) Vinyl chloride	1.281	62	2144193	385.425	ug/L	100
20) cis-1,2-Dichloroethene	3.809	96	8246	1.767	ug/L	88

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082724\
Data File : VV037115.D
Acq On : 28 Aug 2024 02:20
Operator : SY/MD
Sample : P3693-11
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E1K73

Quant Time: Aug 28 06:17:07 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Aug 28 05:52:22 2024
Response via : Initial Calibration

