

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082724\
 Data File : VV037102.D
 Acq On : 27 Aug 2024 21:34
 Operator : SY/MD
 Sample : P3692-21
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E1K81

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
 Title : VOC Analysis

Signal : TIC: VV037102.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.172	35	41	50	rBV	23344	34680	0.12%	0.074%
2	1.281	67	75	92	rBV2	645971	720479	2.54%	1.532%
3	1.532	145	153	170	rVB	252288	302393	1.06%	0.643%
4	2.056	307	316	331	rVB	541578	779052	2.74%	1.657%
5	2.690	502	513	527	rBV	204749	349939	1.23%	0.744%
6	3.220	675	678	683	rBV6	1632	1552	0.01%	0.003%
7	3.596	790	795	797	rBV4	1146	979	0.00%	0.002%
8	3.706	826	829	832	rVB5	1067	821	0.00%	0.002%
9	3.725	832	835	839	rBV6	1141	796	0.00%	0.002%
10	3.805	839	860	910	rBV	12166854	28409851	100.00%	60.413%
11	4.243	981	996	1030	rVB	369954	933424	3.29%	1.985%
12	4.764	1155	1158	1160	rVV3	1052	802	0.00%	0.002%
13	4.776	1160	1162	1166	rVV5	1474	916	0.00%	0.002%
14	4.950	1198	1216	1251	rBV2	937853	2357409	8.30%	5.013%
15	5.156	1277	1280	1282	rVB3	1510	813	0.00%	0.002%
16	5.220	1295	1300	1305	rBV8	1040	1376	0.00%	0.003%
17	5.391	1350	1353	1356	rBV6	1347	1039	0.00%	0.002%
18	5.529	1382	1396	1433	rBV	749564	1544698	5.44%	3.285%
19	5.834	1478	1491	1517	rBV3	56373	138232	0.49%	0.294%
20	5.985	1525	1538	1564	rBV	518046	1075835	3.79%	2.288%
21	6.368	1652	1657	1663	rVV9	1558	2167	0.01%	0.005%
22	6.606	1725	1731	1737	rBV10	1806	2373	0.01%	0.005%
23	6.911	1815	1826	1853	rBV	266541	512591	1.80%	1.090%
24	7.127	1891	1893	1897	rVB5	1512	840	0.00%	0.002%
25	7.239	1917	1928	1955	rBV	1042378	1854627	6.53%	3.944%
26	7.413	1980	1982	1987	rVB5	1489	948	0.00%	0.002%
27	7.551	2014	2025	2052	rBV	173106	332839	1.17%	0.708%
28	8.027	2163	2173	2219	rBV	447875	918462	3.23%	1.953%
29	8.452	2301	2305	2308	rVB5	1282	1061	0.00%	0.002%
30	8.480	2308	2314	2315	rBV4	1305	1088	0.00%	0.002%
31	8.509	2321	2323	2328	rVB5	1534	1154	0.00%	0.002%
32	8.712	2380	2386	2387	rBV5	1561	1249	0.00%	0.003%
33	8.780	2396	2407	2433	rBV	1149227	1896531	6.68%	4.033%
34	9.037	2484	2487	2488	rBV3	1959	1062	0.00%	0.002%
35	9.046	2488	2490	2495	rVB5	2702	1751	0.01%	0.004%
36	9.352	2581	2585	2590	rVB5	1453	1466	0.01%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082724\
 Data File : VV037102.D
 Acq On : 27 Aug 2024 21:34
 Operator : SY/MD
 Sample : P3692-21
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E1K81

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
 Title : VOC Analysis

37	9.480	2621	2625	2626	rVV4	1482	1025	0.00%	0.002%
38	9.490	2626	2628	2633	rVV7	2251	1888	0.01%	0.004%
39	9.628	2666	2671	2673	rBV6	1208	1156	0.00%	0.002%
40	9.757	2706	2711	2716	rVB7	1216	1427	0.01%	0.003%
41	9.796	2716	2723	2726	rVB8	1855	2052	0.01%	0.004%
42	9.921	2760	2762	2766	rVB4	1423	1049	0.00%	0.002%
43	9.972	2777	2778	2783	rVB3	1359	1004	0.00%	0.002%
44	10.056	2802	2804	2810	rBV5	748	737	0.00%	0.002%
45	10.149	2819	2833	2851	rBV	687531	1098713	3.87%	2.336%
46	10.294	2875	2878	2880	rVB4	2117	1198	0.00%	0.003%
47	10.313	2880	2884	2891	rBV10	1486	1773	0.01%	0.004%
48	10.426	2915	2919	2922	rBV5	1126	930	0.00%	0.002%
49	10.458	2927	2929	2933	rBV4	1911	1493	0.01%	0.003%
50	10.500	2939	2942	2945	rVB4	2391	1478	0.01%	0.003%
51	10.525	2945	2950	2954	rBV6	1771	2038	0.01%	0.004%
52	10.574	2962	2965	2968	rBV4	1397	834	0.00%	0.002%
53	10.779	3026	3029	3031	rVV3	1463	1046	0.00%	0.002%
54	10.802	3034	3036	3041	rVB5	1669	1013	0.00%	0.002%
55	10.860	3049	3054	3058	rBV7	1420	1577	0.01%	0.003%
56	10.927	3072	3075	3077	rBV3	1660	1185	0.00%	0.003%
57	10.966	3082	3087	3088	rVV4	1103	1037	0.00%	0.002%
58	10.988	3092	3094	3098	rVV4	1085	921	0.00%	0.002%
59	11.181	3143	3154	3184	rBV	1185078	1898315	6.68%	4.037%
60	11.371	3210	3213	3216	rBV4	1877	1283	0.00%	0.003%
61	11.451	3236	3238	3244	rVB7	1907	1501	0.01%	0.003%
62	11.554	3253	3270	3297	rBV	1086495	1757475	6.19%	3.737%
63	11.869	3364	3368	3372	rBV6	805	943	0.00%	0.002%
64	11.892	3372	3375	3377	rVV3	1335	848	0.00%	0.002%
65	12.014	3410	3413	3420	rVB9	1237	910	0.00%	0.002%
66	12.107	3440	3442	3447	rBV5	1115	1016	0.00%	0.002%
67	12.149	3451	3455	3456	rBV4	950	809	0.00%	0.002%
68	12.185	3461	3466	3468	rVV6	1252	1059	0.00%	0.002%
69	12.233	3475	3481	3485	rBV6	2541	2892	0.01%	0.006%
70	12.368	3519	3523	3527	rBV7	1226	1205	0.00%	0.003%
71	12.487	3555	3560	3563	rBV5	1451	1513	0.01%	0.003%
72	12.506	3564	3566	3573	rVB8	2401	1388	0.00%	0.003%
73	12.561	3580	3583	3586	rBV4	838	808	0.00%	0.002%
74	12.599	3593	3595	3599	rVB4	1724	1052	0.00%	0.002%
75	12.638	3599	3607	3610	rBV10	1834	2284	0.01%	0.005%
76	12.702	3624	3627	3632	rVB7	1615	1269	0.00%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082724\
 Data File : VV037102.D
 Acq On : 27 Aug 2024 21:34
 Operator : SY/MD
 Sample : P3692-21
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E1K81

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
 Title : VOC Analysis

77	12.956	3704	3706	3711	rVB6	1616	913	0.00%	0.002%
78	13.062	3734	3739	3742	rBV5	1325	1290	0.00%	0.003%
79	13.104	3750	3752	3756	rVB5	1368	753	0.00%	0.002%
80	13.172	3767	3773	3775	rVB6	1113	1266	0.00%	0.003%
81	13.210	3775	3785	3791	rBV6	5802	10343	0.04%	0.022%
82	13.323	3819	3820	3825	rVB5	1574	885	0.00%	0.002%
83	13.400	3842	3844	3851	rVB6	1325	846	0.00%	0.002%
84	13.512	3873	3879	3883	rVB9	1446	1633	0.01%	0.003%
85	13.593	3901	3904	3909	rVB6	1097	984	0.00%	0.002%
86	13.647	3919	3921	3923	rBV2	1108	735	0.00%	0.002%
87	13.683	3929	3932	3935	rBV5	2237	1859	0.01%	0.004%
88	13.770	3955	3959	3962	rBV5	1030	761	0.00%	0.002%
89	13.995	4026	4029	4031	rBV2	1429	913	0.00%	0.002%
90	14.014	4033	4035	4039	rVB6	1426	734	0.00%	0.002%
91	14.136	4070	4073	4077	rBV5	1853	890	0.00%	0.002%
92	14.274	4112	4116	4118	rBV4	1338	781	0.00%	0.002%
93	14.413	4155	4159	4160	rBV4	1221	793	0.00%	0.002%
94	14.506	4185	4188	4191	rBV4	2105	1565	0.01%	0.003%
95	14.532	4194	4196	4200	rVB5	1187	753	0.00%	0.002%
96	14.705	4247	4250	4253	rBV5	1933	1560	0.01%	0.003%
97	14.786	4273	4275	4280	rVB6	2575	1887	0.01%	0.004%
98	14.837	4286	4291	4295	rBV7	2120	2731	0.01%	0.006%
99	14.930	4317	4320	4321	rBV3	1706	927	0.00%	0.002%
100	15.194	4398	4402	4406	rBV7	2659	2908	0.01%	0.006%




Sum of corrected areas: 47026149

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082724\
Data File : VV037102.D
Acq On : 27 Aug 2024 21:34
Operator : SY/MD
Sample : P3692-21
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E1K81

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082724\
Data File : VV037102.D
Acq On : 27 Aug 2024 21:34
Operator : SY/MD
Sample : P3692-21
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E1K81

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082724\
Data File : VV037102.D
Acq On : 27 Aug 2024 21:34
Operator : SY/MD
Sample : P3692-21
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E1K81

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc