

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082724\
 Data File : VV037115.D
 Acq On : 28 Aug 2024 02:20
 Operator : SY/MD
 Sample : P3693-11
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E1K73

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
 Title : VOC Analysis

Signal : TIC: VV037115.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.172	35	41	53	rBV	30972	58597	1.49%	0.271%
2	1.281	68	75	95	rVB	3660147	3931820	100.00%	18.200%
3	1.532	146	153	168	rVB	296045	345503	8.79%	1.599%
4	2.056	307	316	331	rBV	601593	868958	22.10%	4.022%
5	3.452	746	750	752	rBV5	1325	987	0.03%	0.005%
6	3.703	824	828	831	rBV4	806	696	0.02%	0.003%
7	3.732	834	837	840	rVV4	1089	759	0.02%	0.004%
8	3.799	848	858	894	rBV	147031	425613	10.82%	1.970%
9	4.146	964	966	969	rBV3	1313	601	0.02%	0.003%
10	4.243	982	996	1024	rVB	388115	962535	24.48%	4.456%
11	4.461	1062	1064	1067	rVB4	1148	477	0.01%	0.002%
12	4.478	1067	1069	1071	rBV3	924	439	0.01%	0.002%
13	4.715	1141	1143	1150	rVB8	1219	1017	0.03%	0.005%
14	4.793	1165	1167	1170	rBV4	792	423	0.01%	0.002%
15	4.825	1173	1177	1178	rBV3	925	636	0.02%	0.003%
16	4.950	1199	1216	1245	rBV2	972192	2432631	61.87%	11.261%
17	5.452	1370	1372	1373	rBV3	918	241	0.01%	0.001%
18	5.529	1382	1396	1428	rBV	712566	1482368	37.70%	6.862%
19	5.985	1526	1538	1568	rBV	535881	1091797	27.77%	5.054%
20	6.265	1624	1625	1631	rVB5	1067	714	0.02%	0.003%
21	6.400	1663	1667	1668	rBV3	1564	1040	0.03%	0.005%
22	6.436	1676	1678	1680	rBV3	1273	569	0.01%	0.003%
23	6.506	1699	1700	1702	rVB2	743	222	0.01%	0.001%
24	6.522	1702	1705	1708	rBV5	1259	731	0.02%	0.003%
25	6.555	1713	1715	1716	rVB2	897	354	0.01%	0.002%
26	6.645	1741	1743	1746	rBV2	1117	499	0.01%	0.002%
27	6.680	1753	1754	1757	rVB2	812	240	0.01%	0.001%
28	6.702	1759	1761	1762	rBV2	641	245	0.01%	0.001%
29	6.715	1763	1765	1766	rVV	859	215	0.01%	0.001%
30	6.844	1803	1805	1806	rBV2	1113	605	0.02%	0.003%
31	6.911	1813	1826	1849	rBV	256919	487397	12.40%	2.256%
32	7.130	1890	1894	1896	rBV5	1193	1073	0.03%	0.005%
33	7.156	1901	1902	1904	rBV	773	376	0.01%	0.002%
34	7.239	1917	1928	1953	rBV	1094414	1905312	48.46%	8.820%
35	7.551	2017	2025	2046	rBV	162022	295541	7.52%	1.368%
36	8.024	2159	2172	2215	rBV	432723	901143	22.92%	4.171%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082724\
 Data File : VV037115.D
 Acq On : 28 Aug 2024 02:20
 Operator : SY/MD
 Sample : P3693-11
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E1K73

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
 Title : VOC Analysis

37	8.657	2366	2369	2372	rBV4	923	583	0.01%	0.003%
38	8.780	2396	2407	2432	rBV	1120746	1815032	46.16%	8.402%
39	9.355	2582	2586	2587	rBV3	1010	624	0.02%	0.003%
40	9.400	2597	2600	2602	rBV4	1346	715	0.02%	0.003%
41	9.413	2602	2604	2606	rVB3	806	295	0.01%	0.001%
42	9.432	2606	2610	2614	rBV6	1571	1377	0.04%	0.006%
43	9.448	2614	2615	2616	rBV	411	100	0.00%	0.000%
44	9.503	2631	2632	2635	rBV2	683	318	0.01%	0.001%
45	9.738	2704	2705	2708	rBV3	588	407	0.01%	0.002%
46	9.802	2723	2725	2729	rVB5	1359	768	0.02%	0.004%
47	9.889	2750	2752	2754	rBV2	616	345	0.01%	0.002%
48	9.921	2760	2762	2765	rVB4	1308	654	0.02%	0.003%
49	9.953	2770	2772	2774	rBV3	899	599	0.02%	0.003%
50	10.050	2800	2802	2806	rVB4	749	460	0.01%	0.002%
51	10.072	2807	2809	2813	rVB3	575	364	0.01%	0.002%
52	10.091	2813	2815	2816	rBV2	638	235	0.01%	0.001%
53	10.149	2821	2833	2855	rBV	660004	1059647	26.95%	4.905%
54	10.362	2894	2899	2901	rBV5	1746	1642	0.04%	0.008%
55	10.403	2909	2912	2914	rBV3	914	581	0.01%	0.003%
56	10.439	2921	2923	2925	rBV2	1282	762	0.02%	0.004%
57	10.532	2950	2952	2954	rBV3	1014	635	0.02%	0.003%
58	10.590	2967	2970	2973	rVB4	841	537	0.01%	0.002%
59	10.635	2982	2984	2986	rVB2	1292	520	0.01%	0.002%
60	10.654	2986	2990	2994	rBV6	1099	1066	0.03%	0.005%
61	10.677	2994	2997	3001	rVB3	1052	826	0.02%	0.004%
62	10.696	3001	3003	3006	rBV4	1392	921	0.02%	0.004%
63	10.786	3026	3031	3035	rBV7	1825	1916	0.05%	0.009%
64	10.805	3035	3037	3038	rBV2	651	184	0.00%	0.001%
65	10.860	3052	3054	3055	rBV2	481	179	0.00%	0.001%
66	10.998	3094	3097	3100	rBV4	1047	692	0.02%	0.003%
67	11.027	3104	3106	3107	rBV2	560	182	0.00%	0.001%
68	11.075	3117	3121	3123	rBV3	1078	838	0.02%	0.004%
69	11.181	3143	3154	3179	rBV	1138106	1769573	45.01%	8.191%
70	11.513	3255	3257	3258	rBV2	1370	563	0.01%	0.003%
71	11.554	3259	3270	3298	rVV	1072381	1718152	43.70%	7.953%
72	12.046	3421	3423	3424	rBV2	718	266	0.01%	0.001%
73	12.088	3434	3436	3440	rVB4	881	539	0.01%	0.002%
74	12.117	3440	3445	3447	rBV4	1136	867	0.02%	0.004%
75	12.130	3447	3449	3452	rBV4	1447	1036	0.03%	0.005%
76	12.172	3458	3462	3465	rBV6	1548	1070	0.03%	0.005%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082724\
 Data File : VV037115.D
 Acq On : 28 Aug 2024 02:20
 Operator : SY/MD
 Sample : P3693-11
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E1K73

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
 Title : VOC Analysis

77	12.191	3465	3468	3472	rBV5	1513	1210	0.03%	0.006%
78	12.281	3494	3496	3502	rVB6	1456	983	0.03%	0.005%
79	12.310	3502	3505	3508	rBV4	991	842	0.02%	0.004%
80	12.336	3511	3513	3515	rBV2	949	441	0.01%	0.002%
81	12.628	3602	3604	3606	rBV2	1206	562	0.01%	0.003%
82	12.689	3620	3623	3625	rBV3	1106	664	0.02%	0.003%
83	12.799	3655	3657	3658	rBV2	864	416	0.01%	0.002%
84	12.850	3670	3673	3677	rBV4	1640	1121	0.03%	0.005%
85	12.886	3682	3684	3685	rBV2	870	262	0.01%	0.001%
86	13.101	3747	3751	3757	rBV7	1375	1422	0.04%	0.007%
87	13.204	3779	3783	3787	rBV7	1696	1822	0.05%	0.008%
88	13.287	3805	3809	3811	rBV4	1019	744	0.02%	0.003%
89	13.709	3937	3940	3945	rVB5	1560	1215	0.03%	0.006%
90	14.107	4062	4064	4067	rBV3	997	544	0.01%	0.003%
91	14.403	4153	4156	4157	rBV3	2415	1464	0.04%	0.007%
92	15.143	4384	4386	4387	rBV	1892	796	0.02%	0.004%

Sum of corrected areas: 21602952

Library Search Compound Report

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082724\
Data File : VV037115.D
Acq On : 28 Aug 2024 02:20
Operator : SY/MD
Sample : P3693-11
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E1K73

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082724\
Data File : VV037115.D
Acq On : 28 Aug 2024 02:20
Operator : SY/MD
Sample : P3693-11
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E1K73

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------