

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082924\
 Data File : VV037180.D
 Acq On : 30 Aug 2024 00:19
 Operator : SY/MD
 Sample : P3734-04
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK001

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
 Title : VOC Analysis

Signal : TIC: VV037180.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.278	67	74	91	rVB	336271	349129	15.14%	2.099%
2	1.532	146	153	170	rVB	274130	325909	14.13%	1.959%
3	2.060	307	317	332	rBV	563311	821357	35.61%	4.937%
4	3.359	719	721	724	rBV4	1595	956	0.04%	0.006%
5	3.407	734	736	739	rBV3	852	599	0.03%	0.004%
6	3.564	782	785	791	rBV5	939	925	0.04%	0.006%
7	3.590	791	793	795	rBV3	740	376	0.02%	0.002%
8	3.632	804	806	809	rBV3	1004	624	0.03%	0.004%
9	3.661	813	815	817	rBV3	703	386	0.02%	0.002%
10	3.693	822	825	828	rVB4	1375	935	0.04%	0.006%
11	3.748	840	842	844	rVB2	949	407	0.02%	0.002%
12	3.764	844	847	848	rBV3	860	402	0.02%	0.002%
13	3.796	848	857	887	rBV	111286	311099	13.49%	1.870%
14	4.243	981	996	1021	rBV	367539	930150	40.33%	5.591%
15	4.635	1113	1118	1122	rBV5	1654	1512	0.07%	0.009%
16	4.651	1122	1123	1126	rVV	1001	477	0.02%	0.003%
17	4.709	1139	1141	1143	rVB3	1046	494	0.02%	0.003%
18	4.725	1143	1146	1154	rVB7	1529	1552	0.07%	0.009%
19	4.760	1154	1157	1159	rBV3	887	711	0.03%	0.004%
20	4.789	1163	1166	1168	rBV4	1031	601	0.03%	0.004%
21	4.815	1171	1174	1176	rBV4	1268	600	0.03%	0.004%
22	4.870	1188	1191	1195	rBV5	603	473	0.02%	0.003%
23	4.889	1195	1197	1200	rBV4	915	640	0.03%	0.004%
24	4.950	1200	1216	1253	rBV2	908028	2306256	100.00%	13.863%
25	5.294	1320	1323	1324	rBV3	1777	1081	0.05%	0.006%
26	5.394	1352	1354	1357	rVB4	957	371	0.02%	0.002%
27	5.529	1383	1396	1433	rBV	668212	1384165	60.02%	8.320%
28	5.985	1527	1538	1562	rBV	509482	1034543	44.86%	6.219%
29	6.468	1686	1688	1691	rBV4	929	435	0.02%	0.003%
30	6.583	1722	1724	1727	rBV4	1363	956	0.04%	0.006%
31	6.651	1742	1745	1748	rBV4	629	559	0.02%	0.003%
32	6.680	1752	1754	1756	rVB3	1026	425	0.02%	0.003%
33	6.812	1794	1795	1799	rBV4	1048	489	0.02%	0.003%
34	6.870	1810	1813	1815	rBV4	866	404	0.02%	0.002%
35	6.911	1815	1826	1850	rBV	245755	474444	20.57%	2.852%
36	7.239	1917	1928	1957	rBV	1014277	1806449	78.33%	10.859%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082924\
 Data File : VV037180.D
 Acq On : 30 Aug 2024 00:19
 Operator : SY/MD
 Sample : P3734-04
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK001

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
 Title : VOC Analysis

37	7.551	2016	2025	2047	rBV	158638	292610	12.69%	1.759%
38	7.889	2128	2130	2132	rBV2	1455	769	0.03%	0.005%
39	8.027	2163	2173	2204	rBV2	324370	697961	30.26%	4.196%
40	8.487	2314	2316	2317	rBV2	1160	397	0.02%	0.002%
41	8.680	2373	2376	2381	rBV4	1545	978	0.04%	0.006%
42	8.722	2385	2389	2392	rBV3	1569	928	0.04%	0.006%
43	8.780	2396	2407	2431	rBV	1036545	1697249	73.59%	10.202%
44	9.005	2472	2477	2479	rBV5	2626	2195	0.10%	0.013%
45	9.323	2573	2576	2578	rBV5	1284	834	0.04%	0.005%
46	9.435	2608	2611	2614	rBV5	2022	1144	0.05%	0.007%
47	9.468	2618	2621	2622	rBV3	1073	742	0.03%	0.004%
48	9.519	2634	2637	2638	rBV3	1044	570	0.02%	0.003%
49	9.554	2646	2648	2649	rBV	838	420	0.02%	0.003%
50	9.567	2650	2652	2655	rVV4	982	588	0.03%	0.004%
51	9.609	2662	2665	2666	rBV3	791	544	0.02%	0.003%
52	9.683	2685	2688	2689	rBV3	651	475	0.02%	0.003%
53	9.709	2694	2696	2697	rBV2	1038	435	0.02%	0.003%
54	9.757	2706	2711	2715	rBV7	1051	1096	0.05%	0.007%
55	9.783	2715	2719	2724	rVB6	1670	1263	0.05%	0.008%
56	9.805	2724	2726	2728	rBV2	863	431	0.02%	0.003%
57	9.821	2728	2731	2734	rBV3	868	523	0.02%	0.003%
58	9.902	2754	2756	2758	rVB3	1141	499	0.02%	0.003%
59	9.943	2767	2769	2771	rBV3	704	378	0.02%	0.002%
60	10.030	2793	2796	2802	rBV8	1409	1140	0.05%	0.007%
61	10.062	2802	2806	2807	rBV4	663	523	0.02%	0.003%
62	10.072	2807	2809	2811	rVB2	1181	467	0.02%	0.003%
63	10.146	2820	2832	2855	rBV	582216	933142	40.46%	5.609%
64	10.419	2912	2917	2918	rVV5	1060	738	0.03%	0.004%
65	10.458	2926	2929	2931	rBV3	1021	729	0.03%	0.004%
66	10.580	2965	2967	2971	rVB3	1418	778	0.03%	0.005%
67	10.603	2971	2974	2977	rBV4	1117	680	0.03%	0.004%
68	10.625	2977	2981	2982	rBV4	1038	660	0.03%	0.004%
69	10.673	2994	2996	2999	rVB4	926	485	0.02%	0.003%
70	10.699	2999	3004	3006	rBV6	1252	872	0.04%	0.005%
71	10.747	3016	3019	3022	rBV4	1395	798	0.03%	0.005%
72	10.821	3038	3042	3044	rVB5	631	433	0.02%	0.003%
73	10.863	3049	3055	3058	rBV7	1462	1253	0.05%	0.008%
74	10.953	3080	3083	3086	rBV4	674	386	0.02%	0.002%
75	11.030	3103	3107	3108	rBV3	1019	773	0.03%	0.005%
76	11.053	3112	3114	3117	rVB3	1443	706	0.03%	0.004%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082924\
 Data File : VV037180.D
 Acq On : 30 Aug 2024 00:19
 Operator : SY/MD
 Sample : P3734-04
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK001

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
 Title : VOC Analysis

77	11.104	3127	3130	3131	rBV2	1130	623	0.03%	0.004%
78	11.178	3143	3153	3178	rBV	1000306	1597187	69.25%	9.601%
79	11.554	3259	3270	3292	rBV	1021223	1609422	69.79%	9.674%
80	11.972	3395	3400	3405	rBV8	1329	1755	0.08%	0.011%
81	12.046	3419	3423	3425	rBV6	888	732	0.03%	0.004%
82	12.120	3444	3446	3453	rVB6	1430	1085	0.05%	0.007%
83	12.159	3456	3458	3461	rBV4	1497	790	0.03%	0.005%
84	12.172	3461	3462	3467	rVB4	1136	647	0.03%	0.004%
85	12.246	3481	3485	3488	rBV5	1770	1364	0.06%	0.008%
86	12.490	3556	3561	3564	rBV6	1195	1189	0.05%	0.007%
87	12.570	3582	3586	3587	rBV4	962	644	0.03%	0.004%
88	12.596	3590	3594	3598	rVV6	1003	952	0.04%	0.006%
89	12.924	3693	3696	3699	rBV4	1321	987	0.04%	0.006%
90	13.046	3732	3734	3737	rVB4	1069	465	0.02%	0.003%
91	13.066	3737	3740	3743	rVB5	1152	691	0.03%	0.004%
92	13.123	3754	3758	3762	rBV5	1082	859	0.04%	0.005%
93	13.358	3828	3831	3833	rBV3	1306	722	0.03%	0.004%
94	13.458	3859	3862	3863	rBV3	1336	897	0.04%	0.005%
95	13.696	3930	3936	3937	rBV5	1477	1444	0.06%	0.009%
96	13.783	3961	3963	3966	rVB4	1365	715	0.03%	0.004%
97	13.866	3987	3989	3990	rBV2	895	405	0.02%	0.002%
98	14.094	4056	4060	4065	rBV6	1549	1634	0.07%	0.010%
99	14.574	4207	4209	4211	rBV3	1140	806	0.03%	0.005%
100	14.898	4306	4310	4313	rBV5	1750	1402	0.06%	0.008%

Sum of corrected areas: 16635900

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082924\
Data File : VV037180.D
Acq On : 30 Aug 2024 00:19
Operator : SY/MD
Sample : P3734-04
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK001

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV082924\
Data File : VV037180.D
Acq On : 30 Aug 2024 00:19
Operator : SY/MD
Sample : P3734-04
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK001

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc