

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW090624\
 Data File : VW037222.D
 Acq On : 06 Sep 2024 13:50
 Operator : SY/MD
 Sample : P3843-10
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BHJL9

Quant Time: Sep 06 23:24:45 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Sep 06 23:21:35 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.529	114	628143	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.780	117	612627	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.178	152	285835	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	198768	34.592	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	69.180%		
7) Chloroethane-d5	1.532	69	172118	38.758	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	77.520%		
11) 1,1-Dichloroethene-d2	2.060	65	89886	37.219	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	74.440%		
21) 2-Butanone-d5	3.793	46	176854	79.480	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	79.480%		
24) Chloroform-d	4.243	84	384140	42.715	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	85.440%		
26) 1,2-Dichloroethane-d4	4.937	65	249866	44.120	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	88.240%		
32) Benzene-d6	4.953	84	766817	41.441	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	82.880%		
36) 1,2-Dichloropropane-d6	5.982	67	256843	44.317	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	88.640%		
41) Toluene-d8	7.239	98	667092	39.946	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	79.900%#		
43) trans-1,3-Dichloroprop...	7.551	79	105577	39.375	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	78.760%		
47) 2-Hexanone-d5	8.024	63	110271	69.715	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	69.720%		
56) 1,1,2,2-Tetrachloroeth...	10.146	84	290556	41.337	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	82.680%		
66) 1,2-Dichlorobenzene-d4	11.554	152	251215	43.883	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	87.760%		
Target Compounds					Qvalue	
13) Acetone	2.114	43	14920	6.252	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV090624\
Data File : VV037222.D
Acq On : 06 Sep 2024 13:50
Operator : SY/MD
Sample : P3843-10
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BHJL9

Quant Time: Sep 06 23:24:45 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Sep 06 23:21:35 2024
Response via : Initial Calibration





#13

Acetone

Concen: 6.252 ug/L

RT: 2.114 min Scan# 31

Delta R.T. 0.007 min

Lab File: VV037222.D

Acq: 06 Sep 2024 13:50

Instrument :

MSVOA_V

ClientSampleId :

BHJL9

Tgt Ion: 43 Resp: 14920

Ion Ratio Lower Upper

43 100

58 33.8 0.0 64.8

