

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV090624\
 Data File : VV037213.D
 Acq On : 06 Sep 2024 10:14
 Operator : SY/MD
 Sample : P3842-01
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0UE5

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
 Title : VOC Analysis

Signal : TIC: VV037213.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.176	36	42	52	rBV	24329	42017	1.76%	0.238%
2	1.278	68	74	90	rVB	323792	347192	14.55%	1.966%
3	1.532	146	153	169	rVB	281158	331050	13.87%	1.874%
4	2.060	308	317	331	rVB	561996	811925	34.02%	4.597%
5	2.442	429	436	454	rVB	144193	230384	9.65%	1.304%
6	3.597	794	795	797	rVB2	589	131	0.01%	0.001%
7	3.609	797	799	801	rVB3	792	336	0.01%	0.002%
8	3.629	801	805	808	rBV5	1367	1270	0.05%	0.007%
9	3.735	833	838	841	rBV5	1044	1059	0.04%	0.006%
10	3.757	842	845	846	rBV2	554	240	0.01%	0.001%
11	3.793	847	856	891	rBV	100246	295550	12.38%	1.673%
12	4.240	981	995	1024	rBV2	382143	964165	40.39%	5.459%
13	4.490	1070	1073	1074	rBV3	990	588	0.02%	0.003%
14	4.603	1102	1108	1109	rBV5	1531	1427	0.06%	0.008%
15	4.780	1158	1163	1164	rBV5	786	525	0.02%	0.003%
16	4.802	1168	1170	1171	rBV	527	257	0.01%	0.001%
17	4.851	1182	1185	1186	rBV3	978	496	0.02%	0.003%
18	4.892	1196	1198	1199	rBV2	1325	555	0.02%	0.003%
19	4.947	1200	1215	1256	rVV2	927414	2386880	100.00%	13.514%
20	5.420	1360	1362	1364	rVB3	1385	532	0.02%	0.003%
21	5.452	1369	1372	1376	rBV4	1062	759	0.03%	0.004%
22	5.474	1376	1379	1381	rBV4	1057	721	0.03%	0.004%
23	5.526	1384	1395	1429	rBV	725013	1493405	62.57%	8.455%
24	5.982	1525	1537	1569	rBV	530786	1100254	46.10%	6.229%
25	6.262	1622	1624	1629	rVB6	1461	1075	0.05%	0.006%
26	6.603	1728	1730	1733	rVB4	894	405	0.02%	0.002%
27	6.632	1737	1739	1744	rVB4	1028	783	0.03%	0.004%
28	6.677	1747	1753	1755	rBV6	1750	1809	0.08%	0.010%
29	6.760	1774	1779	1782	rBV6	1043	993	0.04%	0.006%
30	6.777	1782	1784	1786	rBV3	785	525	0.02%	0.003%
31	6.834	1797	1802	1804	rVB4	1381	1002	0.04%	0.006%
32	6.908	1812	1825	1862	rBV	276766	546114	22.88%	3.092%
33	7.172	1905	1907	1909	rBV3	1884	967	0.04%	0.005%
34	7.236	1916	1927	1955	rBV	1050216	1856983	77.80%	10.514%
35	7.548	2016	2024	2046	rBV	171784	321920	13.49%	1.823%
36	7.838	2110	2114	2116	rBV5	1149	1048	0.04%	0.006%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV090624\
Data File : VV037213.D
Acq On : 06 Sep 2024 10:14
Operator : SY/MD
Sample : P3842-01
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0UE5

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
Title : VOC Analysis

37	7.850	2116	2118	2119	rBV2	2321	984	0.04%	0.006%
38	7.989	2159	2161	2162	rBV2	734	234	0.01%	0.001%
39	8.024	2164	2172	2211	rVV2	288806	654367	27.42%	3.705%
40	8.699	2379	2382	2386	rBV5	881	609	0.03%	0.003%
41	8.776	2395	2406	2437	rBV	1089421	1845304	77.31%	10.448%
42	9.198	2534	2537	2539	rBV3	1369	890	0.04%	0.005%
43	9.362	2586	2588	2593	rBV5	1187	1034	0.04%	0.006%
44	9.410	2600	2603	2605	rBV3	751	455	0.02%	0.003%
45	9.461	2617	2619	2621	rBV3	1451	731	0.03%	0.004%
46	9.587	2656	2658	2662	rBV5	1135	741	0.03%	0.004%
47	9.680	2685	2687	2691	rBV3	1033	578	0.02%	0.003%
48	9.699	2691	2693	2695	rBV2	1161	465	0.02%	0.003%
49	9.741	2704	2706	2708	rVB3	716	192	0.01%	0.001%
50	9.754	2708	2710	2712	rVB3	991	403	0.02%	0.002%
51	9.773	2712	2716	2718	rBV4	1275	808	0.03%	0.005%
52	9.793	2718	2722	2724	rVV5	934	652	0.03%	0.004%
53	9.815	2724	2729	2732	rVB7	1799	1638	0.07%	0.009%
54	9.860	2738	2743	2746	rBV4	1169	1296	0.05%	0.007%
55	9.899	2752	2755	2759	rVB4	618	506	0.02%	0.003%
56	9.931	2761	2765	2770	rVB7	1358	1190	0.05%	0.007%
57	9.966	2770	2776	2780	rBV7	1305	1450	0.06%	0.008%
58	10.011	2786	2790	2792	rBV5	848	551	0.02%	0.003%
59	10.079	2810	2811	2813	rVB2	1315	387	0.02%	0.002%
60	10.146	2820	2832	2856	rBV	578719	917219	38.43%	5.193%
61	10.378	2902	2904	2907	rVB2	949	452	0.02%	0.003%
62	10.394	2907	2909	2910	rBV2	910	354	0.01%	0.002%
63	10.474	2926	2934	2936	rBV5	1364	1550	0.06%	0.009%
64	10.706	3004	3006	3009	rVB4	1128	563	0.02%	0.003%
65	10.725	3009	3012	3015	rBV3	785	620	0.03%	0.004%
66	10.741	3015	3017	3020	rBV4	1140	551	0.02%	0.003%
67	10.757	3020	3022	3025	rBV5	877	561	0.02%	0.003%
68	10.773	3025	3027	3029	rBV3	959	593	0.02%	0.003%
69	10.818	3038	3041	3044	rVB4	1122	723	0.03%	0.004%
70	10.844	3044	3049	3051	rBV6	978	887	0.04%	0.005%
71	10.857	3051	3053	3055	rBV2	868	542	0.02%	0.003%
72	10.931	3073	3076	3077	rBV2	913	620	0.03%	0.004%
73	10.963	3084	3086	3089	rBV	1140	603	0.03%	0.003%
74	11.079	3116	3122	3126	rVB7	1484	1573	0.07%	0.009%
75	11.124	3126	3136	3137	rBV5	2995	3788	0.16%	0.021%
76	11.178	3143	3153	3181	rBV	1121898	1780046	74.58%	10.078%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV090624\
 Data File : VV037213.D
 Acq On : 06 Sep 2024 10:14
 Operator : SY/MD
 Sample : P3842-01
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0UE5

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
 Title : VOC Analysis

77	11.484	3244	3248	3249	rBV4	1708	1236	0.05%	0.007%
78	11.555	3259	3270	3299	rBV	1053463	1673045	70.09%	9.472%
79	11.924	3383	3385	3389	rBV4	1116	787	0.03%	0.004%
80	11.992	3401	3406	3407	rBV4	1508	1265	0.05%	0.007%
81	12.034	3417	3419	3421	rBV2	1349	641	0.03%	0.004%
82	12.108	3440	3442	3447	rBV6	1331	1231	0.05%	0.007%
83	12.468	3552	3554	3556	rBV2	996	443	0.02%	0.003%
84	12.548	3577	3579	3581	rBV2	961	417	0.02%	0.002%
85	12.725	3632	3634	3636	rBV2	1178	425	0.02%	0.002%
86	12.744	3636	3640	3641	rBV5	972	678	0.03%	0.004%
87	12.854	3672	3674	3676	rBV3	983	406	0.02%	0.002%
88	12.940	3698	3701	3703	rBV4	933	667	0.03%	0.004%
89	13.008	3718	3722	3724	rBV4	1344	1040	0.04%	0.006%
90	13.210	3777	3785	3791	rBV9	3080	5804	0.24%	0.033%
91	13.590	3901	3903	3904	rBV2	773	278	0.01%	0.002%
92	14.284	4115	4119	4121	rBV4	1471	1177	0.05%	0.007%
93	14.464	4173	4175	4178	rBV3	1121	791	0.03%	0.004%




Sum of corrected areas: 17662383

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV090624\
Data File : VV037213.D
Acq On : 06 Sep 2024 10:14
Operator : SY/MD
Sample : P3842-01
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0UE5

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV090624\
Data File : VV037213.D
Acq On : 06 Sep 2024 10:14
Operator : SY/MD
Sample : P3842-01
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0UE5

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV090624\
Data File : VV037213.D
Acq On : 06 Sep 2024 10:14
Operator : SY/MD
Sample : P3842-01
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0UE5

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
				#	RT Resp Conc