

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV090624\
 Data File : VV037225.D
 Acq On : 06 Sep 2024 14:55
 Operator : SY/MD
 Sample : VIBLK375
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VIBLK375

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
 Title : VOC Analysis

Signal : TIC: VV037225.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.278	68	74	89	rVB	284141	300517	13.39%	1.758%
2	1.532	146	153	167	rVB	257137	295232	13.16%	1.727%
3	2.060	308	317	331	rBV	513685	739070	32.94%	4.324%
4	3.558	781	783	786	rVB4	1018	557	0.02%	0.003%
5	3.571	786	787	790	rBV2	874	378	0.02%	0.002%
6	3.606	792	798	800	rBV7	1209	986	0.04%	0.006%
7	3.648	809	811	816	rVB4	824	386	0.02%	0.002%
8	3.667	816	817	819	rBV2	1043	443	0.02%	0.003%
9	3.793	848	856	894	rBV2	107570	316250	14.10%	1.850%
10	4.246	981	997	1027	rBV2	360324	926410	41.29%	5.420%
11	4.539	1082	1088	1091	rBV8	1883	1744	0.08%	0.010%
12	4.558	1091	1094	1096	rVV4	794	473	0.02%	0.003%
13	4.574	1096	1099	1104	rVB5	2153	1364	0.06%	0.008%
14	4.600	1104	1107	1112	rBV6	1570	1227	0.05%	0.007%
15	4.670	1127	1129	1131	rBV2	1145	626	0.03%	0.004%
16	4.715	1139	1143	1146	rBV5	1084	929	0.04%	0.005%
17	4.754	1152	1155	1156	rBV3	810	341	0.02%	0.002%
18	4.834	1178	1180	1181	rBV	966	372	0.02%	0.002%
19	4.950	1199	1216	1248	rBV2	882342	2243641	100.00%	13.126%
20	5.529	1385	1396	1422	rBV	760399	1560018	69.53%	9.126%
21	5.985	1526	1538	1568	rBV	505860	1044212	46.54%	6.109%
22	6.365	1653	1656	1659	rVB4	1114	662	0.03%	0.004%
23	6.497	1694	1697	1699	rVB4	2042	1202	0.05%	0.007%
24	6.522	1703	1705	1706	rBV2	1022	350	0.02%	0.002%
25	6.609	1730	1732	1735	rBV3	1539	1095	0.05%	0.006%
26	6.629	1735	1738	1739	rVV2	1296	697	0.03%	0.004%
27	6.651	1743	1745	1749	rBV4	961	759	0.03%	0.004%
28	6.670	1749	1751	1752	rBV2	778	360	0.02%	0.002%
29	6.719	1761	1766	1768	rBV5	1231	1197	0.05%	0.007%
30	6.793	1787	1789	1793	rBV5	1638	1363	0.06%	0.008%
31	6.812	1793	1795	1797	rBV3	1129	606	0.03%	0.004%
32	6.911	1815	1826	1854	rBV	256787	500448	22.31%	2.928%
33	7.239	1916	1928	1961	rBV	975570	1732697	77.23%	10.137%
34	7.551	2017	2025	2046	rBV	166388	304833	13.59%	1.783%
35	7.973	2154	2156	2159	rVB3	862	408	0.02%	0.002%
36	7.989	2159	2161	2162	rBV2	978	372	0.02%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV090624\
 Data File : VV037225.D
 Acq On : 06 Sep 2024 14:55
 Operator : SY/MD
 Sample : VIBLK375
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VIBLK375

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
 Title : VOC Analysis

37	8.024	2164	2172	2211	rBV2	318654	698575	31.14%	4.087%
38	8.545	2330	2334	2337	rBV6	2098	2024	0.09%	0.012%
39	8.735	2390	2393	2394	rBV3	1023	595	0.03%	0.003%
40	8.780	2396	2407	2441	rVV	1180530	1957170	87.23%	11.450%
41	9.201	2535	2538	2539	rBV3	1803	996	0.04%	0.006%
42	9.252	2551	2554	2556	rBV4	903	612	0.03%	0.004%
43	9.435	2609	2611	2613	rBV3	880	625	0.03%	0.004%
44	9.484	2624	2626	2629	rBV4	970	541	0.02%	0.003%
45	9.535	2636	2642	2643	rBV5	922	886	0.04%	0.005%
46	9.593	2657	2660	2663	rVB4	1325	897	0.04%	0.005%
47	9.616	2663	2667	2670	rVB4	1434	1188	0.05%	0.007%
48	9.638	2670	2674	2678	rBV5	1077	1073	0.05%	0.006%
49	9.673	2683	2685	2686	rBV2	643	320	0.01%	0.002%
50	9.728	2701	2702	2705	rBV3	648	356	0.02%	0.002%
51	9.789	2718	2721	2722	rBV2	930	388	0.02%	0.002%
52	9.825	2730	2732	2735	rVB3	1635	876	0.04%	0.005%
53	9.847	2735	2739	2743	rVB6	1557	1191	0.05%	0.007%
54	9.873	2743	2747	2749	rBV3	1107	852	0.04%	0.005%
55	9.947	2766	2770	2774	rVB7	1282	1168	0.05%	0.007%
56	9.969	2774	2777	2778	rBV2	856	436	0.02%	0.003%
57	9.979	2778	2780	2781	rBV	723	244	0.01%	0.001%
58	10.014	2789	2791	2796	rVB5	933	624	0.03%	0.004%
59	10.053	2800	2803	2804	rBV3	974	450	0.02%	0.003%
60	10.062	2804	2806	2809	rVB2	843	365	0.02%	0.002%
61	10.082	2809	2812	2815	rVB5	1388	915	0.04%	0.005%
62	10.104	2815	2819	2820	rBV3	938	628	0.03%	0.004%
63	10.146	2820	2832	2852	rBV	583770	936455	41.74%	5.478%
64	10.471	2931	2933	2937	rBV6	635	420	0.02%	0.002%
65	10.554	2957	2959	2962	rBV4	751	439	0.02%	0.003%
66	10.590	2969	2970	2976	rVB6	669	613	0.03%	0.004%
67	10.622	2976	2980	2985	rBV6	1452	1211	0.05%	0.007%
68	10.648	2985	2988	2990	rBV4	755	433	0.02%	0.003%
69	10.706	3001	3006	3007	rBV3	894	577	0.03%	0.003%
70	10.744	3016	3018	3020	rBV2	767	412	0.02%	0.002%
71	10.783	3028	3030	3034	rBV4	958	570	0.03%	0.003%
72	10.841	3044	3048	3050	rBV5	1088	765	0.03%	0.004%
73	10.924	3071	3074	3077	rVB4	1147	845	0.04%	0.005%
74	10.950	3080	3082	3085	rVB3	1073	588	0.03%	0.003%
75	10.969	3085	3088	3091	rBV5	1141	789	0.04%	0.005%
76	11.017	3102	3103	3105	rBV2	572	297	0.01%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV090624\
 Data File : VV037225.D
 Acq On : 06 Sep 2024 14:55
 Operator : SY/MD
 Sample : VIBLK375
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VIBLK375

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
 Title : VOC Analysis

77	11.075	3118	3121	3122	rBV2	812	492	0.02%	0.003%
78	11.091	3124	3126	3130	rVB3	792	350	0.02%	0.002%
79	11.111	3130	3132	3134	rBV3	843	409	0.02%	0.002%
80	11.140	3139	3141	3142	rBV2	1033	483	0.02%	0.003%
81	11.178	3143	3153	3185	rBV	1152728	1857589	82.79%	10.867%
82	11.554	3258	3270	3293	rBV	1025026	1624991	72.43%	9.506%
83	11.905	3377	3379	3381	rBV3	943	500	0.02%	0.003%
84	12.394	3528	3531	3535	rVB3	1759	1064	0.05%	0.006%
85	12.416	3535	3538	3541	rBV5	1982	1238	0.06%	0.007%
86	12.918	3692	3694	3700	rVB6	1718	1269	0.06%	0.007%
87	13.104	3750	3752	3755	rBV2	916	666	0.03%	0.004%
88	13.471	3862	3866	3870	rBV4	1923	1769	0.08%	0.010%
89	13.529	3881	3884	3888	rVB3	2260	1339	0.06%	0.008%
90	13.889	3994	3996	3998	rBV3	1122	682	0.03%	0.004%



Sum of corrected areas: 17093475

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV090624\
Data File : VV037225.D
Acq On : 06 Sep 2024 14:55
Operator : SY/MD
Sample : VIBLK375
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VIBLK375

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV090624\
Data File : VV037225.D
Acq On : 06 Sep 2024 14:55
Operator : SY/MD
Sample : VIBLK375
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VIBLK375

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV090624\
Data File : VV037225.D
Acq On : 06 Sep 2024 14:55
Operator : SY/MD
Sample : VIBLK375
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VIBLK375

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------