

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV090924\
 Data File : VV037233.D
 Acq On : 09 Sep 2024 10:58
 Operator : SY/MD
 Sample : P3843-06
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK001

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
 Title : VOC Analysis

Signal : TIC: VV037233.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.175	35	42	50	rBV2	10179	17787	0.68%	0.097%
2	1.278	67	74	92	rVB	395251	424596	16.31%	2.304%
3	1.532	145	153	165	rVB	319914	369825	14.21%	2.007%
4	2.060	306	317	342	rBV	651178	959603	36.86%	5.208%
5	3.378	725	727	732	rVV6	1217	857	0.03%	0.005%
6	3.548	778	780	784	rVB5	1282	846	0.03%	0.005%
7	3.580	786	790	791	rBV4	1404	1022	0.04%	0.006%
8	3.603	795	797	802	rBV4	1214	1003	0.04%	0.005%
9	3.638	802	808	811	rBV5	1175	1075	0.04%	0.006%
10	3.661	811	815	821	rBV9	1589	1901	0.07%	0.010%
11	3.757	839	845	847	rBV5	1238	1233	0.05%	0.007%
12	3.789	847	855	886	rBV	108611	307820	11.82%	1.671%
13	4.159	966	970	971	rBV4	1204	805	0.03%	0.004%
14	4.240	979	995	1022	rBV	413275	1041392	40.00%	5.652%
15	4.445	1057	1059	1064	rVB4	1092	775	0.03%	0.004%
16	4.474	1064	1068	1070	rBV4	1238	940	0.04%	0.005%
17	4.686	1131	1134	1137	rBV3	867	724	0.03%	0.004%
18	4.863	1185	1189	1193	rVB5	1177	1003	0.04%	0.005%
19	4.947	1199	1215	1251	rBV2	1020627	2603482	100.00%	14.129%
20	5.333	1333	1335	1341	rVB7	1681	1537	0.06%	0.008%
21	5.368	1341	1346	1351	rBV8	1339	1154	0.04%	0.006%
22	5.526	1384	1395	1428	rBV	684974	1416521	54.41%	7.688%
23	5.828	1479	1489	1504	rVB4	14343	36350	1.40%	0.197%
24	5.982	1523	1537	1570	rBV	574428	1182158	45.41%	6.416%
25	6.307	1637	1638	1643	rVB5	1175	729	0.03%	0.004%
26	6.358	1651	1654	1655	rBV2	2108	1222	0.05%	0.007%
27	6.400	1663	1667	1669	rBV4	1463	841	0.03%	0.005%
28	6.468	1685	1688	1693	rVB7	1300	1167	0.04%	0.006%
29	6.513	1696	1702	1704	rBV6	832	811	0.03%	0.004%
30	6.548	1711	1713	1718	rVB6	1494	870	0.03%	0.005%
31	6.583	1722	1724	1728	rVV4	1044	816	0.03%	0.004%
32	6.661	1742	1748	1752	rBV7	1284	1075	0.04%	0.006%
33	6.696	1755	1759	1762	rVB4	1023	881	0.03%	0.005%
34	6.747	1771	1775	1779	rBV5	1470	1080	0.04%	0.006%
35	6.908	1814	1825	1857	rBV	304340	600744	23.07%	3.260%
36	7.117	1888	1890	1894	rBV5	845	737	0.03%	0.004%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV090924\
 Data File : VV037233.D
 Acq On : 09 Sep 2024 10:58
 Operator : SY/MD
 Sample : P3843-06
 Misc : 5.00mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK001

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
 Title : VOC Analysis

37	7.175	1906	1908	1912	rBV5	971	883	0.03%	0.005%
38	7.236	1916	1927	1955	rBV	1169784	2048017	78.66%	11.115%
39	7.471	1997	2000	2004	rBV6	1317	1180	0.05%	0.006%
40	7.548	2012	2024	2050	rBV	201916	378402	14.53%	2.054%
41	7.902	2130	2134	2137	rBV5	1853	1458	0.06%	0.008%
42	8.024	2163	2172	2206	rBV2	323346	720374	27.67%	3.909%
43	8.487	2313	2316	2319	rVB5	1991	1107	0.04%	0.006%
44	8.551	2333	2336	2340	rBV6	1242	907	0.03%	0.005%
45	8.693	2378	2380	2384	rBV4	963	730	0.03%	0.004%
46	8.776	2395	2406	2433	rBV	1056779	1747126	67.11%	9.482%
47	9.194	2533	2536	2538	rBV3	2015	1016	0.04%	0.006%
48	9.230	2541	2547	2548	rBV6	1496	1342	0.05%	0.007%
49	9.259	2553	2556	2561	rVV6	1193	954	0.04%	0.005%
50	9.313	2571	2573	2578	rVB5	1631	939	0.04%	0.005%
51	9.339	2578	2581	2584	rBV5	1687	1294	0.05%	0.007%
52	9.374	2588	2592	2595	rBV6	1226	840	0.03%	0.005%
53	9.490	2624	2628	2632	rVB6	1426	983	0.04%	0.005%
54	9.702	2692	2694	2697	rVB3	1426	810	0.03%	0.004%
55	9.818	2727	2730	2734	rBV5	1090	924	0.04%	0.005%
56	10.146	2814	2832	2849	rBV	612796	968700	37.21%	5.257%
57	10.313	2882	2884	2890	rVB7	1392	1054	0.04%	0.006%
58	10.342	2890	2893	2898	rVB5	1952	1351	0.05%	0.007%
59	10.860	3047	3054	3059	rBV10	1667	2256	0.09%	0.012%
60	10.882	3059	3061	3070	rVB7	1157	1151	0.04%	0.006%
61	10.972	3087	3089	3094	rVB4	1577	827	0.03%	0.004%
62	11.037	3107	3109	3116	rVB6	1372	1129	0.04%	0.006%
63	11.069	3116	3119	3123	rBV6	1295	1221	0.05%	0.007%
64	11.130	3134	3138	3140	rBV4	1354	1218	0.05%	0.007%
65	11.178	3142	3153	3189	rBV	1036079	1676232	64.38%	9.097%
66	11.400	3219	3222	3225	rBV4	1475	1090	0.04%	0.006%
67	11.451	3236	3238	3241	rBV4	1133	831	0.03%	0.005%
68	11.468	3241	3243	3248	rVB5	1261	904	0.03%	0.005%
69	11.554	3257	3270	3293	rBV	1105870	1816579	69.77%	9.859%
70	11.924	3381	3385	3387	rBV5	1059	946	0.04%	0.005%
71	12.053	3423	3425	3430	rVB3	1800	1077	0.04%	0.006%
72	12.082	3430	3434	3437	rBV5	1012	1031	0.04%	0.006%
73	12.159	3455	3458	3463	rBV7	1367	1374	0.05%	0.007%
74	12.271	3489	3493	3496	rBV5	1268	943	0.04%	0.005%
75	12.365	3517	3522	3525	rBV5	1062	1179	0.05%	0.006%
76	12.538	3572	3576	3580	rVB6	1267	1097	0.04%	0.006%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV090924\
Data File : VV037233.D
Acq On : 09 Sep 2024 10:58
Operator : SY/MD
Sample : P3843-06
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK001

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
Title : VOC Analysis

77	12.586	3586	3591	3592	rBV5	2580	2316	0.09%	0.013%
78	12.619	3598	3601	3602	rBV4	1206	753	0.03%	0.004%
79	12.750	3638	3642	3647	rBV7	1689	1397	0.05%	0.008%
80	12.773	3647	3649	3653	rVB5	998	757	0.03%	0.004%
81	12.792	3653	3655	3661	rBV6	1436	888	0.03%	0.005%
82	12.831	3661	3667	3670	rBV5	1253	1505	0.06%	0.008%
83	13.207	3776	3784	3795	rVV10	4297	8000	0.31%	0.043%
84	13.294	3807	3811	3813	rBV4	1288	851	0.03%	0.005%
85	13.345	3824	3827	3833	rVB5	1021	869	0.03%	0.005%
86	13.387	3835	3840	3843	rVB6	1119	1190	0.05%	0.006%
87	13.406	3843	3846	3849	rBV5	1254	1066	0.04%	0.006%
88	13.455	3854	3861	3871	rBV5	5407	9327	0.36%	0.051%
89	13.541	3886	3888	3891	rVB4	2024	1008	0.04%	0.005%
90	13.564	3891	3895	3896	rBV3	1406	1074	0.04%	0.006%
91	13.686	3927	3933	3942	rVB3	4028	6123	0.24%	0.033%
92	13.747	3949	3952	3954	rBV3	1188	735	0.03%	0.004%
93	13.795	3958	3967	3968	rBV8	2191	2541	0.10%	0.014%
94	14.197	4088	4092	4095	rBV4	1955	1742	0.07%	0.009%
95	14.275	4114	4116	4120	rBV5	1178	1025	0.04%	0.006%
96	14.647	4229	4232	4235	rVB5	1527	1017	0.04%	0.006%
97	14.766	4265	4269	4271	rBV5	1515	875	0.03%	0.005%
98	14.815	4282	4284	4288	rBV4	1334	1212	0.05%	0.007%
99	15.178	4395	4397	4403	rBV7	1961	2073	0.08%	0.011%
100	15.483	4490	4492	4495	rBV3	1596	1054	0.04%	0.006%




Sum of corrected areas: 18426256

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV090924\
Data File : VV037233.D
Acq On : 09 Sep 2024 10:58
Operator : SY/MD
Sample : P3843-06
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK001

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV090924\
Data File : VV037233.D
Acq On : 09 Sep 2024 10:58
Operator : SY/MD
Sample : P3843-06
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK001

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV090924\
Data File : VV037233.D
Acq On : 09 Sep 2024 10:58
Operator : SY/MD
Sample : P3843-06
Misc : 5.00mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK001

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------