

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV091624\
 Data File : VV037301.D
 Acq On : 16 Sep 2024 12:49
 Operator : SY/MD
 Sample : P3934-04
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK001

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
 Title : VOC Analysis

Signal : TIC: VV037301.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.175	37	42	51	rBV	12487	20723	0.79%	0.111%
2	1.278	68	74	92	rVB	391757	423123	16.06%	2.271%
3	1.532	146	153	172	rVB	327233	384825	14.60%	2.066%
4	2.059	308	317	330	rBV	645327	924038	35.07%	4.960%
5	3.333	711	713	715	rBV2	674	356	0.01%	0.002%
6	3.503	764	766	768	rVB2	705	305	0.01%	0.002%
7	3.551	779	781	783	rBV	640	369	0.01%	0.002%
8	3.574	786	788	792	rVB3	849	544	0.02%	0.003%
9	3.596	792	795	797	rBV2	678	417	0.02%	0.002%
10	3.725	832	835	839	rBV4	889	824	0.03%	0.004%
11	3.754	842	844	847	rBV3	1140	676	0.03%	0.004%
12	3.789	847	855	887	rBV	106365	301710	11.45%	1.620%
13	4.239	979	995	1024	rBV	417800	1066013	40.45%	5.723%
14	4.445	1056	1059	1061	rBV4	877	466	0.02%	0.003%
15	4.596	1100	1106	1109	rBV8	1406	1472	0.06%	0.008%
16	4.616	1109	1112	1113	rBV2	880	459	0.02%	0.002%
17	4.651	1121	1123	1126	rVB4	1321	697	0.03%	0.004%
18	4.670	1126	1129	1130	rBV3	642	374	0.01%	0.002%
19	4.728	1142	1147	1150	rBV3	1186	1246	0.05%	0.007%
20	4.812	1170	1173	1174	rBV4	621	287	0.01%	0.002%
21	4.825	1174	1177	1179	rBV3	709	474	0.02%	0.003%
22	4.860	1186	1188	1190	rBV2	961	509	0.02%	0.003%
23	4.879	1192	1194	1196	rVB3	703	319	0.01%	0.002%
24	4.947	1199	1215	1244	rBV2	1038628	2635112	100.00%	14.146%
25	5.526	1384	1395	1428	rBV	715211	1481326	56.21%	7.952%
26	5.982	1524	1537	1565	rBV	580967	1194079	45.31%	6.410%
27	6.352	1649	1652	1656	rBV6	1584	1474	0.06%	0.008%
28	6.381	1659	1661	1664	rVB2	1143	452	0.02%	0.002%
29	6.407	1666	1669	1671	rBV3	1118	470	0.02%	0.003%
30	6.654	1744	1746	1747	rBV3	562	202	0.01%	0.001%
31	6.690	1753	1757	1758	rBV2	1099	693	0.03%	0.004%
32	6.738	1770	1772	1774	rBV3	337	199	0.01%	0.001%
33	6.770	1776	1782	1785	rVB5	1500	1477	0.06%	0.008%
34	6.792	1787	1789	1791	rBV2	489	286	0.01%	0.002%
35	6.809	1791	1794	1796	rVV3	888	435	0.02%	0.002%
36	6.844	1803	1805	1809	rBV3	856	449	0.02%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV091624\
 Data File : VV037301.D
 Acq On : 16 Sep 2024 12:49
 Operator : SY/MD
 Sample : P3934-04
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK001

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
 Title : VOC Analysis

37	6.866	1809	1812	1815	rBV5	842	561	0.02%	0.003%
38	6.905	1815	1824	1858	rBV	303223	584634	22.19%	3.138%
39	7.236	1916	1927	1954	rBV	1170598	2071114	78.60%	11.118%
40	7.548	2015	2024	2053	rBV	193760	364279	13.82%	1.956%
41	7.857	2117	2120	2123	rBV4	1955	1442	0.05%	0.008%
42	7.927	2140	2142	2144	rBV2	977	462	0.02%	0.002%
43	8.024	2163	2172	2206	rBV2	319111	710821	26.97%	3.816%
44	8.651	2363	2367	2369	rBV5	1085	839	0.03%	0.005%
45	8.776	2395	2406	2432	rBV	1111381	1846247	70.06%	9.911%
46	9.181	2531	2532	2535	rBV2	616	385	0.01%	0.002%
47	9.249	2551	2553	2555	rBV	823	470	0.02%	0.003%
48	9.345	2580	2583	2584	rBV3	1031	653	0.02%	0.004%
49	9.468	2619	2621	2623	rBV2	548	217	0.01%	0.001%
50	9.480	2623	2625	2630	rVB6	775	551	0.02%	0.003%
51	9.503	2630	2632	2634	rBV3	789	303	0.01%	0.002%
52	9.516	2634	2636	2642	rVB6	865	396	0.02%	0.002%
53	9.542	2642	2644	2647	rVB3	1382	844	0.03%	0.005%
54	9.561	2647	2650	2651	rBV3	860	523	0.02%	0.003%
55	9.615	2665	2667	2670	rBV3	923	558	0.02%	0.003%
56	9.680	2685	2687	2690	rVB4	909	499	0.02%	0.003%
57	9.699	2690	2693	2695	rBV2	738	383	0.01%	0.002%
58	9.715	2695	2698	2700	rBV5	681	371	0.01%	0.002%
59	9.757	2709	2711	2713	rBV3	930	501	0.02%	0.003%
60	9.812	2724	2728	2729	rBV3	708	372	0.01%	0.002%
61	9.828	2729	2733	2736	rVV6	1035	969	0.04%	0.005%
62	9.966	2774	2776	2779	rVB4	552	288	0.01%	0.002%
63	9.995	2779	2785	2790	rVB8	1903	1781	0.07%	0.010%
64	10.021	2790	2793	2794	rBV4	627	432	0.02%	0.002%
65	10.027	2794	2795	2798	rBV2	567	282	0.01%	0.002%
66	10.146	2820	2832	2853	rBV	624524	987525	37.48%	5.301%
67	10.410	2910	2914	2917	rBV5	1044	862	0.03%	0.005%
68	10.455	2926	2928	2932	rVB4	1259	910	0.03%	0.005%
69	10.480	2932	2936	2937	rBV3	1414	884	0.03%	0.005%
70	10.490	2937	2939	2941	rVV2	914	445	0.02%	0.002%
71	10.725	3011	3012	3013	rVB	227	44	0.00%	0.000%
72	10.738	3013	3016	3017	rBV2	502	292	0.01%	0.002%
73	10.818	3037	3041	3043	rBV4	792	712	0.03%	0.004%
74	10.857	3051	3053	3057	rVB5	1044	786	0.03%	0.004%
75	10.882	3057	3061	3063	rBV3	1048	669	0.03%	0.004%
76	10.921	3071	3073	3075	rBV2	568	254	0.01%	0.001%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV091624\
 Data File : VV037301.D
 Acq On : 16 Sep 2024 12:49
 Operator : SY/MD
 Sample : P3934-04
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK001

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M

Title : VOC Analysis

77	10.956	3080	3084	3089	rBV6	1118	1063	0.04%	0.006%
78	10.988	3090	3094	3098	rBV4	1016	762	0.03%	0.004%
79	11.008	3098	3100	3101	rBV2	535	195	0.01%	0.001%
80	11.033	3106	3108	3109	rBV	744	284	0.01%	0.002%
81	11.062	3115	3117	3119	rVB3	984	381	0.01%	0.002%
82	11.078	3119	3122	3123	rBV2	1055	560	0.02%	0.003%
83	11.120	3133	3135	3137	rBV2	725	278	0.01%	0.001%
84	11.178	3142	3153	3188	rBV	1111789	1771099	67.21%	9.508%
85	11.445	3234	3236	3243	rVB8	2068	2243	0.09%	0.012%
86	11.477	3243	3246	3247	rBV3	1084	610	0.02%	0.003%
87	11.554	3258	3270	3297	rBV	1116305	1814699	68.87%	9.742%
88	11.966	3395	3398	3401	rBV5	1083	665	0.03%	0.004%
89	12.072	3428	3431	3435	rBV5	1097	797	0.03%	0.004%
90	12.326	3507	3510	3512	rBV4	1360	1056	0.04%	0.006%
91	12.467	3551	3554	3557	rBV4	1202	792	0.03%	0.004%
92	12.795	3654	3656	3658	rBV	698	294	0.01%	0.002%
93	12.969	3708	3710	3711	rBV	939	337	0.01%	0.002%
94	13.728	3943	3946	3950	rBV3	1326	864	0.03%	0.005%




Sum of corrected areas: 18628419

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV091624\
Data File : VV037301.D
Acq On : 16 Sep 2024 12:49
Operator : SY/MD
Sample : P3934-04
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK001

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV091624\
Data File : VV037301.D
Acq On : 16 Sep 2024 12:49
Operator : SY/MD
Sample : P3934-04
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK001

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV091624\
Data File : VV037301.D
Acq On : 16 Sep 2024 12:49
Operator : SY/MD
Sample : P3934-04
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK001

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc