

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV091719\
 Data File : VV012879.D
 Acq On : 17 Sep 2019 22:26
 Operator : SY/MD
 Sample : K4892-02
 Misc : 25.0mL/MSVOA V/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 COMQ6

Manual Integrations
 APPROVED

MMDadoda
 9/18/2019 8:10:34 AM

Quant Time: Sep 18 03:00:57 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR091719WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Sep 18 01:09:35 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	381375	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	373898	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	136459	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	193452	5.13	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	102.60%
7) Chloroethane-d5	1.58	69	159538	5.36	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	107.20%
11) 1,1-Dichloroethene-d2	2.13	63	239317	4.30	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	86.00%
20) 2-Butanone-d5	3.98	46	434640	54.99	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	109.98%
24) Chloroform-d	4.40	84	314524	5.11	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	102.20%
26) 1,2-Dichloroethane-d4	5.08	65	165198	5.49	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	109.80%
32) Benzene-d6	5.09	84	656039	5.29	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	105.80%
36) 1,2-Dichloropropane-d6	6.12	67	203072	5.38	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	107.60%
41) Toluene-d8	7.36	98	527060	4.79	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	95.80%
43) trans-1,3-Dichloropropene-	7.66	79	66340	4.89	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	97.80%
46) 2-Hexanone-d5	8.14	63	304492	53.41	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	106.82%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	150921	5.17	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	103.40%
64) 1,2-Dichlorobenzene-d4	11.67	152	176556	5.99	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	119.80%

Target Compounds				Ovalue
13) Acetone	2.24	43	14070m	3.366 ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV091719\
Data File : VV012879.D
Acq On : 17 Sep 2019 22:26
Operator : SY/MD
Sample : K4892-02
Misc : 25.0mL/MSVOA V/WATER
ALS Vial : 19 Sample Multiplier: 1


Instrument :
MSVOA_V
ClientSampleId :
COMQ6

Manual Integrations
APPROVED

MMDadoda
9/18/2019 8:10:34 AM

Quant Time: Sep 18 03:00:57 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR091719WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Sep 18 01:09:35 2019
Response via : Initial Calibration





#13

Acetone

Concen: 3.366 ug/L m

RT: 2.24 min Scan# 357

Delta R.T. -0.01 min

Lab File: VV012879.D

Acq: 17 Sep 2019 22:26

Instrument :

MSVOA_V

ClientSampleId :

COMQ6

Tot Ion: 43 Resp: 14070

Ion Ratio Lower Upper

43 100

58 4.9 0.0 24.4

Manual Integrations

APPROVED

MMDadoda

9/18/2019 8:10:34 AM

