

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW091722\
 Data File : VW027906.D
 Acq On : 17 Sep 2022 17:46
 Operator : SY/MD
 Sample : N4658-02
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0E77

Quant Time: Sep 19 02:34:25 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR091722WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Mon Sep 19 02:25:21 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.616	114	161475	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.850	117	159541	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.246	152	81280	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	57170	4.435	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	88.800%
7) Chloroethane-d5	1.568	69	44439	4.877	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	97.600%
11) 1,1-Dichloroethene-d2	2.108	63	62712	3.092	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	61.800%
20) 2-Butanone-d5	3.892	46	93481	46.956	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	93.920%
24) Chloroform-d	4.346	84	107504	4.524	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	90.400%
26) 1,2-Dichloroethane-d4	5.034	65	56443	4.737	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	94.800%
32) Benzene-d6	5.047	84	197885	4.498	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	90.000%
36) 1,2-Dichloropropane-d6	6.066	67	54113	4.707	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	94.200%
41) Toluene-d8	7.313	98	169279	4.156	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	83.200%
43) trans-1,3-Dichloroprop...	7.622	79	21825	4.436	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	88.800%
46) 2-Hexanone-d5	8.088	63	71281	43.679	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	87.360%
56) 1,1,2,2-Tetrachloroeth...	10.214	84	35274	4.436	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	88.800%
66) 1,2-Dichlorobenzene-d4	11.622	152	67052	4.712	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	94.200%
Target Compounds					Qvalue	
42) Toluene	7.391	91	27673	0.606	ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV091722\
Data File : VV027906.D
Acq On : 17 Sep 2022 17:46
Operator : SY/MD
Sample : N4658-02
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0E77

Quant Time: Sep 19 02:34:25 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR091722WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Mon Sep 19 02:25:21 2022
Response via : Initial Calibration

