

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW091722\
 Data File : VW027907.D
 Acq On : 17 Sep 2022 18:10
 Operator : SY/MD
 Sample : N4672-05
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0EC0

Quant Time: Sep 19 02:34:40 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR091722WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Mon Sep 19 02:25:21 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	5.616	114	163584	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.850	117	157335	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.246	152	81536	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	57518	4.405	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	88.000%	
7) Chloroethane-d5	1.568	69	44016	4.768	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	95.400%	
11) 1,1-Dichloroethene-d2	2.108	63	62054	3.020	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	60.400%	
20) 2-Butanone-d5	3.892	46	93747	46.483	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	92.960%	
24) Chloroform-d	4.346	84	108530	4.508	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	90.200%	
26) 1,2-Dichloroethane-d4	5.031	65	56377	4.671	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	93.400%	
32) Benzene-d6	5.047	84	205492	4.736	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	94.800%	
36) 1,2-Dichloropropane-d6	6.066	67	52528	4.634	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	92.600%	
41) Toluene-d8	7.313	98	171017	4.258	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	85.200%	
43) trans-1,3-Dichloroprop...	7.622	79	21684	4.469	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	89.400%	
46) 2-Hexanone-d5	8.088	63	70493	43.802	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	87.600%	
56) 1,1,2,2-Tetrachloroeth...	10.214	84	34921	4.453	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	89.000%	
66) 1,2-Dichlorobenzene-d4	11.622	152	67817	4.751	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	95.000%	
Target Compounds						
42) Toluene	7.394	91	27996	0.622	ug/L	98
55) Styrene	9.567	104	10516	0.323	ug/L	85

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV091722\
Data File : VV027907.D
Acq On : 17 Sep 2022 18:10
Operator : SY/MD
Sample : N4672-05
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0EC0

Quant Time: Sep 19 02:34:40 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR091722WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Mon Sep 19 02:25:21 2022
Response via : Initial Calibration

