

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV091824\
 Data File : VV037347.D
 Acq On : 18 Sep 2024 21:30
 Operator : SY/MD
 Sample : P3988-05 50X
 Misc : 25mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BH8R4

Quant Time: Sep 19 03:58:34 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR091024WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Sep 19 02:54:38 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.529	114	308143	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.780	117	319778	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.181	152	146983	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.275	65	101572	5.618	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	112.400%
7) Chloroethane-d5	1.529	69	85590	4.541	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	90.800%
11) 1,1-Dichloroethene-d2	2.053	65	42947	4.600	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	92.000%
20) 2-Butanone-d5	3.809	46	219802	40.684	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	81.360%
24) Chloroform-d	4.240	84	189695	4.322	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	86.400%
26) 1,2-Dichloroethane-d4	4.937	65	91658	4.460	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	89.200%
32) Benzene-d6	4.953	84	369701	4.312	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	86.200%
36) 1,2-Dichloropropane-d6	5.982	67	117399	4.403	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	88.000%
41) Toluene-d8	7.240	98	320405	4.148	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	83.000%
43) trans-1,3-Dichloroprop...	7.561	79	31983	3.647	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	73.000%
46) 2-Hexanone-d5	8.024	63	180438	42.108	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	84.220%
56) 1,1,2,2-Tetrachloroeth...	10.149	84	95021	4.373	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	87.400%
66) 1,2-Dichlorobenzene-d4	11.554	152	118587	4.538	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	90.800%
Target Compounds						Qvalue
19) 1,1-Dichloroethane	3.114	63	5469	0.126	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV091824\
Data File : VV037347.D
Acq On : 18 Sep 2024 21:30
Operator : SY/MD
Sample : P3988-05 50X
Misc : 25mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BH8R4

Quant Time: Sep 19 03:58:34 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR091024WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Sep 19 02:54:38 2024
Response via : Initial Calibration

