

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV091824\
 Data File : VV037365.D
 Acq On : 19 Sep 2024 05:51
 Operator : SY/MD
 Sample : P3986-09
 Misc : 25mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BH8M9

Quant Time: Sep 19 06:15:10 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR091024WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Sep 19 02:54:38 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	303203	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.779	117	318549	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.181	152	147714	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.275	65	105145	5.911	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	118.200%	
7) Chloroethane-d5	1.529	69	89987	4.852	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	97.000%	
11) 1,1-Dichloroethene-d2	2.053	65	45494	4.952	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	99.000%	
20) 2-Butanone-d5	3.812	46	245540	46.188	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	92.380%	
24) Chloroform-d	4.243	84	206289	4.777	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	95.600%	
26) 1,2-Dichloroethane-d4	4.940	65	102323	5.060	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	101.200%	
32) Benzene-d6	4.953	84	402129	4.708	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	94.200%	
36) 1,2-Dichloropropane-d6	5.982	67	133443	5.024	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	100.400%	
41) Toluene-d8	7.239	98	348906	4.534	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	90.600%	
43) trans-1,3-Dichloroprop...	7.558	79	37024	4.238	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	84.800%	
46) 2-Hexanone-d5	8.024	63	215510	50.487	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	100.980%	
56) 1,1,2,2-Tetrachloroeth...	10.149	84	104967	4.849	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	97.000%	
66) 1,2-Dichlorobenzene-d4	11.554	152	131510	5.008	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	100.200%	
Target Compounds					Qvalue	
25) Chloroform	4.272	83	50709	1.179	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV091824\
Data File : VV037365.D
Acq On : 19 Sep 2024 05:51
Operator : SY/MD
Sample : P3986-09
Misc : 25mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BH8M9

Quant Time: Sep 19 06:15:10 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR091024WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Sep 19 02:54:38 2024
Response via : Initial Calibration

