

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV091824\
 Data File : VV037366.D
 Acq On : 19 Sep 2024 06:16
 Operator : SY/MD
 Sample : P3986-10
 Misc : 25mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BH8N0

Quant Time: Sep 19 06:40:19 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR091024WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Sep 19 02:54:38 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	291457	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.780	117	308773	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.181	152	146180	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.275	65	102916	6.019	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	120.400%
7) Chloroethane-d5	1.529	69	88527	4.966	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	99.400%
11) 1,1-Dichloroethene-d2	2.056	65	44134	4.998	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	100.000%
20) 2-Butanone-d5	3.812	46	238679	46.707	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	93.420%
24) Chloroform-d	4.243	84	204977	4.937	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	98.800%
26) 1,2-Dichloroethane-d4	4.940	65	98391	5.062	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	101.200%
32) Benzene-d6	4.953	84	395852	4.782	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.600%
36) 1,2-Dichloropropane-d6	5.985	67	130996	5.088	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	101.800%
41) Toluene-d8	7.239	98	343643	4.607	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	92.200%
43) trans-1,3-Dichloroprop...	7.558	79	34045	4.020	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	80.400%
46) 2-Hexanone-d5	8.024	63	211022	51.001	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	102.000%
56) 1,1,2,2-Tetrachloroeth...	10.146	84	106285	5.065	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	101.400%
66) 1,2-Dichlorobenzene-d4	11.554	152	132287	5.090	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	101.800%
Target Compounds					Qvalue	
25) Chloroform	4.272	83	52409	1.268	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV091824\
Data File : VV037366.D
Acq On : 19 Sep 2024 06:16
Operator : SY/MD
Sample : P3986-10
Misc : 25mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BH8N0

Quant Time: Sep 19 06:40:19 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR091024WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Sep 19 02:54:38 2024
Response via : Initial Calibration

