

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV092122\
 Data File : VV028021.D
 Acq On : 21 Sep 2022 17:34
 Operator : SY/MD
 Sample : N4677-01
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0E82

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092022WMA.M
 Title : VOC Analysis

Signal : TIC: VV028021.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.301	76	81	95	rVB	167996	171730	12.84%	1.694%
2	1.558	155	161	174	rVB	148205	166769	12.47%	1.645%
3	2.098	320	329	344	rBV	304863	434835	32.52%	4.290%
4	2.333	400	402	410	rVB4	792	689	0.05%	0.007%
5	2.368	410	413	414	rBV2	560	246	0.02%	0.002%
6	2.500	449	454	463	rVB6	2103	3010	0.23%	0.030%
7	2.603	483	486	488	rBV	712	411	0.03%	0.004%
8	2.626	491	493	497	rVV3	648	415	0.03%	0.004%
9	2.741	527	529	530	rBV2	855	360	0.03%	0.004%
10	2.838	556	559	562	rBV3	1090	613	0.05%	0.006%
11	2.999	607	609	612	rBV2	630	431	0.03%	0.004%
12	3.044	621	623	626	rBV2	655	440	0.03%	0.004%
13	3.105	640	642	645	rBV2	468	227	0.02%	0.002%
14	3.169	659	662	665	rBV2	366	330	0.02%	0.003%
15	3.208	672	674	678	rBV4	669	378	0.03%	0.004%
16	3.265	690	692	697	rVB3	681	581	0.04%	0.006%
17	3.404	729	735	739	rBV5	737	1025	0.08%	0.010%
18	3.478	755	758	759	rBV	519	261	0.02%	0.003%
19	3.516	767	770	772	rBV2	745	366	0.03%	0.004%
20	3.532	772	775	777	rBV2	454	293	0.02%	0.003%
21	3.664	811	816	820	rBV3	961	1049	0.08%	0.010%
22	3.683	820	822	823	rBV	557	229	0.02%	0.002%
23	3.712	828	831	835	rVB3	558	467	0.03%	0.005%
24	3.761	843	846	848	rBV2	605	408	0.03%	0.004%
25	3.783	851	853	857	rVV2	756	333	0.02%	0.003%
26	3.870	867	880	914	rBV	132599	371225	27.77%	3.663%
27	4.339	1012	1026	1058	rVB	225288	563489	42.15%	5.560%
28	4.812	1169	1173	1177	rBV6	875	943	0.07%	0.009%
29	4.870	1188	1191	1194	rVB2	428	317	0.02%	0.003%
30	5.040	1226	1244	1270	rBV2	516673	1336946	100.00%	13.191%
31	5.413	1358	1360	1364	rVB3	659	307	0.02%	0.003%
32	5.433	1364	1366	1369	rVB3	987	583	0.04%	0.006%
33	5.458	1371	1374	1376	rBV2	654	442	0.03%	0.004%
34	5.539	1396	1399	1401	rBV4	441	225	0.02%	0.002%
35	5.609	1410	1421	1448	rBV	392193	798375	59.72%	7.877%
36	6.063	1551	1562	1590	rVB2	301454	620395	46.40%	6.121%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV092122\
 Data File : VV028021.D
 Acq On : 21 Sep 2022 17:34
 Operator : SY/MD
 Sample : N4677-01
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0E82

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092022WMA.M
 Title : VOC Analysis

37	6.777	1780	1784	1788	rBV3	859	849	0.06%	0.008%
38	6.857	1807	1809	1813	rBV2	759	581	0.04%	0.006%
39	6.982	1837	1848	1867	rBV	156660	290622	21.74%	2.867%
40	7.230	1923	1925	1928	rVB3	1098	406	0.03%	0.004%
41	7.314	1939	1951	1970	rBV	542563	948612	70.95%	9.359%
42	7.619	2036	2046	2065	rBV	114181	200435	14.99%	1.978%
43	8.085	2181	2191	2236	rBV	442884	806155	60.30%	7.954%
44	8.577	2341	2344	2347	rBV3	591	353	0.03%	0.003%
45	8.603	2351	2352	2357	rVB2	963	551	0.04%	0.005%
46	8.625	2357	2359	2364	rBV6	991	989	0.07%	0.010%
47	8.850	2417	2429	2454	rBV	575079	954292	71.38%	9.415%
48	9.079	2498	2500	2504	rVV4	826	605	0.05%	0.006%
49	9.230	2544	2547	2549	rBV2	871	600	0.04%	0.006%
50	9.252	2551	2554	2557	rVB2	676	437	0.03%	0.004%
51	9.320	2570	2575	2577	rBV5	693	513	0.04%	0.005%
52	9.339	2578	2581	2584	rBV2	491	339	0.03%	0.003%
53	9.445	2611	2614	2615	rBV3	672	349	0.03%	0.003%
54	9.497	2628	2630	2632	rBV3	616	233	0.02%	0.002%
55	9.638	2672	2674	2677	rVB2	820	385	0.03%	0.004%
56	9.703	2692	2694	2696	rBV	474	274	0.02%	0.003%
57	9.738	2702	2705	2706	rBV2	539	239	0.02%	0.002%
58	9.770	2713	2715	2720	rVB3	755	587	0.04%	0.006%
59	10.120	2820	2824	2835	rVB9	1786	2793	0.21%	0.028%
60	10.214	2840	2853	2873	rBV	449019	710787	53.16%	7.013%
61	10.323	2885	2887	2891	rVB2	851	381	0.03%	0.004%
62	10.445	2923	2925	2927	rBV2	610	300	0.02%	0.003%
63	10.490	2936	2939	2943	rBV4	495	420	0.03%	0.004%
64	10.535	2949	2953	2962	rBV5	1650	2826	0.21%	0.028%
65	10.619	2977	2979	2983	rBV3	694	566	0.04%	0.006%
66	10.693	3000	3002	3006	rVB	781	551	0.04%	0.005%
67	10.799	3033	3035	3037	rBV2	609	322	0.02%	0.003%
68	10.918	3064	3072	3077	rBV8	2975	4263	0.32%	0.042%
69	11.027	3103	3106	3109	rBV3	752	494	0.04%	0.005%
70	11.191	3148	3157	3163	rBV6	3018	4690	0.35%	0.046%
71	11.246	3163	3174	3197	rVV	538980	832936	62.30%	8.218%
72	11.622	3279	3291	3315	rVB	536329	832431	62.26%	8.213%
73	11.802	3345	3347	3350	rVB2	638	300	0.02%	0.003%
74	11.828	3351	3355	3357	rVV3	780	511	0.04%	0.005%
75	11.841	3357	3359	3360	rVV	886	323	0.02%	0.003%
76	11.850	3360	3362	3370	rVB4	1095	882	0.07%	0.009%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV092122\
 Data File : VV028021.D
 Acq On : 21 Sep 2022 17:34
 Operator : SY/MD
 Sample : N4677-01
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0E82

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092022WMA.M
 Title : VOC Analysis

77	11.940	3387	3390	3396	rBV4	814	827	0.06%	0.008%
78	12.037	3418	3420	3422	rBV	602	310	0.02%	0.003%
79	12.124	3443	3447	3448	rBV3	799	501	0.04%	0.005%
80	12.243	3479	3484	3486	rBV6	1198	1211	0.09%	0.012%
81	12.423	3538	3540	3548	rVB5	1227	1403	0.10%	0.014%
82	12.497	3561	3563	3567	rBV4	797	603	0.05%	0.006%
83	12.538	3573	3576	3580	rBV3	539	512	0.04%	0.005%
84	12.648	3605	3610	3620	rVB8	3462	5140	0.38%	0.051%
85	12.725	3632	3634	3637	rVB3	804	319	0.02%	0.003%
86	12.738	3637	3638	3641	rVB	603	245	0.02%	0.002%
87	12.760	3641	3645	3647	rBV3	645	472	0.04%	0.005%
88	12.876	3673	3681	3682	rBV3	695	744	0.06%	0.007%
89	13.111	3752	3754	3757	rBV2	644	306	0.02%	0.003%
90	13.223	3788	3789	3793	rVB2	517	248	0.02%	0.002%
91	13.262	3796	3801	3810	rVB7	5073	7720	0.58%	0.076%
92	13.506	3869	3877	3891	rVB2	11759	19368	1.45%	0.191%
93	13.744	3947	3951	3962	rVB4	6588	8602	0.64%	0.085%
94	13.786	3962	3964	3967	rVB2	913	444	0.03%	0.004%
95	13.960	4014	4018	4020	rBV4	918	739	0.06%	0.007%
96	14.413	4156	4159	4164	rVB3	1341	1054	0.08%	0.010%
97	14.490	4181	4183	4185	rBV	754	392	0.03%	0.004%
98	14.776	4270	4272	4274	rBV3	716	364	0.03%	0.004%
99	14.789	4274	4276	4277	rVV	817	249	0.02%	0.002%
100	14.953	4325	4327	4332	rVB3	498	293	0.02%	0.003%

Sum of corrected areas: 10135391

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV092122\
Data File : VV028021.D
Acq On : 21 Sep 2022 17:34
Operator : SY/MD
Sample : N4677-01
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0E82

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092022WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV092122\
Data File : VV028021.D
Acq On : 21 Sep 2022 17:34
Operator : SY/MD
Sample : N4677-01
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0E82

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092022WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc