

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092324\
 Data File : VV037473.D
 Acq On : 23 Sep 2024 11:59
 Operator : SY/MD
 Sample : P4083-04
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A4FD5

Quant Time: Sep 24 03:58:10 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Sep 24 03:56:17 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.529	114	559297	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.780	117	554014	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.178	152	253482	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	241652	47.232	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery = 94.460%			
7) Chloroethane-d5	1.532	69	201978	51.080	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery = 102.160%			
11) 1,1-Dichloroethene-d2	2.060	65	105147	48.897	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery = 97.800%			
21) 2-Butanone-d5	3.796	46	171942	86.784	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery = 86.780%			
24) Chloroform-d	4.243	84	442025	55.203	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery = 110.400%			
26) 1,2-Dichloroethane-d4	4.937	65	271497	53.841	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery = 107.680%			
32) Benzene-d6	4.953	84	895647	53.525	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery = 107.040%			
36) 1,2-Dichloropropane-d6	5.982	67	287082	54.775	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery = 109.560%			
41) Toluene-d8	7.236	98	777014	51.451	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 102.900%			
43) trans-1,3-Dichloroprop...	7.548	79	121033	49.915	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery = 99.840%			
47) 2-Hexanone-d5	8.024	63	107444	75.115	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery = 75.110%			
56) 1,1,2,2-Tetrachloroeth...	10.146	84	310819	48.898	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery = 97.800%			
66) 1,2-Dichlorobenzene-d4	11.554	152	291846	57.487	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 114.980%			
Target Compounds					Qvalue	
13) Acetone	2.114	43	28490	13.408	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092324\
Data File : VV037473.D
Acq On : 23 Sep 2024 11:59
Operator : SY/MD
Sample : P4083-04
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A4FD5

Quant Time: Sep 24 03:58:10 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Sep 24 03:56:17 2024
Response via : Initial Calibration

