

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092324\
 Data File : VV037483.D
 Acq On : 23 Sep 2024 15:33
 Operator : SY/MD
 Sample : VIBLK384
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VIBLK384

Quant Time: Sep 24 04:54:42 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Sep 24 03:56:17 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.529	114	797901	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.780	117	764266	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.178	152	387938	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	291740	39.971	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	79.940%		
7) Chloroethane-d5	1.532	69	234522	41.574	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	83.140%		
11) 1,1-Dichloroethene-d2	2.060	65	125705	40.976	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	81.960%		
21) 2-Butanone-d5	3.793	46	256400	90.713	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	90.710%		
24) Chloroform-d	4.243	84	547060	47.890	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	95.780%		
26) 1,2-Dichloroethane-d4	4.937	65	341734	47.504	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	95.000%		
32) Benzene-d6	4.953	84	1120132	48.525	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	97.040%		
36) 1,2-Dichloropropane-d6	5.982	67	358774	49.622	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	99.240%		
41) Toluene-d8	7.236	98	988691	47.457	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	94.920%		
43) trans-1,3-Dichloroprop...	7.548	79	157845	47.189	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	94.380%		
47) 2-Hexanone-d5	8.024	63	186678	94.605	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	94.600%		
56) 1,1,2,2-Tetrachloroeth...	10.146	84	403087	45.968	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	91.940%		
66) 1,2-Dichlorobenzene-d4	11.555	152	382189	49.190	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	98.380%		
Target Compounds						Qvalue
63) 1,2,4-Trimethylbenzene	10.850	105	23732	1.156	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092324\
Data File : VV037483.D
Acq On : 23 Sep 2024 15:33
Operator : SY/MD
Sample : VIBLK384
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VIBLK384

Quant Time: Sep 24 04:54:42 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Sep 24 03:56:17 2024
Response via : Initial Calibration

