

Data File : VV012973.D
Acq On : 25 Sep 2019 13:35
Operator : SY/MD
Sample : K4958-08RE
Misc : 3.22G/10ML/MSVOA_V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
ESNY4RE

Quant Time: Sep 26 01:14:06 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM092319S.M
Quant Title : VOC Analysis
QLast Update : Thu Sep 26 01:10:53 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	820903	25.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	616010	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	140384	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	201310	15.80	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	63.20%
7) Chloroethane-d5	1.58	69	189729	18.42	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	73.68%
10) 1,1-Dichloroethene-d2	2.13	63	262493	12.39	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	49.56%
20) 2-Butanone-d5	4.23	46	179	0.04	ug/L	0.28
Spiked Amount	50.000	Range	20 - 135	Recovery	=	0.08%#
24) Chloroform-d	4.40	84	377394	16.73	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	66.92%
26) 1,2-Dichloroethane-d4	5.08	65	211654	16.15	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	64.60%#
29) Benzene-d6	5.10	84	776886	22.59	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	90.36%
33) 1,2-Dichloropropane-d6	6.12	67	246531	22.87	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	91.48%
37) Toluene-d8	7.36	98	586083	18.77	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	75.08%
38) trans-1,3-Dichloropropene-	7.66	79	54041	11.84	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	47.36%
39) 2-Hexanone-d5	8.14	63	32885	15.16	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	30.32%
48) 1,1,2,2-Tetrachloroethane-	10.26	84	132312	12.92	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	51.68%
61) 1,2-Dichlorobenzene-d4	11.67	152	83324	15.28	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	61.12%#


Target Compounds					Qvalue
13) Acetone	2.21	43	80941	17.316 ug/L	99
16) Methylene chloride	2.54	84	17734	1.445 ug/L	93
21) 2-Butanone	4.03	43	60976	11.209 ug/L #	59
49) 2-Hexanone	8.17	43	40161	7.272 ug/L #	36


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VV012973.D
Acq On : 25 Sep 2019 13:35
Operator : SY/MD
Sample : K4958-08RE
Misc : 3.22G/10ML/MSVOA_V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
ESNY4RE

Quant Time: Sep 26 01:14:06 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM092319S.M
Quant Title : VOC Analysis
QLast Update : Thu Sep 26 01:10:53 2019
Response via : Initial Calibration





#13

Acetone

Concen: 17.316 ug/L

RT: 2.21 min Scan# 349

Delta R.T. 0.00 min

Lab File: VV012973.D

Acq: 25 Sep 2019 13:35

Instrument :

MSVOA_V

ClientSampleId :





ESNY4RE

Tgt Ion: 43 Resp: 80941

Ion Ratio Lower Upper

43 100

58 32.8 0.0 65.0



#16

Methylene chloride

Concen: 1.445 ug/L

RT: 2.54 min Scan# 450

Delta R.T. 0.00 min

Lab File: VV012973.D

Acq: 25 Sep 2019 13:35




Tgt Ion: 84 Resp: 17734


Ion Ratio Lower Upper

84 100

49 136.4 88.3 164.1

86 65.8 44.9 83.3





#21

2-Butanone

Concen: 11.209 ug/L

RT: 4.03 min Scan# 915

Delta R.T. 0.00 min

Lab File: VV012973.D

Acq: 25 Sep 2019 13:35

Instrument :

MSVOA_V

ClientSampled :





ESNY4RE

Tgt Ion: 43 Resp: 60976

Ion Ratio Lower Upper

43 100

72 3.6 11.9 35.9#



#49

2-Hexanone

Concen: 7.272 ug/L

RT: 8.17 min Scan# 2202

Delta R.T. -0.01 min

Lab File: VV012973.D

Acq: 25 Sep 2019 13:35

Tgt Ion: 43 Resp: 40161

Ion Ratio Lower Upper

43 100

58 0.0 46.5 69.7#

57 0.0 15.5 23.3#

100 0.2 9.7 14.5#

