

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV092519\
 Data File : VV012981.D
 Acq On : 25 Sep 2019 17:16
 Operator : SY/MD
 Sample : K4988-03
 Misc : 4.57G/10ML/MSVOA V/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 ESNY6

Manual Integrations
 APPROVED

MMDadoda
 9/26/2019 3:32:09 PM

Quant Time: Sep 26 03:36:06 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM092319S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Sep 26 01:10:53 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	475845	25.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	361022	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	96338	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	133488	18.08	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	72.32%
7) Chloroethane-d5	1.58	69	147437	24.70	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	98.80%
10) 1,1-Dichloroethene-d2	2.13	63	169668	13.82	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	55.28%
20) 2-Butanone-d5	3.98	46	13882m	5.45	ug/L	0.04
Spiked Amount	50.000	Range	20 - 135	Recovery	=	10.90%#
24) Chloroform-d	4.40	84	335695	25.68	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	102.72%
26) 1,2-Dichloroethane-d4	5.08	65	216637	28.51	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	114.04%
29) Benzene-d6	5.10	84	502134	24.91	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	99.64%
33) 1,2-Dichloropropane-d6	6.12	67	221011	34.98	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	139.92%#
37) Toluene-d8	7.36	98	341251	18.65	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	74.60%
38) trans-1,3-Dichloropropene-	7.66	79	27885	10.42	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	41.68%
39) 2-Hexanone-d5	8.14	63	9247	7.27	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	14.54%#
48) 1,1,2,2-Tetrachloroethane-	10.26	84	154918	25.82	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	103.28%
61) 1,2-Dichlorobenzene-d4	11.67	152	81812	21.86	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	87.44%

Target Compounds					Ovalue
13) Acetone	2.22	43	4263	1.573 ug/L	60
16) Methylene chloride	2.53	84	17819	2.505 ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV092519\
Data File : VV012981.D
Acq On : 25 Sep 2019 17:16
Operator : SY/MD
Sample : K4988-03
Misc : 4.57G/10ML/MSVOA V/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_V
ClientSampleId :
ESNY6

Manual Integrations
APPROVED

MMDadoda
9/26/2019 3:32:09 PM

Quant Time: Sep 26 03:36:06 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM092319S.M
Quant Title : VOC Analysis
QLast Update : Thu Sep 26 01:10:53 2019
Response via : Initial Calibration





#13

Acetone

Concen: 1.573 ug/L

RT: 2.22 min Scan# 350

Delta R.T. 0.01 min

Lab File: VV012981.D

Acq: 25 Sep 2019 17:16

Instrument :

MSVOA_V

ClientSampleId :

ESNY6

Tot Ion: 43 Resp: 4263

Ion Ratio Lower Upper

43 100


58 55.1 0.0 65.0

Manual Integrations

APPROVED




MMDadoda

9/26/2019 3:32:09 PM



Abundance Ion 43.00 (42.70 to 43.70): VV0

Ion 58.00 (57.70 to 58.70): VV0



#16

Methylene chloride

Concen: 2.505 ug/L

RT: 2.53 min Scan# 449

Delta R.T. 0.00 min

Lab File: VV012981.D

Acq: 25 Sep 2019 17:16


Tgt Ion: 84 Resp: 17819

Ion Ratio Lower Upper

84 100

49 129.0 88.3 164.1

86 69.2 44.9 83.3



Abundance Ion 84.00 (83.70 to 84.70): VV0

Ion 49.00 (48.70 to 49.70): VV0

Ion 86.00 (85.70 to 86.70): VV0

