

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092624\
 Data File : VV037543.D
 Acq On : 26 Sep 2024 13:36
 Operator : SY/MD
 Sample : P4131-12ME
 Misc : 5.32G/5mL/100uL/5mL/MSVOA_V/MEOH
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A4EX5ME

Quant Time: Sep 27 00:50:37 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Sep 27 00:49:09 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.522	114	657490	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.776	117	634993	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.178	152	308244	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	262481	45.477	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	90.960%
7) Chloroethane-d5	1.503	69	111245	24.831	ug/L	-0.03
Spiked Amount	50.000	Range	70 - 130	Recovery	=	49.660%#
11) 1,1-Dichloroethene-d2	2.040	65	111486	46.234	ug/L	-0.02
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.460%
21) 2-Butanone-d5	3.799	46	179407	87.270	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	87.270%
24) Chloroform-d	4.233	84	435923	42.452	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	84.900%
26) 1,2-Dichloroethane-d4	4.931	65	270083	44.935	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.880%
32) Benzene-d6	4.944	84	912198	45.908	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.820%
36) 1,2-Dichloropropane-d6	5.979	67	286762	45.322	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	90.640%
41) Toluene-d8	7.233	98	810197	44.967	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	89.940%
43) trans-1,3-Dichloroprop...	7.548	79	127573	43.403	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	86.800%
47) 2-Hexanone-d5	8.027	63	111278	83.288	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	83.290%
56) 1,1,2,2-Tetrachloroeth...	10.146	84	310843	42.281	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	84.560%
66) 1,2-Dichlorobenzene-d4	11.554	152	308257	47.458	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.920%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092624\
Data File : VV037543.D
Acq On : 26 Sep 2024 13:36
Operator : SY/MD
Sample : P4131-12ME
Misc : 5.32G/5mL/100uL/5mL/MSVOA_V/MEOH
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A4EX5ME

Quant Time: Sep 27 00:50:37 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Sep 27 00:49:09 2024
Response via : Initial Calibration

