

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092624\
 Data File : VV037568.D
 Acq On : 26 Sep 2024 22:58
 Operator : SY/MD
 Sample : VV0926WBL02
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK215

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

Signal : TIC: VV037568.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.175	35	42	51	rBV	10884	19554	0.71%	0.098%
2	1.278	67	74	92	rVB	333722	357225	13.02%	1.782%
3	1.532	145	153	169	rVB	288477	340329	12.40%	1.698%
4	2.060	306	317	333	rBV	606917	885348	32.26%	4.417%
5	3.426	737	742	743	rBV2	1025	942	0.03%	0.005%
6	3.635	803	807	810	rVB5	814	516	0.02%	0.003%
7	3.719	830	833	837	rVB4	970	583	0.02%	0.003%
8	3.793	847	856	901	rBV	136160	424886	15.48%	2.120%
9	4.121	955	958	963	rVB4	1100	875	0.03%	0.004%
10	4.146	963	966	970	rBV4	953	722	0.03%	0.004%
11	4.243	978	996	1032	rBV	443046	1131158	41.22%	5.643%
12	4.497	1072	1075	1077	rBV3	1021	688	0.03%	0.003%
13	4.526	1082	1084	1090	rVB4	778	617	0.02%	0.003%
14	4.552	1090	1092	1098	rVB4	1144	1070	0.04%	0.005%
15	4.716	1138	1143	1147	rBV6	984	1049	0.04%	0.005%
16	4.735	1147	1149	1151	rVV2	1106	585	0.02%	0.003%
17	4.844	1177	1183	1185	rBV3	509	573	0.02%	0.003%
18	4.950	1199	1216	1249	rBV2	1074899	2744236	100.00%	13.690%
19	5.320	1327	1331	1338	rBV7	1213	1524	0.06%	0.008%
20	5.413	1358	1360	1364	rBV4	739	536	0.02%	0.003%
21	5.481	1376	1381	1383	rBV4	855	613	0.02%	0.003%
22	5.529	1383	1396	1425	rBV	753983	1553461	56.61%	7.749%
23	5.831	1480	1490	1504	rBV7	10209	24128	0.88%	0.120%
24	5.982	1525	1537	1569	rBV	605698	1258991	45.88%	6.280%
25	6.314	1639	1640	1645	rVB4	1115	809	0.03%	0.004%
26	6.349	1647	1651	1654	rVV3	1039	733	0.03%	0.004%
27	6.378	1656	1660	1662	rVV3	973	808	0.03%	0.004%
28	6.407	1666	1669	1673	rVV3	960	846	0.03%	0.004%
29	6.436	1677	1678	1683	rVB3	957	553	0.02%	0.003%
30	6.545	1710	1712	1717	rVB4	988	680	0.02%	0.003%
31	6.596	1723	1728	1729	rBV4	1094	802	0.03%	0.004%
32	6.674	1747	1752	1758	rVB7	969	888	0.03%	0.004%
33	6.738	1768	1772	1774	rBV4	853	608	0.02%	0.003%
34	6.908	1814	1825	1853	rBV	324115	617990	22.52%	3.083%
35	7.236	1916	1927	1959	rBV	1244375	2203461	80.29%	10.992%
36	7.548	2014	2024	2059	rBV	214902	410127	14.95%	2.046%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092624\
 Data File : VV037568.D
 Acq On : 26 Sep 2024 22:58
 Operator : SY/MD
 Sample : VV0926WBL02
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK215

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

37	7.770	2089	2093	2095	rBV4	785	697	0.03%	0.003%
38	7.799	2099	2102	2105	rVB5	1428	858	0.03%	0.004%
39	7.918	2130	2139	2144	rVB10	2842	4521	0.16%	0.023%
40	8.024	2163	2172	2221	rBV2	395189	847110	30.87%	4.226%
41	8.268	2245	2248	2250	rBV4	1675	1214	0.04%	0.006%
42	8.429	2296	2298	2302	rVB3	829	539	0.02%	0.003%
43	8.477	2310	2313	2315	rBV3	1155	750	0.03%	0.004%
44	8.548	2332	2335	2336	rBV2	903	519	0.02%	0.003%
45	8.638	2356	2363	2365	rBV5	824	906	0.03%	0.005%
46	8.706	2382	2384	2389	rVB4	1110	815	0.03%	0.004%
47	8.780	2395	2407	2435	rBV	1162180	1928040	70.26%	9.618%
48	9.217	2541	2543	2547	rVB4	1086	750	0.03%	0.004%
49	9.304	2567	2570	2576	rVB6	1222	970	0.04%	0.005%
50	9.426	2604	2608	2611	rVB5	928	579	0.02%	0.003%
51	9.484	2621	2626	2628	rBV3	1594	1337	0.05%	0.007%
52	9.516	2632	2636	2639	rBV5	1012	902	0.03%	0.004%
53	9.551	2644	2647	2650	rVB3	1646	1123	0.04%	0.006%
54	9.600	2660	2662	2669	rVB4	898	591	0.02%	0.003%
55	9.629	2669	2671	2675	rBV4	918	569	0.02%	0.003%
56	9.860	2737	2743	2744	rBV4	1248	1078	0.04%	0.005%
57	9.879	2744	2749	2752	rVV4	1914	2103	0.08%	0.010%
58	10.021	2790	2793	2796	rBV4	854	675	0.02%	0.003%
59	10.146	2819	2832	2856	rBV	757087	1193582	43.49%	5.954%
60	10.307	2878	2882	2884	rBV2	969	581	0.02%	0.003%
61	10.323	2885	2887	2890	rVB3	983	505	0.02%	0.003%
62	10.349	2890	2895	2898	rBV2	702	604	0.02%	0.003%
63	10.477	2927	2935	2937	rBV6	2113	2128	0.08%	0.011%
64	10.625	2976	2981	2983	rBV2	679	509	0.02%	0.003%
65	10.702	3000	3005	3007	rVV3	961	771	0.03%	0.004%
66	10.786	3025	3031	3038	rVB7	1942	2757	0.10%	0.014%
67	10.831	3038	3045	3046	rBV4	856	765	0.03%	0.004%
68	10.863	3047	3055	3062	rVV5	3663	6139	0.22%	0.031%
69	10.911	3065	3070	3074	rVB5	995	952	0.03%	0.005%
70	11.108	3126	3131	3132	rVV5	901	643	0.02%	0.003%
71	11.127	3132	3137	3142	rVV4	3412	4382	0.16%	0.022%
72	11.178	3142	3153	3192	rVV	1155178	1854928	67.59%	9.253%
73	11.358	3206	3209	3210	rBV3	1124	613	0.02%	0.003%
74	11.464	3238	3242	3245	rBV5	1151	850	0.03%	0.004%
75	11.554	3257	3270	3309	rBV	1301646	2119999	77.25%	10.576%
76	12.104	3437	3441	3446	rVB4	764	764	0.03%	0.004%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092624\
 Data File : VV037568.D
 Acq On : 26 Sep 2024 22:58
 Operator : SY/MD
 Sample : VV0926WBL02
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK215

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

77	12.590	3584	3592	3598	rBV9	3708	6322	0.23%	0.032%
78	12.664	3612	3615	3619	rBV2	1243	910	0.03%	0.005%
79	12.712	3627	3630	3632	rBV2	830	547	0.02%	0.003%
80	12.757	3642	3644	3649	rVB5	886	657	0.02%	0.003%
81	12.802	3655	3658	3662	rBV4	632	551	0.02%	0.003%
82	13.210	3775	3785	3794	rBV9	6317	10515	0.38%	0.052%
83	13.368	3831	3834	3838	rVB4	936	670	0.02%	0.003%
84	13.445	3850	3858	3881	rVV3	10143	23425	0.85%	0.117%
85	13.535	3883	3886	3894	rVB6	1085	1272	0.05%	0.006%
86	13.574	3894	3898	3902	rBV4	843	788	0.03%	0.004%
87	13.635	3915	3917	3922	rVB7	981	710	0.03%	0.004%
88	13.686	3922	3933	3942	rBV9	6558	13151	0.48%	0.066%
89	13.847	3980	3983	3985	rBV3	846	622	0.02%	0.003%
90	13.976	4017	4023	4027	rBV3	1415	1655	0.06%	0.008%
91	14.037	4039	4042	4045	rBV4	1183	675	0.02%	0.003%
92	14.056	4045	4048	4049	rBV3	1007	565	0.02%	0.003%
93	14.133	4067	4072	4075	rBV4	1162	1251	0.05%	0.006%
94	14.185	4086	4088	4093	rBV6	985	955	0.03%	0.005%
95	14.635	4225	4228	4230	rBV2	992	687	0.03%	0.003%
96	14.651	4230	4233	4238	rVV5	751	686	0.02%	0.003%
97	15.146	4385	4387	4391	rBV4	1525	777	0.03%	0.004%
98	15.262	4421	4423	4425	rBV2	1277	650	0.02%	0.003%
99	15.349	4448	4450	4452	rBV3	1265	740	0.03%	0.004%
100	15.712	4561	4563	4566	rBV3	1511	837	0.03%	0.004%




Sum of corrected areas: 20046250

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092624\
Data File : VV037568.D
Acq On : 26 Sep 2024 22:58
Operator : SY/MD
Sample : VV0926WBL02
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK215

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092624\
Data File : VV037568.D
Acq On : 26 Sep 2024 22:58
Operator : SY/MD
Sample : VV0926WBL02
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK215

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092624\
Data File : VV037568.D
Acq On : 26 Sep 2024 22:58
Operator : SY/MD
Sample : VV0926WBL02
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK215

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
				#	RT Resp Conc