

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092624\
 Data File : VV037569.D
 Acq On : 26 Sep 2024 23:44
 Operator : SY/MD
 Sample : P4184-15
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EY041

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

Signal : TIC: VV037569.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.172	34	41	52	rBV	31655	49284	0.15%	0.063%
2	1.282	67	75	93	rBV2	707595	794252	2.41%	1.016%
3	1.532	145	153	172	rVB	300474	378745	1.15%	0.485%
4	1.671	190	196	203	rVB	18357	21423	0.07%	0.027%
5	2.060	306	317	340	rBV3	757624	1219008	3.70%	1.559%
6	2.690	503	513	528	rBV	118606	204574	0.62%	0.262%
7	3.105	625	642	678	rVB	7115859	14537902	44.11%	18.599%
8	3.455	749	751	756	rVB3	825	649	0.00%	0.001%
9	3.577	788	789	795	rVB3	1021	669	0.00%	0.001%
10	3.632	804	806	809	rVB4	1062	681	0.00%	0.001%
11	3.658	809	814	818	rBV6	1313	1368	0.00%	0.002%
12	3.706	825	829	832	rBV3	803	671	0.00%	0.001%
13	3.728	832	836	839	rBV2	1050	925	0.00%	0.001%
14	3.802	842	859	910	rBV	14156477	32955826	100.00%	42.161%
15	4.243	981	996	1022	rVB	401375	1014165	3.08%	1.297%
16	4.503	1056	1077	1110	rBV	4058698	10252521	31.11%	13.116%
17	4.883	1192	1195	1198	rVB3	1393	1023	0.00%	0.001%
18	4.947	1199	1215	1241	rBV2	1000622	2547704	7.73%	3.259%
19	5.281	1315	1319	1321	rBV5	955	826	0.00%	0.001%
20	5.455	1370	1373	1378	rBV5	851	809	0.00%	0.001%
21	5.529	1382	1396	1419	rBV	732979	1501286	4.56%	1.921%
22	5.834	1479	1491	1508	rBV6	41593	97672	0.30%	0.125%
23	5.982	1524	1537	1575	rBV	552382	1144720	3.47%	1.464%
24	6.375	1657	1659	1665	rVB5	1001	757	0.00%	0.001%
25	6.516	1700	1703	1705	rBV3	967	653	0.00%	0.001%
26	6.577	1719	1722	1727	rVB5	888	620	0.00%	0.001%
27	6.638	1737	1741	1745	rBV4	855	839	0.00%	0.001%
28	6.908	1814	1825	1848	rBV	291941	551799	1.67%	0.706%
29	7.178	1901	1909	1915	rBV9	3342	5847	0.02%	0.007%
30	7.236	1916	1927	1944	rVV	1172968	2034538	6.17%	2.603%
31	7.317	1944	1952	1985	rVB	139019	288407	0.88%	0.369%
32	7.548	2011	2024	2056	rBV2	213598	409974	1.24%	0.524%
33	7.783	2087	2097	2111	rVB6	9661	20145	0.06%	0.026%
34	7.902	2123	2134	2153	rVV2	94759	166914	0.51%	0.214%
35	8.024	2163	2172	2211	rBV2	333690	724496	2.20%	0.927%
36	8.432	2295	2299	2303	rBV5	882	903	0.00%	0.001%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092624\
 Data File : VV037569.D
 Acq On : 26 Sep 2024 23:44
 Operator : SY/MD
 Sample : P4184-15
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EY041

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

37	8.452	2303	2305	2314	rVB5	1290	1368	0.00%	0.002%
38	8.519	2323	2326	2329	rBV5	847	737	0.00%	0.001%
39	8.780	2394	2407	2435	rBV	1127282	1873216	5.68%	2.396%
40	8.953	2452	2461	2473	rBV	20936	36652	0.11%	0.047%
41	9.072	2485	2498	2516	rBV2	46233	88994	0.27%	0.114%
42	9.165	2524	2527	2533	rVB7	1435	1171	0.00%	0.001%
43	9.210	2538	2541	2546	rVB5	753	653	0.00%	0.001%
44	9.284	2560	2564	2568	rVB4	897	691	0.00%	0.001%
45	9.477	2613	2624	2648	rBV2	54796	100639	0.31%	0.129%
46	9.628	2667	2671	2674	rVV7	827	669	0.00%	0.001%
47	9.780	2714	2718	2722	rVB4	1151	833	0.00%	0.001%
48	9.812	2722	2728	2731	rBV5	992	1033	0.00%	0.001%
49	9.866	2736	2745	2750	rBV5	3482	4705	0.01%	0.006%
50	9.976	2773	2779	2781	rBV3	827	740	0.00%	0.001%
51	10.014	2788	2791	2792	rBV2	1711	934	0.00%	0.001%
52	10.046	2799	2801	2805	rVB5	1487	933	0.00%	0.001%
53	10.095	2812	2816	2820	rBV4	857	709	0.00%	0.001%
54	10.146	2820	2832	2863	rBV	667119	1054110	3.20%	1.349%
55	10.294	2872	2878	2890	rVB5	6474	12039	0.04%	0.015%
56	10.384	2897	2906	2914	rBV2	20959	39947	0.12%	0.051%
57	10.474	2927	2934	2946	rVB4	14033	23374	0.07%	0.030%
58	10.628	2978	2982	2983	rBV2	1218	806	0.00%	0.001%
59	10.673	2989	2996	3011	rVB3	15475	26733	0.08%	0.034%
60	10.783	3028	3030	3034	rVV4	1518	907	0.00%	0.001%
61	10.850	3040	3051	3070	rVV	47548	80314	0.24%	0.103%
62	11.098	3124	3128	3130	rBV2	1050	896	0.00%	0.001%
63	11.133	3131	3139	3143	rVV6	4396	6057	0.02%	0.008%
64	11.178	3143	3153	3174	rVV	1152324	1832315	5.56%	2.344%
65	11.271	3177	3182	3193	rVB	30888	49113	0.15%	0.063%
66	11.464	3233	3242	3253	rBV6	25243	43647	0.13%	0.056%
67	11.554	3259	3270	3295	rBV	1161246	1845174	5.60%	2.361%
68	11.757	3331	3333	3337	rBV5	1626	1337	0.00%	0.002%
69	11.857	3354	3364	3380	rVV4	19132	42988	0.13%	0.055%
70	11.953	3388	3394	3400	rBV9	3676	5049	0.02%	0.006%
71	12.030	3413	3418	3419	rBV3	1329	886	0.00%	0.001%
72	12.156	3454	3457	3460	rVB3	934	646	0.00%	0.001%
73	12.194	3466	3469	3473	rVB3	1038	660	0.00%	0.001%
74	12.249	3482	3486	3487	rBV3	1318	898	0.00%	0.001%
75	12.323	3506	3509	3513	rBV5	982	791	0.00%	0.001%
76	12.345	3514	3516	3519	rBV4	863	670	0.00%	0.001%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092624\
 Data File : VV037569.D
 Acq On : 26 Sep 2024 23:44
 Operator : SY/MD
 Sample : P4184-15
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EY041

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

77	12.406	3527	3535	3545	rVB9	3511	5336	0.02%	0.007%
78	12.493	3559	3562	3566	rVB4	928	743	0.00%	0.001%
79	12.525	3566	3572	3577	rBV5	1449	1721	0.01%	0.002%
80	12.590	3589	3592	3598	rBV4	1597	1327	0.00%	0.002%
81	12.667	3613	3616	3621	rVB2	1566	917	0.00%	0.001%
82	12.792	3650	3655	3657	rBV4	966	839	0.00%	0.001%
83	12.821	3657	3664	3673	rVB8	3330	4827	0.01%	0.006%
84	12.889	3678	3685	3687	rBV5	1313	1051	0.00%	0.001%
85	13.066	3736	3740	3742	rBV4	1323	774	0.00%	0.001%
86	13.082	3742	3745	3748	rBV5	943	820	0.00%	0.001%
87	13.204	3777	3783	3793	rBV8	3521	5499	0.02%	0.007%
88	13.326	3819	3821	3827	rVB5	1121	766	0.00%	0.001%
89	13.448	3851	3859	3868	rBV2	6639	12527	0.04%	0.016%
90	13.603	3905	3907	3910	rBV2	872	676	0.00%	0.001%
91	13.683	3922	3932	3935	rBV8	3507	4393	0.01%	0.006%
92	13.950	4010	4015	4021	rVB7	842	905	0.00%	0.001%
93	13.982	4021	4025	4028	rVB3	1096	827	0.00%	0.001%
94	14.098	4059	4061	4065	rVB4	1263	924	0.00%	0.001%
95	14.165	4079	4082	4085	rBV3	722	672	0.00%	0.001%
96	14.326	4129	4132	4136	rBV3	1004	861	0.00%	0.001%
97	14.612	4219	4221	4226	rVB4	1925	1378	0.00%	0.002%
98	14.638	4226	4229	4230	rBV2	1504	841	0.00%	0.001%
99	15.127	4378	4381	4385	rBV5	1042	941	0.00%	0.001%
100	15.522	4502	4504	4507	rBV5	1156	785	0.00%	0.001%

Sum of corrected areas: 78166979

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092624\
Data File : VV037569.D
Acq On : 26 Sep 2024 23:44
Operator : SY/MD
Sample : P4184-15
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EY041

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092624\
Data File : VV037569.D
Acq On : 26 Sep 2024 23:44
Operator : SY/MD
Sample : P4184-15
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EY041

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
				#	RT Resp Conc
