

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092624\
 Data File : VV037573.D
 Acq On : 27 Sep 2024 01:10
 Operator : SY/MD
 Sample : P4184-19
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EY045

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

Signal : TIC: VV037573.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.176	35	42	52	rBV	13101	23425	0.92%	0.109%
2	1.278	67	74	90	rVB	370284	393025	15.42%	1.829%
3	1.417	111	117	122	rBV9	4499	5837	0.23%	0.027%
4	1.532	145	153	165	rVB	297380	345081	13.54%	1.606%
5	2.060	307	317	339	rVB2	690682	1054992	41.38%	4.909%
6	2.693	506	514	526	rVB2	24690	41944	1.65%	0.195%
7	3.105	630	642	662	rVB	277027	580906	22.79%	2.703%
8	3.249	684	687	693	rVV6	1032	1027	0.04%	0.005%
9	3.278	693	696	700	rVB3	1021	584	0.02%	0.003%
10	3.349	712	718	722	rBV6	847	798	0.03%	0.004%
11	3.802	848	859	895	rBV3	158434	478358	18.76%	2.226%
12	4.243	977	996	1027	rBV	406881	1051040	41.23%	4.890%
13	4.503	1058	1077	1099	rBV	619391	1571078	61.62%	7.310%
14	4.790	1163	1166	1169	rVB5	949	585	0.02%	0.003%
15	4.844	1179	1183	1188	rBV4	724	706	0.03%	0.003%
16	4.883	1192	1195	1198	rBV4	815	717	0.03%	0.003%
17	4.950	1198	1216	1248	rBV2	1007562	2549489	100.00%	11.863%
18	5.233	1300	1304	1308	rBV5	1315	1227	0.05%	0.006%
19	5.304	1323	1326	1333	rBV7	954	1160	0.05%	0.005%
20	5.529	1382	1396	1424	rBV	743199	1527430	59.91%	7.107%
21	5.754	1464	1466	1471	rBV5	987	677	0.03%	0.003%
22	5.780	1472	1474	1478	rVB4	1442	1049	0.04%	0.005%
23	5.841	1478	1493	1512	rBV4	25919	66419	2.61%	0.309%
24	5.982	1524	1537	1567	rBV	549133	1146475	44.97%	5.334%
25	6.342	1646	1649	1653	rVB3	993	674	0.03%	0.003%
26	6.452	1680	1683	1687	rBV4	734	597	0.02%	0.003%
27	6.474	1687	1690	1693	rVV3	681	499	0.02%	0.002%
28	6.516	1697	1703	1707	rVB6	1157	1252	0.05%	0.006%
29	6.670	1748	1751	1754	rBV3	989	553	0.02%	0.003%
30	6.825	1795	1799	1803	rVB4	656	521	0.02%	0.002%
31	6.908	1815	1825	1853	rBV	284065	550663	21.60%	2.562%
32	7.188	1906	1912	1915	rBV5	1191	1127	0.04%	0.005%
33	7.236	1916	1927	1954	rBV	1155427	2052852	80.52%	9.552%
34	7.551	2015	2025	2051	rBV	191375	358254	14.05%	1.667%
35	7.773	2091	2094	2097	rBV6	1884	1500	0.06%	0.007%
36	7.902	2122	2134	2160	rVB2	200231	351342	13.78%	1.635%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092624\
 Data File : VV037573.D
 Acq On : 27 Sep 2024 01:10
 Operator : SY/MD
 Sample : P4184-19
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EY045

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

37	7.992	2160	2162	2163	rBV2	1015	545	0.02%	0.003%
38	8.024	2163	2172	2208	rBV2	331331	692033	27.14%	3.220%
39	8.548	2331	2335	2336	rBV4	1440	1003	0.04%	0.005%
40	8.587	2344	2347	2350	rBV4	836	561	0.02%	0.003%
41	8.780	2396	2407	2436	rBV	1136146	1896914	74.40%	8.826%
42	9.294	2564	2567	2570	rBV4	846	771	0.03%	0.004%
43	9.391	2594	2597	2601	rVB4	916	566	0.02%	0.003%
44	9.490	2619	2628	2629	rBV7	1840	2387	0.09%	0.011%
45	9.551	2643	2647	2648	rVV3	731	507	0.02%	0.002%
46	9.609	2662	2665	2669	rBV3	688	509	0.02%	0.002%
47	9.706	2691	2695	2698	rVB3	1024	673	0.03%	0.003%
48	9.870	2741	2746	2749	rVB6	854	817	0.03%	0.004%
49	9.915	2755	2760	2762	rBV4	878	940	0.04%	0.004%
50	9.976	2775	2779	2781	rBV2	627	492	0.02%	0.002%
51	10.050	2797	2802	2803	rBV3	1316	824	0.03%	0.004%
52	10.146	2820	2832	2850	rBV	658530	1031616	40.46%	4.800%
53	10.310	2881	2883	2886	rVB2	1173	505	0.02%	0.002%
54	10.397	2903	2910	2912	rBV5	1951	2258	0.09%	0.011%
55	10.481	2934	2936	2938	rBV2	875	498	0.02%	0.002%
56	10.683	2994	2999	3001	rBV5	1094	781	0.03%	0.004%
57	10.789	3025	3032	3035	rBV4	1372	1455	0.06%	0.007%
58	10.831	3042	3045	3047	rBV2	848	525	0.02%	0.002%
59	10.860	3047	3054	3065	rVV3	5704	8861	0.35%	0.041%
60	10.944	3077	3080	3085	rVB5	817	634	0.02%	0.003%
61	11.130	3129	3138	3141	rBV7	1482	1942	0.08%	0.009%
62	11.178	3141	3153	3183	rBV	1144569	1808302	70.93%	8.414%
63	11.555	3258	3270	3300	rBV	1137266	1837015	72.05%	8.547%
64	11.815	3348	3351	3355	rBV4	946	714	0.03%	0.003%
65	11.854	3359	3363	3365	rBV3	1292	1082	0.04%	0.005%
66	11.870	3365	3368	3373	rVB5	1607	1336	0.05%	0.006%
67	11.934	3385	3388	3391	rVV3	1555	938	0.04%	0.004%
68	11.956	3392	3395	3398	rVV5	1224	807	0.03%	0.004%
69	12.037	3418	3420	3426	rVB4	865	694	0.03%	0.003%
70	12.410	3533	3536	3540	rVB6	1084	831	0.03%	0.004%
71	12.452	3545	3549	3552	rBV3	857	602	0.02%	0.003%
72	12.590	3589	3592	3594	rBV2	923	553	0.02%	0.003%
73	12.661	3611	3614	3618	rVB4	841	658	0.03%	0.003%
74	12.786	3650	3653	3656	rVV3	1111	851	0.03%	0.004%
75	12.808	3656	3660	3664	rVV5	1046	1094	0.04%	0.005%
76	12.828	3664	3666	3671	rVV4	1392	994	0.04%	0.005%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092624\
 Data File : VV037573.D
 Acq On : 27 Sep 2024 01:10
 Operator : SY/MD
 Sample : P4184-19
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EY045

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

77	12.905	3685	3690	3693	rBV4	869	784	0.03%	0.004%
78	12.972	3706	3711	3715	rBV4	777	970	0.04%	0.005%
79	13.066	3737	3740	3745	rBV5	1154	1209	0.05%	0.006%
80	13.133	3759	3761	3765	rBV3	612	495	0.02%	0.002%
81	13.204	3780	3783	3785	rBV4	1133	765	0.03%	0.004%
82	13.268	3799	3803	3807	rVB5	1016	894	0.04%	0.004%
83	13.297	3807	3812	3816	rBV5	921	1117	0.04%	0.005%
84	13.387	3837	3840	3841	rBV	908	493	0.02%	0.002%
85	13.455	3855	3861	3868	rVV9	2430	3660	0.14%	0.017%
86	13.535	3884	3886	3889	rVV4	808	554	0.02%	0.003%
87	13.599	3903	3906	3909	rBV4	968	685	0.03%	0.003%
88	13.638	3915	3918	3920	rBV3	967	644	0.03%	0.003%
89	13.670	3925	3928	3929	rBV3	870	525	0.02%	0.002%
90	13.686	3929	3933	3942	rVB10	2009	2493	0.10%	0.012%
91	13.844	3979	3982	3988	rVV7	777	920	0.04%	0.004%
92	13.873	3988	3991	3993	rVB4	891	530	0.02%	0.002%
93	13.937	4008	4011	4013	rBV4	797	508	0.02%	0.002%
94	14.091	4057	4059	4064	rBV3	1222	904	0.04%	0.004%
95	14.143	4072	4075	4078	rBV2	924	661	0.03%	0.003%
96	14.252	4105	4109	4114	rVV6	1020	1121	0.04%	0.005%
97	14.532	4194	4196	4199	rBV3	1005	710	0.03%	0.003%
98	14.580	4208	4211	4215	rBV6	1263	998	0.04%	0.005%
99	14.667	4236	4238	4241	rBV3	924	529	0.02%	0.002%
100	15.693	4555	4557	4559	rBV3	1358	725	0.03%	0.003%

Sum of corrected areas: 21491845




Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092624\
Data File : VV037573.D
Acq On : 27 Sep 2024 01:10
Operator : SY/MD
Sample : P4184-19
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EY045

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L

TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092624\
Data File : VV037573.D
Acq On : 27 Sep 2024 01:10
Operator : SY/MD
Sample : P4184-19
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EY045

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092624\
Data File : VV037573.D
Acq On : 27 Sep 2024 01:10
Operator : SY/MD
Sample : P4184-19
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EY045

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
				#	RT Resp Conc
