

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092624\
 Data File : VV037574.D
 Acq On : 27 Sep 2024 01:32
 Operator : SY/MD
 Sample : P4184-20
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EY046

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

Signal : TIC: VV037574.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.175	36	42	50	rBV	13351	20339	0.29%	0.063%
2	1.278	67	74	90	rVB	357770	382816	5.53%	1.181%
3	1.532	146	153	168	rVB	291253	344477	4.98%	1.063%
4	2.066	307	319	340	rBV3	1414379	2340785	33.82%	7.223%
5	3.105	629	642	668	rVB	959063	1967340	28.42%	6.071%
6	3.561	778	784	785	rBV2	780	744	0.01%	0.002%
7	3.606	795	798	800	rVB	536	243	0.00%	0.001%
8	3.658	810	814	816	rBV3	988	796	0.01%	0.002%
9	3.719	831	833	835	rVB2	544	193	0.00%	0.001%
10	3.741	837	840	843	rBV2	764	477	0.01%	0.001%
11	3.806	846	860	901	rBV2	541002	1419413	20.51%	4.380%
12	4.243	979	996	1029	rBV	402755	1059215	15.30%	3.269%
13	4.503	1058	1077	1111	rBV	2733343	6921432	100.00%	21.359%
14	4.860	1186	1188	1191	rBV2	690	452	0.01%	0.001%
15	4.950	1200	1216	1247	rBV2	971453	2467162	35.65%	7.613%
16	5.529	1385	1396	1424	rBV	717389	1470927	21.25%	4.539%
17	5.828	1477	1489	1523	rBV	555737	1131869	16.35%	3.493%
18	5.982	1526	1537	1565	rVV	539566	1112950	16.08%	3.434%
19	6.339	1646	1648	1651	rBV3	489	375	0.01%	0.001%
20	6.407	1667	1669	1671	rBV3	849	381	0.01%	0.001%
21	6.558	1714	1716	1718	rBV2	550	198	0.00%	0.001%
22	6.600	1728	1729	1731	rBV	421	163	0.00%	0.001%
23	6.648	1743	1744	1746	rBV2	510	192	0.00%	0.001%
24	6.680	1751	1754	1756	rBV2	591	354	0.01%	0.001%
25	6.738	1769	1772	1775	rBV4	485	312	0.00%	0.001%
26	6.802	1787	1792	1793	rBV4	459	397	0.01%	0.001%
27	6.825	1797	1799	1800	rBV2	428	185	0.00%	0.001%
28	6.841	1802	1804	1806	rBV	350	143	0.00%	0.000%
29	6.863	1809	1811	1813	rVB2	435	199	0.00%	0.001%
30	6.908	1813	1825	1850	rBV	274034	530139	7.66%	1.636%
31	7.236	1917	1927	1953	rBV	1079136	1923922	27.80%	5.937%
32	7.548	2016	2024	2050	rBV	184708	344125	4.97%	1.062%
33	7.773	2087	2094	2108	rBV3	20678	36795	0.53%	0.114%
34	7.899	2120	2133	2157	rBV	1186803	2001248	28.91%	6.176%
35	8.024	2164	2172	2207	rBV2	322936	664223	9.60%	2.050%
36	8.526	2326	2328	2332	rBV3	863	589	0.01%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092624\
 Data File : VV037574.D
 Acq On : 27 Sep 2024 01:32
 Operator : SY/MD
 Sample : P4184-20
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EY046

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

37	8.690	2375	2379	2382	rBV4	546	484	0.01%	0.001%
38	8.712	2382	2386	2388	rBV4	848	624	0.01%	0.002%
39	8.728	2388	2391	2394	rBV4	500	285	0.00%	0.001%
40	8.780	2395	2407	2437	rBV	1105854	1820360	26.30%	5.617%
41	9.275	2558	2561	2563	rBV	313	201	0.00%	0.001%
42	9.301	2563	2569	2572	rBV5	1013	1339	0.02%	0.004%
43	9.346	2581	2583	2587	rVB4	669	251	0.00%	0.001%
44	9.452	2614	2616	2617	rBV2	507	193	0.00%	0.001%
45	9.526	2636	2639	2645	rBV6	906	906	0.01%	0.003%
46	9.551	2645	2647	2650	rBV3	841	440	0.01%	0.001%
47	9.635	2671	2673	2675	rVB2	633	274	0.00%	0.001%
48	9.664	2680	2682	2683	rBV2	247	113	0.00%	0.000%
49	9.680	2683	2687	2690	rBV4	542	385	0.01%	0.001%
50	9.702	2690	2694	2699	rBV4	582	748	0.01%	0.002%
51	9.744	2705	2707	2709	rBV2	495	217	0.00%	0.001%
52	9.773	2714	2716	2719	rBV3	522	295	0.00%	0.001%
53	9.860	2739	2743	2745	rBV3	1345	931	0.01%	0.003%
54	9.950	2769	2771	2774	rVB3	768	380	0.01%	0.001%
55	9.982	2774	2781	2786	rBV5	983	1336	0.02%	0.004%
56	10.043	2797	2800	2801	rBV2	295	150	0.00%	0.000%
57	10.063	2805	2806	2807	rVB2	412	84	0.00%	0.000%
58	10.146	2820	2832	2855	rBV	644584	1009882	14.59%	3.116%
59	10.278	2871	2873	2875	rBV4	929	415	0.01%	0.001%
60	10.339	2889	2892	2895	rBV2	1341	910	0.01%	0.003%
61	10.599	2971	2973	2975	rVB2	313	135	0.00%	0.000%
62	10.622	2975	2980	2982	rBV3	652	596	0.01%	0.002%
63	10.667	2990	2994	2997	rBV5	1050	736	0.01%	0.002%
64	10.792	3025	3033	3035	rBV6	1370	1579	0.02%	0.005%
65	10.860	3048	3054	3061	rBV5	3536	4829	0.07%	0.015%
66	10.960	3082	3085	3090	rVB3	1231	995	0.01%	0.003%
67	10.979	3090	3091	3093	rBV	490	242	0.00%	0.001%
68	11.014	3099	3102	3104	rBV3	644	296	0.00%	0.001%
69	11.030	3106	3107	3108	rBV3	320	122	0.00%	0.000%
70	11.050	3112	3113	3114	rBV	418	109	0.00%	0.000%
71	11.178	3143	3153	3179	rBV	1076014	1671362	24.15%	5.158%
72	11.551	3258	3269	3301	rBV	1052334	1728626	24.97%	5.334%
73	11.972	3398	3400	3405	rVB3	874	627	0.01%	0.002%
74	12.079	3431	3433	3438	rVB3	771	467	0.01%	0.001%
75	12.140	3450	3452	3455	rBV3	926	466	0.01%	0.001%
76	12.326	3508	3510	3512	rBV2	531	276	0.00%	0.001%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092624\
 Data File : VV037574.D
 Acq On : 27 Sep 2024 01:32
 Operator : SY/MD
 Sample : P4184-20
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EY046

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

77	12.590	3588	3592	3594	rBV3	1355	913	0.01%	0.003%
78	12.693	3621	3624	3625	rBV2	810	390	0.01%	0.001%
79	12.763	3643	3646	3649	rBV3	1184	901	0.01%	0.003%
80	12.950	3702	3704	3706	rVB2	639	214	0.00%	0.001%
81	13.011	3718	3723	3724	rBV2	739	561	0.01%	0.002%
82	13.030	3727	3729	3733	rVV4	874	566	0.01%	0.002%
83	13.210	3780	3785	3794	rBV10	1845	2315	0.03%	0.007%
84	13.242	3794	3795	3800	rVB4	764	328	0.00%	0.001%
85	13.329	3821	3822	3823	rBV	655	245	0.00%	0.001%
86	13.918	4002	4005	4009	rVB3	1302	819	0.01%	0.003%

Sum of corrected areas: 32405488




Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092624\
Data File : VV037574.D
Acq On : 27 Sep 2024 01:32
Operator : SY/MD
Sample : P4184-20
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EY046

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L

TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092624\
Data File : VV037574.D
Acq On : 27 Sep 2024 01:32
Operator : SY/MD
Sample : P4184-20
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EY046

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092624\
Data File : VV037574.D
Acq On : 27 Sep 2024 01:32
Operator : SY/MD
Sample : P4184-20
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EY046

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc
