

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092624\
 Data File : VV037575.D
 Acq On : 27 Sep 2024 01:53
 Operator : SY/MD
 Sample : P4184-21
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EY047

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

Signal : TIC: VV037575.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.175	35	42	53	rBV	14316	27178	0.38%	0.082%
2	1.278	68	74	90	rVB	364555	385152	5.41%	1.157%
3	1.532	146	153	165	rVB	299265	348302	4.89%	1.046%
4	2.066	307	319	339	rBV4	1444083	2399299	33.69%	7.207%
5	3.105	629	642	666	rVB	952611	1967162	27.62%	5.909%
6	3.551	778	781	784	rBV2	583	405	0.01%	0.001%
7	3.577	787	789	790	rBV2	447	185	0.00%	0.001%
8	3.619	798	802	805	rVB3	796	587	0.01%	0.002%
9	3.641	806	809	810	rVV2	465	211	0.00%	0.001%
10	3.661	813	815	817	rBV2	311	129	0.00%	0.000%
11	3.735	837	838	840	rBV	415	216	0.00%	0.001%
12	3.805	846	860	894	rBV2	535193	1396651	19.61%	4.196%
13	4.243	980	996	1026	rBV	411722	1072278	15.06%	3.221%
14	4.503	1057	1077	1107	rBV	2823416	7121408	100.00%	21.393%
15	4.950	1200	1216	1254	rBV2	989645	2530007	35.53%	7.600%
16	5.307	1325	1327	1328	rBV	894	438	0.01%	0.001%
17	5.529	1385	1396	1427	rBV	722686	1495944	21.01%	4.494%
18	5.828	1477	1489	1514	rBV	578064	1162331	16.32%	3.492%
19	5.985	1526	1538	1569	rVB	544849	1128121	15.84%	3.389%
20	6.346	1648	1650	1653	rBV2	759	454	0.01%	0.001%
21	6.384	1660	1662	1664	rVB2	784	343	0.00%	0.001%
22	6.410	1664	1670	1672	rBV4	791	840	0.01%	0.003%
23	6.448	1681	1682	1684	rBV2	397	183	0.00%	0.001%
24	6.490	1694	1695	1697	rVB	537	170	0.00%	0.001%
25	6.548	1709	1713	1717	rVB5	766	550	0.01%	0.002%
26	6.635	1739	1740	1743	rVB2	585	284	0.00%	0.001%
27	6.661	1743	1748	1750	rBV3	747	549	0.01%	0.002%
28	6.677	1750	1753	1758	rVB3	647	401	0.01%	0.001%
29	6.702	1760	1761	1764	rVB2	508	230	0.00%	0.001%
30	6.725	1764	1768	1769	rBV2	631	368	0.01%	0.001%
31	6.751	1775	1776	1778	rVB2	624	160	0.00%	0.000%
32	6.789	1783	1788	1789	rBV5	529	457	0.01%	0.001%
33	6.834	1800	1802	1803	rBV	413	196	0.00%	0.001%
34	6.908	1815	1825	1855	rBV2	276010	539787	7.58%	1.622%
35	7.236	1915	1927	1952	rBV	1147309	2018424	28.34%	6.063%
36	7.551	2015	2025	2050	rBV	186867	347433	4.88%	1.044%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092624\
 Data File : VV037575.D
 Acq On : 27 Sep 2024 01:53
 Operator : SY/MD
 Sample : P4184-21
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EY047

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

37	7.776	2088	2095	2118	rVB5	22098	44746	0.63%	0.134%
38	7.899	2120	2133	2156	rBV	1295964	2167650	30.44%	6.512%
39	8.024	2164	2172	2211	rBV2	315918	666074	9.35%	2.001%
40	8.780	2394	2407	2440	rBV	1127172	1870176	26.26%	5.618%
41	9.181	2527	2532	2536	rBV7	674	816	0.01%	0.002%
42	9.220	2542	2544	2552	rVB6	1240	1151	0.02%	0.003%
43	9.271	2558	2560	2562	rBV	271	154	0.00%	0.000%
44	9.371	2586	2591	2596	rBV4	1165	1217	0.02%	0.004%
45	9.390	2596	2597	2598	rBV	432	109	0.00%	0.000%
46	9.487	2622	2627	2629	rBV3	1298	1079	0.02%	0.003%
47	9.571	2650	2653	2655	rBV4	570	399	0.01%	0.001%
48	9.606	2662	2664	2667	rVB3	446	205	0.00%	0.001%
49	9.622	2667	2669	2672	rBV2	560	300	0.00%	0.001%
50	9.699	2691	2693	2694	rBV2	397	196	0.00%	0.001%
51	9.715	2697	2698	2699	rVB2	248	48	0.00%	0.000%
52	9.728	2699	2702	2705	rBV3	580	441	0.01%	0.001%
53	9.744	2705	2707	2712	rBV5	617	436	0.01%	0.001%
54	9.802	2723	2725	2727	rBV3	507	236	0.00%	0.001%
55	9.866	2742	2745	2751	rVB6	1679	1635	0.02%	0.005%
56	9.950	2767	2771	2772	rVB3	297	174	0.00%	0.001%
57	9.960	2772	2774	2777	rBV2	578	431	0.01%	0.001%
58	10.053	2801	2803	2806	rBV3	389	252	0.00%	0.001%
59	10.082	2809	2812	2813	rBV3	316	157	0.00%	0.000%
60	10.095	2813	2816	2818	rBV4	1100	637	0.01%	0.002%
61	10.146	2821	2832	2863	rVV	644102	1022940	14.36%	3.073%
62	10.480	2934	2936	2941	rBV5	854	672	0.01%	0.002%
63	10.532	2950	2952	2954	rBV2	495	261	0.00%	0.001%
64	10.609	2973	2976	2978	rBV3	866	558	0.01%	0.002%
65	10.673	2993	2996	2997	rBV2	910	521	0.01%	0.002%
66	10.738	3013	3016	3020	rBV3	538	501	0.01%	0.002%
67	10.812	3036	3039	3040	rBV3	509	256	0.00%	0.001%
68	10.963	3083	3086	3087	rBV2	833	424	0.01%	0.001%
69	11.001	3096	3098	3100	rBV2	111	46	0.00%	0.000%
70	11.021	3100	3104	3106	rBV	847	501	0.01%	0.002%
71	11.059	3109	3116	3117	rBV3	625	588	0.01%	0.002%
72	11.104	3127	3130	3131	rVB2	272	121	0.00%	0.000%
73	11.133	3133	3139	3140	rBV5	1644	1543	0.02%	0.005%
74	11.178	3143	3153	3186	rBV	1104319	1742248	24.46%	5.234%
75	11.451	3233	3238	3239	rBV2	978	672	0.01%	0.002%
76	11.554	3259	3270	3294	rBV	1129754	1802207	25.31%	5.414%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092624\
 Data File : VV037575.D
 Acq On : 27 Sep 2024 01:53
 Operator : SY/MD
 Sample : P4184-21
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EY047

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

77	11.866	3365	3367	3371	rBV4	1251	857	0.01%	0.003%
78	11.950	3390	3393	3394	rBV3	1052	602	0.01%	0.002%
79	12.066	3426	3429	3434	rVB4	871	788	0.01%	0.002%
80	12.091	3434	3437	3439	rBV	850	497	0.01%	0.001%
81	12.320	3506	3508	3511	rBV4	587	367	0.01%	0.001%
82	12.345	3513	3516	3517	rBV	856	516	0.01%	0.002%
83	12.554	3578	3581	3583	rVB2	666	326	0.00%	0.001%
84	12.567	3583	3585	3588	rBV2	465	265	0.00%	0.001%
85	12.792	3651	3655	3660	rBV4	1089	1095	0.02%	0.003%
86	12.818	3660	3663	3667	rBV6	1546	1388	0.02%	0.004%
87	12.940	3699	3701	3705	rBV4	1039	775	0.01%	0.002%
88	13.255	3796	3799	3801	rBV2	840	461	0.01%	0.001%
89	13.374	3833	3836	3838	rBV2	638	465	0.01%	0.001%
90	13.924	4005	4007	4008	rBV	942	404	0.01%	0.001%
91	14.082	4054	4056	4059	rBV3	925	633	0.01%	0.002%

Sum of corrected areas: 33289050




Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092624\
Data File : VV037575.D
Acq On : 27 Sep 2024 01:53
Operator : SY/MD
Sample : P4184-21
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EY047

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L

TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092624\
Data File : VV037575.D
Acq On : 27 Sep 2024 01:53
Operator : SY/MD
Sample : P4184-21
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EY047

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092624\
Data File : VV037575.D
Acq On : 27 Sep 2024 01:53
Operator : SY/MD
Sample : P4184-21
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EY047

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc
