

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV093024\
 Data File : VV037661.D
 Acq On : 30 Sep 2024 17:24
 Operator : SY/MD
 Sample : P4183-02ME
 Misc : 5.51g/5mL/100ul/5mL/MSVOA_V/MEOH
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A4EK7ME

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 10/01/2024
 Supervised By :Mahesh Dadoda 10/01/2024

Quant Time: Oct 01 02:10:13 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Oct 01 02:04:27 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.526	114	682546	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.780	117	656836	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.182	152	321763	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	154767	25.830	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	51.660%#		
7) Chloroethane-d5	1.507	69	85893	18.468	ug/L	-0.03
Spiked Amount 50.000	Range 70 - 130		Recovery =	36.940%#		
11) 1,1-Dichloroethene-d2	2.044	65	75479	30.152	ug/L	-0.02
Spiked Amount 50.000	Range 60 - 125		Recovery =	60.300%		
21) 2-Butanone-d5	3.806	46	185505m	86.924	ug/L	0.02
Spiked Amount 100.000	Range 40 - 130		Recovery =	86.920%		
24) Chloroform-d	4.240	84	373087	34.999	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	70.000%		
26) 1,2-Dichloroethane-d4	4.934	65	241043	38.632	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	77.260%		
32) Benzene-d6	4.947	84	728197	35.429	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	70.860%		
36) 1,2-Dichloropropane-d6	5.982	67	240872	36.803	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	73.600%		
41) Toluene-d8	7.236	98	650990	34.929	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	69.860%#		
43) trans-1,3-Dichloroprop...	7.551	79	109382	35.977	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	71.960%		
47) 2-Hexanone-d5	8.034	63	117088	84.723	ug/L	0.01
Spiked Amount 100.000	Range 45 - 130		Recovery =	84.720%		
56) 1,1,2,2-Tetrachloroeth...	10.149	84	293462	38.590	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	77.180%		
66) 1,2-Dichlorobenzene-d4	11.554	152	280755	41.408	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	82.820%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV093024\
Data File : VV037661.D
Acq On : 30 Sep 2024 17:24
Operator : SY/MD
Sample : P4183-02ME
Misc : 5.51g/5mL/100ul/5mL/MSVOA_V/MEOH
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A4EK7ME

Quant Time: Oct 01 02:10:13 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Oct 01 02:04:27 2024
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 10/01/2024
Supervised By :Mahesh Dadoda 10/01/2024

